



UKAL AGRI

LIVESTOCK EXPERT | 2023



UKAL.com

UKAL AGRI

LIVESTOCK EXPERT

The legacy of a passion.

The world is changing. Consumers' expectations and the farmers' concerns of have evolved, bringing about a slow but progressive shift in the farming sector and even throughout society as a whole.

We constantly adapt to these changes by offering new products. This more comprehensive offer is a response, of course, to the expectations of livestock farmers, but also to those of gardeners, hobby farmers and, at the end of the day, just about everyone else.

Confident in our expertise in the world of farming, we have constructed and segmented our offer in three main product lines - **UKAL AGRI**, **UKAL GREEN** and **UKAL TECH** - to continue to perpetuate our heritage whilst embarking on a new chapter in the life of our firm.

Because mankind will always need food, we will continue to advise and assist those generations of farmers and livestock specialists passionate about their profession.

Our mainstay since we were founded 55 years ago, the **UKAL AGRI** division has changed and adapted constantly over the years and will continue to be our core business. Our go-to partnerships with horizont, Heiniger and more than 48 other brands position us as an essential player on the livestock farming market. In our capacity as a specialist in livestock farming, we make a point of honour of always being innovative, offering value-for-money products that improve animal welfare and simplify the livestock farmer's day-to-day life.

Along with our **After Sales Service**, which can supply a great many spare parts and offers a repair service, it is our wish to extend the lifespan of the products that we sell.



DISCOVER THE EXPLICATIVE-
VIDEO OF OUR 3 DIVISIONS



— SUMMARY

05	Cattle
49	Sheeps
61	Pigs
65	Poultry
89	Heating
93	Identification
103	Electric clippers
117	Vaccination & drenching
125	Farm & stable equipment
153	Milk & meat processing
167	Hygiene & farmer protection
175	Fencing - Beaumont
201	UKAL TECH selection



UKAL

THE UKAL WEBSHOP

More than **6000** product references

More than **2000** spare parts available
from our after sales service

Fast ordering **simply**
by uploading an Excel file

Online **fence calculator**

Merchandising tools can be ordered

Store locator

with a listing of retail outlets

*All safety data sheets are available
on our website.*

**QUICK AND EASY
PLACE YOUR ORDERS
24 / 7!**



**CHECK OUT THE VIDEO
ON OUR WEBSHOP BY SCANNING
THIS QR CODE**

CONTACT US
to get your login code!

TOOLS FOR SALE

*Build your
product offer*

Find all our brochures in the
the "Our catalogs" section
on **UKAL** webshop.



UKAL

THE POWER OF AN EUROPEAN GROUP

UKAL.com



Bio EUTRA

THE FIRST ORGANIC
MILKING GREASE!



Organic
beeswax



Organic
sunflower
oil



100% NATURAL INGREDIENTS.
Organic beeswax and organic sunflower oil.



Available on **UKAL.com**



UKAL

— CATTLE

06	Calving
29	Care
10	Feeding
20	Magnets
21	Dehorning
24	Castration
25	Restraining
28	Leads and halters
31	Collars
32	Hoof Care
38	Dairy
44	Hygiene
45	Brushes
47	Bells



MOOCALL CALVING SENSOR

Moocall's calving sensors measure contractions and predict when your cows will calve. This non-invasive, tail-mounted sensor collects hundreds of pieces of data per second. It can accurately predict when your cow is most likely to calve by measuring tail movements triggered by labour contractions. When the contractions reach a certain level of intensity, over a period of time, the sensor sends an SMS alert directly to your mobile phone, on average, 1 hour before calving.

DOES NOT WORK FOR HORSES.

THE ADVANTAGES OF MOOCALL - CALVING SENSOR:

- Connects easily with all networks and phones (GSM signal).
- No need for wifi, stations, router or extra batteries.
- Notification 1 hour before calving by SMS, email and App notification.
- Free application.
- One year warranty.

Non-invasive.

- Cost compensated with about 30 cows.
- Reduces calf and cow mortality.
- After-sales service available by various means.

After one year, an annual fee applies to keep the unit active. The annual fee for the second year is payable directly to Moocall HQ. Annual renewal covers 12 months of unlimited calving alerts, software updates, service and support. The customer can also extend the warranty for a second year. Please note that MOOCALL is not geolocatable.

Sku. M0034716



CALVING JACK BEEF CATTLE

Vink

Pulling power **500 kg** (1'100 lbs). For corpulent suckling-cows. The 1,80 meter (5'4") tube provides an efficient support for calving even for very big calves. It is also suitable for hanging the calf upside down to clear out the respiratory tracts.

Sku. 101011



Pulling power: 500 kg



CALVING JACK DAIRY CATTLE

Vink

Pulling power **300 kg** (660 lbs). Allows a higher freedom of action as well as a high tension and an alternate motion of the two straps. Made of stainless steel.

Sku. 101010001



Pulling power: 300 kg



UNIVERSAL CALVING ROPES

UKAL

Made of nylon. 66 cm (26") long. Adaptable for all types of calving jacks. Supplied in pairs.

Sku. 101103



White
Limited stock



VINK CALVING ROPES

Vink

Made of nylon. Diameter of 12 mm (1/2"). Supplied in pairs.

Sku. 101104



Red and blue

COTTON CALVING KAMER ROPES WITH RING

55 cm (27") long. Diameter 12 mm. Very soft. The cotton avoids shearing. Supplied in pairs.

Sku. 101105



White



NYLON CALVING KAMER ROPES WITH RING

Length: 43 cm (17"). Diameter 12 mm. Supplied in pairs.

Sku. 101106



White



NYLON CALVING KAMER STRAPS

Suitable for calving ropes. After placing the rope through the metal ring, the large strap can be fastened on the leg of the cattle. The strap avoids shearing. Supplied in pairs.

Sku. 101123



Nylon assorted colors
Limited stock




PERLON CALVING KAMER CORD 2 M

Diameter of 7 mm. For calving. Available in several colours. Using different colours during the calving makes it possible to identify the legs and to adjust the traction according to the calving need.

Sku. 101107036



One blue and one red



BLANKET FOR CALVES

UKAL

For optimal strengthening of the calf's immune system in the days after birth. Prevents diarrhoeal diseases. Breathable and moisture-resistant fabric 3 layers of protection with insulation for a better comfort of the calf. Long and adjustable straps. Machine washable at 30°C. Pocket with velcro fastening on the right side for the use of heating pads (not included). Length: 72 cm.

Sku. 101130



By piece



COW LIFT

KAMER

Suitable model for dairy and beef cattle. The clamps prevent injuries thanks to its rubber foam covering. Double thread and triple tubing for a better resistance. Very simple to adjust. Helps weak cattle to stand up (after a difficult calving, for deficient animals). Maximum weight: **900 kg** (1984 lbs).

Sku. 104453



Grey - Maximum weight
900 kg (1984 lbs)



CATTLE | Calving



COW LIFT




Cow lift robust and stable for cows up to **1500 kg**. A wise investment that pays off quickly and should be a "must" for every dairy farmer. An indispensable apparatus for cows that cannot get up. The clamps are adjustable to the size of every cow. With a pulley or a hoist you can help the cattle to get up.

Sku. 104456



Maximum weight
1500 kg



PROLAPSE HARNESS

KAMER

It is used to keep the uterus in place in case of a prolapse. In leather.

Sku. 101110



Leather
Limited stock



NICKEL - PLATED KAMER PROLAPSE NEEDLES

Used to keep the uterus remain in place in case of a prolapse. Nickel-plated. 13 cm.

Sku. 101113



Without eyelet, by 5
Limited stock

Sku. 101113A



With eyelet, by 5
Limited stock



SEPTICARE LUBRICATING GEL



Lubricating gel ideal for lubricating the arms and hands for rectal and vaginal examinations.

Sku. 101212110



1000 ml . Spermicidal



SEPTIJECT



Septiject is a cleaning solution for external use to clean and dry superficial wounds on farm animals. Professional use only.

Sku. 002007



Spray 500 ml



ELECTRONIC VETERINARY THERMOMETER WITH SIGNAL**UKAL**

Digital display from 32°C to 43°C. Audible signal to indicate the temperature calculated.

Sku. 114062 Electronic veterinary thermometer with signal  3 338020 031610

NEW**LARGE DISPLAY THERMOMETER****UKAL**

Digital display. Measuring time approx. 20 seconds. Measuring range: 32,0 °C ~ 43,9 °C. Operates with one 3V lithium button cell battery (CR2032) included. Material ABS + TPE and stainless steel. Soft tip.

Sku. 114064 Assorted colors  3 700393 925511

DIGITAL VETERINARY THERMOMETER**UKAL**

Measurement from +32°C to +44°C with an accuracy of +/-0.1°C. Automatic shut-off after 15 seconds. With suspension ring and cord. Supplied in blister pack with manual.

Sku. 114063 Digital veterinary thermometer  3 526570 020417

STETHOSCOPE

With 22" (56 cm) PVC tubing. Y shape. Eartips made of polyethylene.

Sku. 114100 Assorted colors **Limited stock**  3 338020 084029

UNIVERSAL SCISSORS MULTI-USE**KAMER**

Very good cut multi-use: hair, bands, umbilical cord...

Sku. 114025 Multi-use  3 338020 009503

ARTERY FORCEPS**KAMER**

Used when suturing.

Sku. 114080 Artery forceps  3 338020 067640



CATTLE | Feeding



FEEDING BUCKET 8 LITERS

Plastic feeding bucket is graduated. Very resistant. It is equipped with a sloping bottom so that all the milk is consumed. Supplied with handle, teat holder, teat. Food grade plastic, non-toxic. Hygienic, easy to clean. The transparent plastic version allows you to effortlessly check the level of remaining milk. Supplied without lid and bracket.

Sku. 120009630 

Transparent complete feeding bucket

Sku. 120009600 

Blue complete feeding bucket



CALF FEEDING BUCKET

Supplied without teat and teat holder. Food safe quality.

Sku. 120009632 

Transparent bucket

Sku. 120009601 

Blue bucket



TEAT HOLDER


With washers included.

Sku. 120009610 

Blue

Sku. 120009612 

Grey



COMPATIBLE TEAT

Work for TETIBLUE and TETICLEAR buckets. Length: 10 cm.

Sku. 120009635 

Red by 3

Sku. 120009500 

Sand by 2



TRANSPARENT LID

For TETIBLUE and TETICLEAR buckets.

Sku. 120009621 



WASHERS

Sku. 120009625 

By 5

Sku. 120009626 

By 100



METAL BRACKET FOR BUCKET

Sku. 120003004M 



Tétibblue

FLOATING CALF DUMMY LARGE

The characteristic of this base is the ability to float with the teat oriented upwards. With its round form it is very steady and unsinkable. It has been specially designed for trough-feeding systems. The stainless steel washer ensures a perfect balance of the base. It is embedded in the valve and can't get in contact with the food. Cleaning and replacement of the base can be done easily and rapidly. Supplied with a teat 120009300.

Sku. 120009

Diameter: 120 mm.
Height: 130 mm



Tétibblue

FLOATING DUMMY MEDIUM

The characteristic of this base is the ability to float with the teat oriented upwards. The double clamp ring avoids milk permeation, which ensures the sealing and the cleanliness of the base. It is very practical, easy to dismantle and to clean due to its special design. The calf is able to drink all the milk contained in the bucket.

Sku. 120009001

Diameter: 80 mm.
Height: 130 mm



Tétibblue

SINKING DUMMY

After the milk bucket is filled, this base sinks to the bottom of the bucket. The teat of this sinking base remains constantly facing upwards, thanks to the inclusion of a stainless steel ring in the centre of the valve. The replacement of the teat is practical and quick.

Sku. 120009002

Diameter: 75 mm.
Height: 130 mm



Tétibblue

FLOATING CALF DUMMY SMALL

The characteristic of this base is its ability to float with the teat facing down. The plastic part does not contain a balancing element, which forces the calf to look for the teat from the sides. It is extremely practical and easy to disassemble for cleaning.

Sku. 120009003

Diameter: 74 mm.
Height: 130 mm



Tétibblue

SPARE TEAT

Colour: Red. Compatible with all floating dummies TETIBLUE except Sku. 120009. Shore 42.

Sku. 120009200

Diameter: 43 mm.
Height: 92 mm



Compatible with:



Tétibblue

SPARE TEAT

Colour: Sand. Diameter of hole: 3 mm. Compatible with floating dummy Sku.120009. Shore 50..

Sku. 120009300

Diameter: 46 mm.
Height: 120 mm



Compatible with:



Tétibblue

SPARE TEAT

Colour: Sand. Compatible with all floating dummies TETIBLUE except Sku. 120009. Shore 50.

Sku. 120009100

Diameter: 43 mm.
Height: 92 mm



Compatible with:



Tétibblue

SPARE TEAT

Colour: Sand. Size: 45 x 100 mm. Compatible with all floating dummies TETIBLUE except Sku. 120009. Shore 50.

Sku. 120009110

Diameter: 45 mm.
Height: 100 mm



Compatible with:





ALUMINIUM CALF DUMMY

Aluminium. Shore 50. Sand color. Supplied in pairs.

Sku. 120006 

Aluminium calf dummy x 2 

Sku. 120007 

Teat for aluminium calf dummy x 2 

Sku. 120007001 

Spare aluminium base calf dummy, by unit 



STAINLESS STEEL CHAIN

Sku. 120007006 

By unit



SMB CALF TEAT

They prevent leaking and assure a good flow so that the calf can suck without any difficulties. The «SMB» teat is suitable for all feeders with a 22 mm teat hole and also for the calf feeding bottle. Supplied in pairs.

Sku. 120038 

SMB calf teat, by 2 



LATEX TEAT

For calf buckets and feeders.

Sku. 120005 

Latex teats reinforced x 2 



SEMI-CIRCULAR PLASTIC BUCKET WITH LID 6 L

The collar ensures that there are no losses. Very good stability thanks to its flat back. This new model has a metal reinforcement around the lid for a better stability of the handle. Supplied without teat.

Sku. 120015 

6 L 

Sku. 1200241C 

Rubber calf teat by 2



CIRCULAR PLASTIC CALF BUCKET 7 L

Plastic calf bucket, circular, 7 L. The cone shape allows full flow of milk. To be placed on a circular support for the feeding box. Supplied with: valve, 2 rubber teats (Sku. 1200241C) without support.

Sku. 120001 

7 L

Sku. 120020 

White valve by unit

Tétiblu**PLASTIC CALF FEEDER**

With handle and teat. Food safe plastic. 250 ml scale. Supplied with rubber teat Sku. 120025. Sand colour. Possibility to adapt the teat for grains.

Sku. 120025001

2 L complete
(bottle + teat)

Sku. 120035001

3 L complete
(bottle + teat)

Sku. 120025

Sand teat. Length:
10 cm. Supplied
by piece

Sku. 120025006

2 L bottle holder
in metal

Sku. 120035006

3 L bottle holder
in metal

**SPEEDY FEEDER**

The speedy feeder is a 3 speed calf feeding bottle. The **3 speeds** control the air inlet to the bottle. A teat is mounted low in the cap to empty the bottle contents completely. **THE ORIGINAL!** Graduation every liter.

Sku. 120050

2,5 L

Sku. 120056

4 L

Sku. 120055

Lid and teat SPEEDY
FEEDER

**SPEEDY DRENCHER**

The **original** Speedy Drencher is a drenching bottle for calves with the same characteristics as the Speedy Feeder bottle: 3 feed rates, ergonomic handle, a bottle neck with large opening and a wide base for greater stability. The lid and the drenching probe are suitable for the Speedy Feeder bottle. The length of the probe is 48 cm. Great for colostrum.

Sku. 120090

4 L

Sku. 120091

SPEEDY drencher tip

**COLOSTRUM SCALE**

Helps to evaluate the quality of the colostrum.

Sku. 124062

With test tube

**COLOSTRUM REFRACTOMETER****ANTAHI**

Helps to evaluate the quality of the colostrum. Refractometer with automatic temperature compensation between + 10 ° C and + 30 ° C. Scale from 0 to 32 Brix.

Sku. 124070002

Colostrum
refractometer

**UKAL'S TIP**

The colostrum refractometer: what importance does it have for newborns?

Newborns don't have antibodies in their blood, which is a critical factor for the running of the immune system. Colostrum contains large quantities of antibodies and is the main source for the new born.

Colostrum reduces the risk of diarrhea and pneumonia and saves lives. Refractometers allow you to verify that the milk given to the new born is healthy. Did you know? Colostrum is the milk produced by the female mammals at the end of the gestation, it is the first milk consumed after delivery.



Based in the heart of New Zealand, Antahi develops innovative and efficient products. The best start = optimum health and productivity for life. Through our hands-on experience we know how to achieve this best start for your animals and we are here to help farmers and vets achieve top results in a kinder, easier, safer and easier manner, through better equipment. Why Antahi? An = animal and Tahi = first in Maori. If you look after your animals, they will look after you. Our products are designed to work with the animal, achieving the lowest stress and the greatest result, which in turn makes a farmers work and life easier.



2 in 1



—
TRUSTI TUBER



Designed by a vet, the Trusti Tuber significantly reduces calf stress and discomfort. Flexi Tuber can be held in place with one hand. Large 4 liters capacity bottle. Transparent flexible tube makes it easy to clean and monitor flow. Ergonomic bottle handle. Perfect for large and small hands. Reliable valve. Fast flow even with thick colostrum. Shown in trials to almost halve procedure feeding time. Stopper and calf size markers provide easy guide for tube placement and positioning. **Attachment included with Flexi Tuber for use without hands.** Locking ring and calf weight indication for better positioning of the flexible tube (20 to 140 kg). Delivered with a teat for an easy transition between bottle and drenching.

Tip: Never let the liquid drain before the tube is placed in the esophagus.

Sku. 120095	TRUSTI TUBER 4 L		
Sku. 120096	FLEXI TUBER 4 L		



—
ANTAHİ FEEDER WITH TEAT



A specially designed bottle for both bottle feeding with the Antahi Suckle Up cap, and tube feeding with the Antahi Tubers. What makes a bottle a better bottle? Well that depends on the user, in this case the farmers and calf rearers, so we asked them: What would you like in a bottle and what makes your job easier? The Antahi Feeder is the result. High quality valve for reliable flow and no leaks. 4 liters or 1 gallon size for less refilling. Wide cap for eas filling and easy cleaning. Clip-on mouthpiece for maintaining hygiene. Ergonomic design for both small and large hands. Broad base for uneven ground.

Sku. 120097	4 L		
-------------	-----	---	---

— COLOSTRUM BAGS ANTAHI

Large spout for easy filling and cleaning. Transparent side – see the colostrum contents, see the colostrum level reduce during feeding. Reusable – due to durability and easy to clean design, the Trusti colostrum bag is the only colostrum bag designed to be reused. (Number of uses dependant on cleaning and care of bag). Comfortable handle. Pasteurisation friendly. Large capacity – **four liters freezes flat**. Quick thawing. Incorporating premium Trusti Tuber and Flexi Tuber oesophageal tube feeders.

Sku. 120098100  9 421904 214316

Box of 10

Sku. 120098500  9 421904 214323

Box of 50



— BRUSH FOR COLOSTRUM BAGS ANTAHI

Allows an efficient cleaning of the colostrum bags.

Sku. 120098  9 421904 214330

Stainless steel



— COMPLETE KIT FOR COLOSTRUM ANTAHI

Kit containing colostrum bags, a peach teat and a trusti tube.

Sku. 120095100  9 421904 214293

4 bags + teat + trusti tube

Sku. 120095200  9 421904 214309

10 bags + teat + trusti tube



— PASTEURIZER FOR ANTAHI COLOSTRUM BAGS

This pasteurizer is specially designed for pasteurization of colostrum bags. Easy to use, very precise and good value for money. This pasteurizer makes it easy to pasteurize colostrum in Trusti bags, it can keep the number and quality of antibodies in colostrum and avoid bacteriological contamination. 60 °C = ideal temperature for pasteurizing; for 60 min. 42 °C = temperature for defrosting.

Heating: depends on the degree of water. Cooling: approx 30 min.

The technical characteristics: Plastic material. Capacity: 2 bags of 4 liters at the same time Water capacity: 27 liters. Digital screen.

Sku. 120098300  9 421904 214538

Pasteurizer for colostrum bags




— THERMAL BAG FOR ANTAHI COLOSTRUM BAG

Insulated bag to keep colostrum warm when feeding or transporting.

Sku. 120098400  9 421904 214545

Thermal bag for colostrum bag





Since 1984, STALLION, a New Zealand company, has been designing, manufacturing and distributing watering solutions for farms. Mobile and robust, the watering troughs are made of 100% recyclable polyethylene and offer optimal UV protection. The STALLION brand uses Peach Teats, which are recognised throughout the world for their innovative technology that promotes the well-being of the calf by guaranteeing optimal feeding.



NEW

COMPARTMENTS CALF FEEDER

The Milk Maid series features a range of compartmentalized pen feeders available from 1 to 10 teat models. They are made of tough, durable plastic with rounded edges to make it easy for transporting and cleaning. Complete with steel brackets and screw in peach teats, they are easy to take off to ensure a hygienic clean.

Sku. 120018103



MM3 - 3 peach teats - 16L

Sku. 120018105



MM5 - 5 peach teats - 25L

Sku. 120018106



Méga MM5 - 5 peach teats - 40L

Sku. 120018110



Méga MM10 - 10 peach teats - 66 L



NEW

CALF FEEDER WITHOUT COMPARTMENTS

Stallion's range of pen feeders have been thoroughly tested and proven to effectively feed calves from first day through to weaning. A must for every calf rearer. Non-compartmentalized pen feeders. Easy to install with galvanised steel hooks. Feeding troughs very robust and stable.

Sku. 120018200



RFC1 - 1 peach teat - 6L

Sku. 120018300



BKT - 3 peach teats - 10L

Sku. 120018115



FC5 - 5 peach teats - 30L

Sku. 120018111



FC10 - 10 peach teats - 80L



DISCOVER OUR NEW RANGE OF CALF FEEDERS

Choose the product adapted to your needs in 2 steps.

STEP 1

CHOOSE THE CAPACITY

6 L • 10 L • 16 L • 25 L • 30 L
40 L • 66 L • 80 L

STEP 2

SELECT THE TYPE OF COMPARTMENT

- calf feeder with compartments
- calf feeder without compartments

NEW**THREADED PEACH TEAT**

The Peach Teat allows no more fluid to pass through it than a cow's udder naturally would, allowing the calf to suckle more intensely than conventional technology. This stimulates the flow of saliva and improves the PH-level in the stomach and leads to better digestion. Peach Teats are manufactured from a natural rubber specially developed to meet the needs of calf rearers, ensuring that the teats feel natural and comfortable to the calf, and will eliminate mouth ulcers. Peach Teats will pull through, or screw-on, all standard calf feeders. Peach Teats can be used for tube or gravity feeding using any container with a hole size of 22mm (7/8").

Sku. 120018405

Black - By 50

Sku. 120018404

Pink - By 50

**DUTCH BOWL 16 L****Sku. 122010**Capacity: 16 L.
Diameter: 36 cm**DUTCH BOWL 14 L****Sku. 122011**Diameter: 32 cm.
Capacity: 14 L**GRADUATED CALF PLASTIC BUCKET**

Reinforced bottom. With handle. Liters graduation. The real capacity is at least one liter over the indicated graduation. On special request and for a minimum of 500 pieces you can choose the colour and the buckets can be personalised with a logo or with other advertising labels.

Sku. 122013

Capacity: 14 L. Grad. 12 L

Sku. 122014

Capacity: 16 L. Grad. 14 L

Sku. 122015


Capacity: 16 L. Grad. 15 L

Sku. 122018

Capacity: 19 L. Grad. 18 L

**DID YOU KNOW?**

Customised personalization service is available. Do not hesitate to contact us for more information



CATTLE | Feeding



— CALF MUZZLE WITHOUT STRAP KAMER

White muzzle for calf without bridle. Very robust.

Sku. 120011  3 338020 010530

Grey in high density polyethylene

Sku. 120011B  3 338020 048922

White, high density polyethylene



— LARGE RIGID MUZZLE KAMER

Large model muzzle for fattening calves (heavy breed). Diameter: 18 cm.

Sku. 120011002  3 338020 085637

White, high density polyethylene



— WHITE CALF MUZZLE WITH STRAP KAMER

In nylon.

Sku. 120012  3 338020 034994

White



— MILK THERMOMETER IN PLASTIC CAGE

Temperature range from -10°C to 120°C. Easy to clean.

Sku. 124061  3 338020 011117

Milk thermometer



— TEFTLON MILK WARMER

This teftlon warming milk offers a great thermal power: 2300 W. Optical display in operation. Thermostat for continuous adjustment. Constant temperature: the device turns off automatically. Do not burn the milk. Protection against projections. High stability. Easy to clean. Waterproof IPX7. Operational from 150 mm level. Helps heat the milk and maintain its temperature. Large exchange surface to facilitate heating. Waterproof device and anti-adhesive.

Sku. 120400  3 700393 921902

In teftlon



— ALUMINIUM MILK WARMER

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Sku. 120300  3 700393 921896

In aluminium



POWERHEAT HORIZONT MILK HEATER **horizont**

Heats up the milk in a minimum of time. Reduced energy consumption. Easy temperature control. Flat heating element with fast heat dissipation. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Aluminum. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomic working height at 90 cm. Ø: 165 mm. Low weight: 2.8 kg.

Sku. 120500

Aluminium



DIGITAL POWERHEAT MILK HEATER **horizont**

Heats up the milk in a minimum of time. Reduced energy consumption. Easily adjust temperature by the degree. Flat heating element with fast heat dissipation. Saves the last temperature. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomically working height at 90 cm. Ø: 165 Reduces germ formation, protects animal health. **Digital display easily readable in bad lighting conditions.** Teflon PTFE coating.

Sku. 120600

Teflon



MILK WHISK



Sku. 124070036

Stainless steel milk
whisk and handle
35 cm

Sku. 124070037

Stainless steel milk
whisk and handle
40 cm

Sku. 124070042

Stainless steel
whisk-short
wooden handle
40 cm



RUMINAL MAGNET IN PLASTIC CAGE

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. The cage's shape provides maximum protection and enables sharp metal pieces to stay in an optimal position. Length: 100 mm To be used with the magnet introducer Sku. 111019.

Sku. 111001 

Single unit

Sku. 111001012 

Box of 12

12



RUMINAL MAGNETS

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. To be used with the magnet introducer Sku. 111019. Dimensions: 15 x 55 mm.

Sku. 111002 

Box of 6

Sku. 111003 

Box of 12

16



METAL INTRODUCER FOR MAGNETS

Nickel plated. Retains magnet while guide is being placed.

Sku. 111019 

Length 55 cm - Inner diameter: 35 mm



MULTI BOLUS GUN

Stainless steel with aluminium handle which guarantees a good grip. Allows you to introduce 2 magnets or 2 boluses at the same time.

Sku. 111050100 

Length: 46 cm
Head diameter: 25 mm
Head length: 75 mm

5



BOLUS GUN

Stainless steel. It retains the magnet while placing the guide.

Sku. 111050026 

Diameter: 26 mm - metal spring



ROUND CATTLE TROCAR

Trocar to pierce the stomach in case of bloating. To be used when the stomach tube is not effective.

Sku. 111114 

Length: 22 cm,
diameter 9 mm (for cattle)

Sku. 111116 

Length: 12 cm,
diameter 6 mm (for sheep)

THE 4 R'S OF DEHORNING

The Right moment

As soon as possible and before 4 weeks: the younger the calf, the easier it is to handle. At this age the veins are found just under the skin.

The Right restraint

A calf that does not move makes dehorning easier for the farmer. This represents 80% of a successful dehorning.

The Right technique

The Right technique Clip first to properly locate the horn. Cauterise in 10 seconds without pressing too hard. Make a furrow of 4-5 mm. Cauterisation is not burning.

The Right pain management after dehorning

Apply a cleaning spray that cools the cauterisation. We recommend using Septiject (ref 002007). Treat against flies. Keep under careful observation for the next 48 hours. Avoid putting animals outside in wet weather.



WHY DEHORN?

For practical reasons:

- Easier access to the fence
- Save space
- Safe Handling

For safety reasons:

- Avoid accidents with the breeder
- Avoid accidents between animals

For economic reasons:

- A damaged skin decreases profitability

Different methods proposed:

- Electric or gas iron



GAS DEHORNER



Wireless, the NETHORN gas dehorner offers a run time of ± 2 hours. Thanks to its power of 350 W and its speedy rise of temperature in less than 2 minutes, this dehorner allows dehorning in 3 seconds per horn. The NETHORN dehorner has no exposed flame and has an automatic piezo ignition for starting up which can be changed without tools in a few seconds. It is a safe device in wet conditions, it can work in all positions and down to -10°C . Lightweight 770 g. 19 mm diameter nozzle supplied, **2 propene / propane / butane cartridges included**. Also works for goats (nozzle not supplied).



Sku. 103016



Supplied with
2 cartridges



GAS CARTRIDGE



Sku. 103016100



60 g propene/propane/
butane



ARKOS GAS CARTRIDGE FOR CATTLE

Gas cartridge for dehorner.

Sku. 103015446



60 g
Butane, propane, propene



Sku. 103401556



340 g
Butane, propane



ARKOS GAS DEHORNER FOR CATTLE



The pistol Grip - new model. Lightweight: 470 g. No cable/Portable. Works with gas cartridge Sku. 103015446. Built-in Piezo ignition. Temp.: 700°C / 1292°F , Max temp. reached in less than 3 minutes. Safety: Lock position. Operation position. Easy to handle: Non-slip dual-material handle. Pistol shape for good grip handling. Support stand. Reversible tip internal $\varnothing 17$ and 19 mm, to best adapt to various calf breeds. Additional tip internal $\varnothing 15$ mm available on request. Self-maintenance: change the trigger/ Piezo-ignition and gas nozzle without tools.

Sku. 103015144



Supplied with
1 cartridge.





COSMOS DEHORNER

The Cosmos electric dehorner, with its Ø 16 mm tip specifically designed for cattle, is battery-operated making it very mobile and enabling the dehorning of up to 40 animals before recharging. Thanks to its mobility, animal restraint is greatly simplified and ensures total respect for animal well-being. Featuring numerous technological innovations, such as its closed circular heating wire and its built-in charge indicator, it helps operators save time and enables work in complete safety. Dehorning is made simple, with no more endless rotations. Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished.

Sku. 103017200

On mains



6



NEW

SAROS DEHORNER

Fast, powerful, simple. Ecological innovation: less power consumed for more heating power. Lightweight and ergonomic handle: protection of the user's hand against the risk of burns.

- Fast: <5 minutes to heat up.
- Powerful: > 600 °C.
- Lightweight: 360 g handle.
- Cable length: 4 m.
- Low voltage: 24 V.
- IP68 transformer: allows working in wet areas.
- 17 mm tip.
- 2 years warranty.

Sku. 103018

On mains



4



COMPLETE ELECTRIC DEHORNER 24 V UKAL


For calf dehorning. Dehorner tip goes up to 600°C. Supplied complete with a 24 V transformer. Built-in iron holder. 4 m power cord. Power 250W. Tip of 17 mm diameter included.

Sku. 103290100

24 V



4



TIPS FOR DEHORNER

For dehorner sku: 103301001.

Sku. 103302015

Diameter 15 mm



3

Sku. 103302020

Diameter 20 mm



3

Sku. 103302025

Diameter 25 mm



3



MECHANICAL BARNES DEHORNER

For cutting through the horns of calves. Metallic handle. Not for use on calves over 6 weeks.

Sku. 103307002



Diameter 13 mm
Limited stock

Sku. 103307003



Diameter 17 mm
Limited stock



RUBBER TOURNIQUET



5 mm diameter. Allows a tourniquet to be made before dehorning.

Sku. 103313010



10 m



DEHORNING PEN

For the dehorning of calves younger than 3 weeks. Corrosive substance, to use with caution. Please follow the instructions.

Sku. 103305



8 g



DEHORNING PASTE



For the dehorning of calves younger than 3 weeks. In a syringe with scale. Corrosive substance, to use with caution. Consult the instructions for use.

Sku. 103306



45 g



SWEDISH DEHORNING SAW WIRE

For the dehorning of adult cattle and embryotomy. Veterinary quality.

Sku. 103310



10 m



DEHORNING SAW KAMER WIRE

For the dehorning of adult cattle and embryotomy. This wire is extremely resistant. To be used with the dehorning saw wire handles, reference 103312.

Sku. 103311



12 m



DEHORNING SAW KAMER WIRE HANDLES

To be used with reference 103311, or with reference 103310. Antislip grooves. Supplied in pairs.

Sku. 103312



Supplied by 2




RESTRAINING RING FOR CALF KAMER


Galvanised steel. Fastens with 2 pins onto the vertical tube of a fence. The aim is to immobilise the head orientation of the calf whose snout is engaged inside the ring. Supplied with a rope.

Sku. 103315




Galvanised steel
Limited stock





KAMER

You must proceed by crushing one testicular cord at a time, and make two chrushes at 1-2 cm (1/2" - 3/4") distance: Locate the testicular cord. Block it with the castrator for 5 minutes. Repeat the same operation 1-2 cm (1/2" to 3/4") lower on the same cord. The non-crushed space maintains irrigation and prevents gangrene. Repeat on the second testicular cord. Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators.



BLOODLESS CASTRATOR

KAMER

Articulated with closing stop. Made of high quality forged nickel-plated steel. Supplied with a tightening key. The castration can be performed as soon as the testicles have reached their final firmness (not their final size) and within the first 6 months. The bloodless crushes the testicular cord through the scrotum skin. After use and cleaning the castrator must be stored opened.

Sku. 102223035	34 cm	3 338020 001460
Sku. 102223040	40 cm	3 338020 001477
Sku. 102223048	48 cm	3 338020 001484
Sku. 9102223048CLE	Tightening key	3 700393 939280

METAL KNEE PAD

KAMER

Suitable for all the different bloodless castrators.

Sku. 102224	Metal	3 338020 001491
-------------	-------	-----------------

Restraining



VINK HEAD LIFT

Vink

It helps to position the head of the animal parallel to its body. In this position the animal is unable to move and it facilitates swallowing without wasting the drenching products or the mineral and vitamin supplements.

Sku. 104500	VINK head lift	8 719558 130931
-------------	----------------	-----------------

SPIKED KAMER SWINGARM CALF WEANER

Sturdy aluminium weaner with adjustable screw and butterfly adjustment nut. For a semi permanent implementation. The most popular weaner.

Sku. 104441



Aluminium



CALF WEANER KAMER WITH SPRING ADJUSTMENT AND SPIKES

Aluminium calf weaner with aluminium disc and spring adjustment. Quick and easy to install and remove. With spikes.

Sku. 104439001



Aluminium



METAL SUCKING KAMER PREVENTOR RING

For long term use. Available in 4 sizes: Weaner size. Calf size, for calves up to 5 months. Heifer size, for calves between 5 and 24 months. Adult size, for adult calves (older than 2 years).

Sku. 104440000



Weaner size x 5

Sku. 104440001



Calf size x 5

Sku. 104440002



Heifer size x 5

Sku. 104440004



Adult size x 2



APPLICATOR FOR KAMER CALF WEANERS

Double sided: the front is used to attach the weaners. The back is to detach the weaners. Anti-slip handle.

Sku. 104440



Calf weaner applicator



PLASTIC KAMER ADJUSTABLE CALF WEANER WITH SPIKES

Practical, efficient, economical. Weaner with screw adjustment. Avoid nasal injuries. For calves and small animals. Sold in pack of 2, 5 or 12.

Sku. 104446000



Small model x 2

Sku. 104446100



Small model x 5

Sku. 104200000



Petit modèle x 12

Sku. 104446001



Medium model x 2

Sku. 104446101



Medium model x 5

Sku. 104201001



Medium model x 12

Sku. 104446002



Big model x 2

Sku. 104446102



Big model x 5



HOW TO CHOOSE THE SIZE OF THE WEANER?

MODEL	Weaner	Calf	Heifer	Adult
AGE	Birth	up to 5 months	5 to 24 months	More than 24 months
REFERENCES	104 440 000	104 440 001	104 440 002	104 440 004
		104 446 000	104 446 001	104 446 102
		104 446 100	104 446 101	104 446 002
		104 200 000	104 201 001	104 202 002



BULL HOLDER HARMS

KAMER

The two balls provide a perfect grip in the nose. **Length of 19 cm.**

Sku. 104412



Nickel-plated forged steel - 19 cm



Sku. 104412S



Stainless steel



BULL HOLDER

KAMER

For a fast animal capture. Handle length: 44 cm.

Sku. 104414



Steel



BULL HOLDER WITHOUT CHAIN

KAMER

Very robust bull holder. Supplied without chain. With two holes which allows use of a tightening rope. Length: 15cm.

Sku. 104416001



Nickel-plated forged steel



BULL HOLDER WITH SPIRAL SPRING

KAMER

Allows quick catch and release. Anti-panic system. Very robust. Length of 17 cm.

Sku. 104413



Chrome plated forged steel



NICKEL-PLATED STEEL BULL RINGS

KAMER

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal in mm. Supplied with break off screw.

Sku. 104420050 Ø 50 mm



Sku. 104420060 Ø 60 mm



Sku. 104420070 Ø 70 mm



Sku. 104420080 Ø 80 mm



Sku. 104420090 Ø 90 mm



Sku. 104420100 Ø 100 mm



BRASS BULL RINGS

KAMER

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal ones and in mm. Supplied with break off screw.

Sku. 104421050 Ø 50 mm



Sku. 104421060 Ø 60 mm



Sku. 104421070 Ø 70 mm



Sku. 104421080 Ø 80 mm



Sku. 104421090 Ø 90 mm



Sku. 104421100 Ø 100 mm



CANE

KAMER

Plastic. Assorted colors.

Sku. 104402101



Ø 25 mm.



ANTI-KICK BAR UKAL

Very robust and adjustable Anti-kick bar. Supplied in a box with rubber ends and springs. Recommended for every breeder! It is the safest, easiest, most efficient and most humane way to avoid kicks. Immobilizes both sides and keeps the animal calm during examinations or all other handlings.

Sku. 104409



Zinc - Supplied in a carton box



Sku. 104409001



Zinc. Supplied assembled - Supplied without box



NYLON HOBBLE KAMER TRIPLE ADJUSTMENT

Nylon hobble with an adjustment at the strap and another one at the legs. Very high quality.

Sku. 104411100



Blue



ANTI-KICK BAR US MODEL

KAMER

Very robust. Hand crank to adjust the opening.

Sku. 104410



Anti-kick bar



TOP RANGE STAINLESS STEEL ANTI-KICK BAR

Professional quality! 2 years warranty. New system to close quickly. Réf 9104451R (by 1) or 104448 (by 2).

Sku. 104409010



Stainless steel



ANTI-KICK BAR KIT

KAMER

For the articles 104 409 and 104 409 001..

Sku. 104449



2 springs and 2 rubber ends. Black. 6mm



Sku. 9104450E



2 rubber ends. Blue and red. For sku. 104409010



Sku. 104450



Rubber ends by unit



REPLACEMENT SPRING FOR ANTI-KICK BAR

KAMER

Sku. 104451



By unit. Diameter : 6 mm



Sku. 104451006



By 6. Diameter: 6 mm



Sku. 104451009



By 6. Diameter: 9 mm



Sku. 104448



By 2. For Sku. 104409010



MATCHING:

SPRINGS	HOBBLES
104451009	104409
104451009	104409001
9104451R (X1) ou 104448 (X2)	104409010
9104451R (X1) ou 104448 (X2)	104409020



CORDERIE PALUS

Nestling in the heart of the Corrèze countryside, Corderie Palus, the family-run rope making firm, has become a reference, over the years, in mechanically- and hand-made rope. Since 1908, the Palus artisanal long rope making firm has been renowned for its age-old know-how that combines tradition and modernity. It has managed to maintain its traditional expertise while taking on board more modern production methods, always attentive to the needs of its market. This comprehensive understanding of the entire manufacturing process guarantees a high level of quality in production and finishing made in France.

NEW

PPTEX LEADS

**CORDERIE
PALUS**

PPTex is a hemp-like synthetic fiber. This fiber is rot-proof and floats. PPTex is a real revolution in the world of rope: you benefit from a quality rope with a natural appearance without the usual inconveniences of hemp (odor, premature wear, etc.). Available in several sizes and diameters. Sold by 12.




Sku. 121115001V 

Length: 2,50 m.
Diameter: 12 mm.



Sku. 121116001V 

Length: 2,50 m.
Diameter: 14 mm.



Sku. 121117001V 

Length: 4 m. Diameter:
14 mm.



NEW

PP LEADS

**CORDERIE
PALUS**

Polypropylene is a synthetic material that is rot-proof and anti-UV treated. Assorted colors; Available in several sizes and diameters. Sold by 12.



Sku. 121113002 

Green
Diameter 12mm - 1,5m



Sku. 121000000 

Orange
Diameter 12mm - 2m



Sku. 121116002 

Blue
Diameter 16mm - 3,5m



NEW

PP/SISAL LEADS

**CORDERIE
PALUS**

Available in different sizes. Sold by 12.



Sku. 121115V Length: 2 m.
Diameter: 12 mm 



Sku. 121116V Length: 2,5 m.
Diameter: 14 mm 



Sku. 121116003 Green
Length: 3,5 m.
Diameter: 16mm 



Sku. 121113001 Orange
Length: 1,5 m.
Diameter: 8mm 



NEW

SISAL LEADS

Sisal is a natural fiber from the Agave (agave sisalana) and is particularly strong. It has a very wide range of applications thanks to its good resistance and its neutral smell. Natural, ecological and biodegradable. Available in several sizes and diameters. Sold by 12.

Sku. 121116004	
Diameter 16mm - 3,5m	 
Sku. 121113	
Diameter 8mm - 1,5m	 
Sku. 121114	
Diameter 8mm - 2m	 


NEW

HEMP - PP LEADS


Sold by 12.


Sku. 121112101	
Diameter 10mm - 2m	 
Sku. 121112102	
Diameter 12mm - 2m	 
Sku. 121112103	
Diameter 14mm - 2m	 
Sku. 121112104	
Diameter 16mm - 2m	 


NEW

HEMP LEADS

Hemp is a natural fiber that is glued and polished using the same traditional methods of mechanical rope making since 1908. The advantages of hemp are numerous: Very good grip, does not burn. Heat and abrasion resistant. Low elongation. 100% biodegradable. Available in several sizes and diameters. Sold by 12.

Sku. 121112	Diameter 8mm 2m		 
Sku. 121112001	Diameter 10mm 2m		 
Sku. 121112002	Diameter 12mm 2m		 
Sku. 121112003	Diameter 14mm 2m		 
Sku. 121112004	Diameter 16mm 2m		 



CATTLE | Halters



NEW

PPTEX HALTERS

Available in different sizes. Supplied by 12.

Sku. 121110001V



Length: 3 m. Diameter:
12 mm



CORDERIE
PALUS



NEW

PP HALTERS

Polypropylene is a synthetic material that is rot-proof and resistant to the weather. Sold by 12

Sku. 121110003



Blue white
Diameter 16mm - 3m



Sku. 121110004



Blue
Diameter 16mm - 3,5m



CORDERIE
PALUS



NEW

SISAL HALTERS

Natural, ecological and biodegradable, the sisal is very resistant. Sold by 12.

Sku. 121110006



Diameter 16mm - 3,5m



CORDERIE
PALUS



NEW

PP/SISAL HALTERS

Sold by 12.

Sku. 121111V



Length: 4 m. Diameter:
14 mm




Sku. 121110005



Orange white
Length: 3,5 m.
Diameter: 16 mm



CORDERIE
PALUS



NYLON HALTER FOR COWS

KAMER

Very resistant. Two reinforced adjustment loops (headpiece and noseband).

Sku. 1211107



Yellow and black



Sku. 121107003



Red



Sku. 121107006



Blue



COW PRESENTATION HALTER

KAMER

Very robust nylon. Reinforced leather strap. Chinstrap chain and fastening ring. Supplied without lead. Height: 47,5 cm, circumference: 64 cm, width: 4 cm.

Sku. 1211103



Yellow/black



HIGH QUALITY KAMER NYLON COLLAR FOR COWS

Very robust double thickness nylon collars. Attachment ring. 125 cm x 4 cm. Thickness: 5 mm.

Sku. 121161  3 338020 076772

Yellow and black
Limited stock

Sku. 121161002  3 338020 076123

Black

Sku. 121161003  3 338020 076130

Red

Sku. 121161006  3 338020 076147

Blue

Sku. 121161008  3 338020 076789

Green
Limited stock



HIGH QUALITY KAMER NYLON COLLAR FOR BULLS

Very sturdy nylon collars due to their width and double closure. Leather reinforcement of the loop. Attachment ring. **New color: yellow and black.**

Sku. 121126010  3 700393 918810

Length 1,70 m -
Width 7 cm



SUPERIOR KAMER QUALITY NYLON COLLAR FOR COW

The top of the range. Necklace 1,30 m. Leather reinforcement at the adjustment loop. Nice finish.

Sku. 121128006C  3 700393 920394

Width 4 cm



NYLON CALF COLLAR KAMER

Leather reinforced adjustment strap. Supplied with attachment clip. **80 cm long. Width: 4 cm.** Available in different colours. Practical to distinguish groups.

Sku. 121122  3 338020 010707

Yellow and black

Sku. 121122003  3 338020 044313

Red

Sku. 121122006  3 338020 044320

Dark blue

Sku. 121122008  3 338020 044337

Green



HALTER FOR CALF KAMER

This calf halter is made of high quality nylon. Leather finish. Tightening loop.

Sku. 121139  3 700393 915444

Blue





ADDITIONAL HOOF SCRAPER

KAMER

Sku. 106625



Black painted steel
30 cm



ONE HAND HOOF CUTTER

KAMER

Sku. 106601



One hand hoof cutter



HOOF CUTTER ARTICULATED

KAMER

High transmission ratio. Powerful jaws with removable blades. For horizontal attack to the callus. Antislip handle. Total length: 41 cm (16").

Sku. 106602



41 cm



PROFESSIONAL HOOF CUTTER

KAMER

Round head with crossed jaws. Allows a side cut of the callus.

Sku. 106604



Nickel-plated steel



HOOF RASP STRAIGHT WITH HANDLE

KAMER

Double sided (fine and coarse). Plastic handle. Length: about 35 cm (13 3/4").

Sku. 106621



35 cm with handle



SPECIAL HOOF DISC

UKAL

Especially for trimming the hooves of cattle. Fits on all current types of electric hoof trimmers. Boring 22 mm. **Supplied in sets of 2.**

Sku. 106681215



Ø 115 mm



Sku. 106681227



Ø 125 mm



HOOF DISC



The granulometry avoids dirtying the disc and heating of the foot. Boring 22 mm.

Sku. 106690115



Medium grain
Ø 115 mm



Sku. 106690125



Medium grain
Ø 125 mm



Sku. 106691115



Large grain Ø 115 mm



Sku. 106691125



Large grain Ø 125 mm



DL DISC

Demotec

Lightness and robustness combining cutting efficiency and incomparable life time! No heating of the foot, no dust nor smoke. One blade set treats over 400 cattles. Tungsten blade.

Sku. 106695001



DL Disc - Ø 115 mm



Sku. 106695002



Blade and screw set



DL SOFT DISC Demotec®

Less aggressive cutting due to the positioning of the blades. Blades can be used on both sides.

Sku. 106695101 

DL soft disc Ø 115 mm 

Sku. 106695102 

Replacement blade x 1 

Sku. 106695102SET 

Replacement blade x 7 



BLACK BLUE HOOF KNIFE



Black Blue hoof knives are of high quality. The blade is tempered to allow easy sharpening and also to allowing the blade to stay sharp. Available in several models. The Black Blue knives are very strong. Ergonomic shape. Treated steel blade.

Sku. 106609BB1 

Wide blade right 

Sku. 106609BB2 

Wide blade left 

Sku. 106609BB3 

Wide blade double 

Sku. 106609BB4 

Thin blade right 

Sku. 106609BB5 

Thin blade left 



BLACK BLUE RING HOOF KNIFE



BLACK BLUE ring hoof knife. Steel blade. Wooden handle. Very nice finish.

Sku. 106613BB 

Ring hoof knife 



PROFESSIONAL HOOF KNIFE TOP RANGE

The professional hoof knife! Handle made of exotic wood (bubinga). High cutting quality due to its very sharp blades. The blade is 65 mm long.

Sku. 106609001 

Wide right blade 

Sku. 106609002 

Wide left blade 

Sku. 106609003 

Wide double blade 



LA PAREUR HOOF KNIFE



Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.

Sku. 106612001 

Wide blade right 

Sku. 106612002 

Wide blade left 

Sku. 106612003 

Wide blade double 



RING HOOF KNIFE



Steel blade. Wooden handle. Good price quality ratio.

Sku. 106613 

Standard ring hoof knife 





SHARPENING STONE

KAMER

Essential to sharpen hoof knives, hoof shears and other knives used by shepherds. The very fine grit of the stone allows for precise sharpening of cutting tools for optimal use. 13 cm long.

Sku. 106616



Sharpening stone



HOOF CHECKER

Demotec

Shows the ideal shape of the hoof in a fast and safe way. It also allows to check the hoof angle between the base and the upper front part of the hoof. The angle should be between 45° and 50°. The angle of the tester is 50°.

Sku. 106643020



Hoof checker



DEMOTEC EASY BLOC

Demotec

Easy, quick, safe and economical. Lameness of cows can lead to significant economical losses due to a reduction of the production and weight loss in the short term. The Easy Bloc makes it possible to treat the lameness in an easy and economical way even for unexperienced users. It can be used on all kinds of hooves. **Packaging: box of 4 or 12 treatments.**

Sku. 106643004



Box of 4 treatments

Sku. 106643010



Box of 12 treatments

Sku. 106643011



250 ml liquid

Sku. 106643012



Powder 500 g



BLOCKS FOR DEMOTEC EASYBLOC

Demotec

Sku. 106643013 D/2



Right x 2

Sku. 106643013 G/2



Left x 2

Sku. 106643013 DG2



2 right, 2 left



DEMOTEC 90

Demotec

The DEMOTEC 90 mixture produces a very fluid (liquid) paste. After 2 to 3 minutes this mixture gets thicker and more pasty. Now it can be spread on the put it on the healthy hoof and on the wooden block. 7 to 8 minutes later the DEMOTEC 90 is completely hardened.

Sku. 106645002



2 treatments

Sku. 106645011



Liquid 500 ml

Sku. 106645012



Powder 1 kg



DEMOTEC 95

Demotec

The DEMOTEC 95 mixture gives you immediately an adhesive paste ready to spread on the healthy hoof and the wooden block. **6 to 7 minutes later the mixture is completely hardened.** Box of 14 treatments.

Sku. 106644010



14 treatments



GLUE 250 ML SEPTICARE II BOND EXPRESS XL

Our best seller glue SEPTICARE II BOND EXPRESS is now available in a new 250 ml format. Glue cartridge with 2 components. Dries in 3 seconds. Can be reworked for 15 seconds and bonds strongly in 30 seconds. Can be applied and stored from 0°C to 40°C, keeping its adhesive properties because its viscosity isn't affected by the temperatures. Nevertheless, the glue has to be at a temperature above 0°C to be used correctly. Doesn't run during the application even when applying vertically thanks to its high thixotropy: it bonds to all materials to which it is applied. Supplied by box of 12 without cannulas.

Sku. 106652001 250 ml - by 12  

**FIND OUR
VIDEO
ON YOUTUBE**



SEPTICARE XL KIT

1 x 250 ml glue cartridge / 1 x gun / 10 x wooden blocks / 10 x mixing cannulas / 1 x pair of gloves / 1 x instructions paper.

Sku. 106652010 Kit 




SEPTICARE II BOND EXPRESS XL CANNULAS

A cannula specifically adapted to the cartridge 250 ml of SEPTICARE BOND EXPRESS glue. Its specially designed shape allows easy extrusion of the glue as well as an optimal mix between the 2 components.

Sku. 106652002 

By 10 



SEPTICARE II BOND EXPRESS XL GUN

Application gun for glue SEPTICARE -II-BOND EXPRESS, size XL. Good grip, High quality.

Sku. 106652003 

SEPTICARE II BOND EXPRESS XL gun 



WOODEN BLOCKS


For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Sku. 106645013002 

By 2 

Sku. 106645013020 

By 20 




WOODEN BLOCKS XL

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Sku. 106645014 

XL 13 cm. By piece





**FIND OUR
VIDEO
ON YOUTUBE**



ADHESIVE HOOF TAPE



Adhesive and very resistant tape. Ideal for bandaging hooves of cattle and horses.

Sku. 106646 3 338020 002795

25 m x 5 cm

Sku. 106646050 3 700393 940439

50 m x 5 cm

LEG SPLINT FOR CALVES



Specifically designed for calves suffering from flexion of the pasture joints. The joint attachment allows the calf to be held and the calf to stand upright on the front legs and move freely. Leave in place for 2 to 4 weeks minimum. Durable washable nylon and durable molded ABS material. Internal padding. Velcro® safety fasteners. Treatment without plaster and bandages. Fully adjustable and reusable. Length: 22 cm.

Sku. 101125 By piece



COHESIVE FLEXIBLE BANDAGE FOR COMPRESSION



Quick and easy application. Beginning easy to find. Strong fabric, can be torn by hand. Size stretched: 10 cm x 4 m. Size unstretched: 10 cm x 2,5 m. Contains latex.

Sku. 106700 3 700393 962899

Assorted fluorescent colors - By 18

Sku. 106710 3 700393 962905

Assorted classic colors - By 18

Sku. 106710102 3 700393 922282

Black - By 18

Sku. 106710103 3 700393 922237

Red - By 18

Sku. 106710106 3 700393 922220

Blue - By 18



TAR BANDAGE "CERTOPLAST"



To bandage and apply protection bandages on large animals. Adhesive on both sides. Aluminium packaging. Black.

Sku. 106646100 4 022742 000632

25 m x 4,5 cm

PREMIUM HOOFMAT

The "Premium Hoofmat" uses a 31 mm foam encased in a premium quality blue outer fabric. To optimise treatment, place the mat at the entrance to the milking platform. After milking, hang the hoofmat over a rail and hose it down. The "Premium Hoofmat" lasts over 100 000 cow passes. Contains up to 35 liters of hoofbath remedy. Top up the mat after 80 cow passes. Size: 180 x 90 cm.



Sku. 113001 9 417027 231743

180 x 90 cm





SEPTICARE CATTLE HOOF MAT

Disinfecting foam for building entrances. Perfect for the passage of animals. Large and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 120-160 liters.

Sku. 113100001 180 x 90 x 10 cm 3 338020 062997



NORWEGIAN PINE HOOF TAR

Hoof tar is made of natural wood tar. This natural tar protects and nourishes the hoof. Available also for hunting.

Sku. 000020 1 kg 3 338020 000029 12

Sku. 000025 5 kg 3 338020 000036




BEECH HOOF TAR

Beech Tar. Protects hooves and nourishes the hoof horn. Available also for hunting. **Very good price-quality ratio.**

Sku. 000030 1 kg 3 700393 927102 6

Sku. 000035 5 kg 3 700393 927119






THERMIC DEPILATOR

Depilates udder hair in a secure way and without causing pain by a cold flame. It does not pose a danger to people nor animals. Appreciated for its fast action. Depilate approximately 40 to 50 animals. Supplied with: a 750ml propane gas cartridge (99%) Sku. 103400001, a 2 bar regulator, a flexible tube (20 bar) of 2 meters, a 80 cm spray nozzle, an ergonomic handle with 2 plugs and a belt clip.

Sku. 103400	Thermic depilator	3 700393 911842	
Sku. 103400001	Propane gas refill for thermic depilator. Cartridge 750 ml of propane (99%)	7 314522 208855	12



DOUBLE TISSUES

For udder cleaning. Very resistant to water washout. Do not shrink.

Sku. 112131	3 338020 031153	
Dimensions: 2 x 35 x 32 cm. By 10		3



SEPTICARE UDDER TOWELS

Non-woven tissues made of 80 % viscose and 20 % polypropylene. Conform to food standards. Do not contain formaldehyde. Used to wash the cow udders. Much softer than woven tissues. They ensure an excellent cleaning and a better wiping of the teat due to the non-woven composition. Equal weight, absorb twice as much water than woven tissues. Machine washable, also in very hot water. Weight: 240 g/m².

Sku. 112131001	7 320460 507745	
Dimensions: 34 x 37 cm. Bag of 25		10



FOAM DIP CUP

Produces a dense foam. Increases the contact surface and efficiency of foaming products.

Sku. 112130006	3 700393 924347	
-----------------------	-----------------	--



TEAT DIP CUP

For soaking the teat prior to milking.

Sku. 112130	3 338020 029501	
--------------------	-----------------	--



MANUAL TEAT SPRAYER

Manual sprayer with rotary nozzle directional jet, facilitates spraying.

Sku. 112126



680 ml



CONICAL PLASTIC MILKING CUP

Conical strainer with tab to remove the strainer easily.

Sku. 124070047



1 L



TRANSPARENT DOSING CUP

Food safe plastic.

Sku. 124064



1 L



MASTITIS DETECTION KIT



For mastitis detection of reactive liquid. The kit contains: 1 paddle, 1 dosing bottle, 1 liter of reactive liquid, 1 teat wipe, 5 Velcro ankle straps, test report leaflet.

Sku. 112137



Complete kit



REACTIVE LIQUID

For the test to detect mastitis. This test gives information about the situation of the quarters before any changes in appearance are visible (inflammation of mammary tissue, lumps, water and blood, etc.). To be used with the test paddle. Consists of anionic surface-active agent and bromocresol purple.

Sku. 112134



Reactive liquid



Sku. 112136



Dosing bottle 1 ml

Limited stock

Sku. 112132



Test paddle



PLASTIC CATHETER

Supplied by 10.

Sku. 112204



By 10



CATHETER

Ogival catheter. Used for intra-mammary injections in the lactiferous sinus (antibiotic depletion). Used with a metal or plexi DERMAPLAST syringe. Luer lock end. By 5. Diameter: 2,5 mm.

Sku. 112210001/5



38 mm

Limited stock

Sku. 112206/5



100 mm





EUTRA

ORGANIC MILKING GREASE

The first ORGANIC milking grease! **Ideal for organic farming.** This new organic milking grease, MADE IN FRANCE, is formulated with beeswax and sunflower oil. It facilitates milking thanks to its lubricant properties. It protects and helps to heal udders by creating a protective layer. No preservatives, no disinfectants, no perfumes, no dyes. White color.

Sku. 112503	500 ml	4 012113 051547	6
-------------	--------	-----------------	---

EUTRA

EUTRA MILKING GREASE

Milking grease is for protecting and caring for teats and udders. Made from high-quality refined mineral oils, it facilitates milking due to its lubricating properties. Helps to protect and care for the udders by creating a protective layer and helps the healing of small wounds. **Swiss original formula.** No preservatives, no disinfectant, no fragrance substances, no colorings. Composition: Paraffinum liquidum, Petrolatum. Color: white. **Can not be used on organic farms.**

Sku. 112500002	250 ml	4 012113 015501	6
Sku. 112500005	500 ml	4 012113 016904	6
Sku. 112500010	1 L	4 012113 014900	6
Sku. 112500030	3 L	4 012113 014306	4
Sku. 112500050	5 L	4 012113 015709	2

EUTRA

EUTRA GEL

Gel made of Menthol and tea tree extract to protect and take care of the teats. **Cooling effect.** Effective cleaning thanks to the antiseptic properties of the plants extracts. **Can not be used on organic farms.**

Sku. 112520005	500 ml	4 012113 003362	6
----------------	--------	-----------------	---

CREMAPIS MILKING GREASE

High-quality milking fat. **Necessary for a good softening** and moisture of the teat tissue. Aseptic. Color: yellow.

Sku. 112160005	500 ml	3 338020 029457	6
Sku. 112160010	1 L	3 338020 029464	12
Sku. 112160030	3 L	3 338020 029471	4

TRAYBAIN MILKING GREASE

Facilitates milking and maintains healthy and soft teats. **Protects from cold and draughts.** Color: green.

Sku. 112170001	1 L	3 275970 006490	12
Sku. 112170005	5 L	3 275970 006513	2

TEAT PLUG FOR MILKING LINERS

Closes a milking liner when a teat is not working or if a teat does not exist.

Sku. 112390002	By 2	3 700393 930973	
----------------	------	-----------------	---

NON-WOVEN DISK FILTERS BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. Box of 200.

Sku. 124075170	170 mm	4 027703 009563	
Sku. 124075180	180 mm	4 027703 009570	
Sku. 124075200	200 mm	4 027703 009594	
Sku. 124075230	230 mm	4 027703 009624	

NON-WOVEN FILTERS BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. **No thread = no hole = better filtration.** Box of 250.

Sku. 124064250	250 x 125 mm	4 027703 009853	
Sku. 124064570	570 x 44 mm	4 027703 009464	
Sku. 124065250	250 x 58 mm	4 027703 010200	
Sku. 124065320	320 x 58 mm	4 027703 009303	
Sku. 124065465	465 x 58 mm	4 027703 010187	
Sku. 124065500	500 x 58 mm	4 027703 009327	
Sku. 124065530	530 x 58 mm	4 027703 009310	
Sku. 124065620	620 x 58 mm	4 027703 009297	
Sku. 124068455	455 x 80 mm	4 027703 009358	
Sku. 124068600	600 x 80 mm	4 027703 008771	
Sku. 124068620	620 x 80 mm	4 027703 009839	
Sku. 124068640	640 x 80 mm	4 027703 009846	
Sku. 124068800	800 x 80 mm	4 027703 010194	
Sku. 124069610	610 x 95 mm	4 027703 008788	



**FIND OUR
VIDEO
ON YOUTUBE**



DID YOU KNOW?

Milk filters are used for safety and health reasons. They are put on the milking machines to filter milk from dirt and bacteria. The filter size must be chosen according to the milking machine.



OIL FOR MILKING MACHINE

The special oil for milking machine is designed for the lubrication of vacuum milking machine pumps. Used in summer and winter. Suitable for all types of vacuum pumps. **Viscosity: to 40°C: 46 cst, to 100°C: 7,6 cst.**

Sku. 112600005



5 L



CONTROL COVER WITHOUT SEAL

Without seal.

Ský. 112601



Control cover without seal



CONTROL COVER WASHER

For control cover (Sku. 112601).

Sku. 112601001




QUARTER MILKER

For the milking of a teat which is sick or under treatment. Avoids mixing with healthy milk.

Sku. 112129



8 L



Milk cans

STAINLESS STEEL MILKING PAIL

Robust and very durable. Very easy to clean. Without lid. Food grade quality.

Sku. 124008030



Height: 49 cm.
Ø base 33,5 cm.
Ø opening 18 cm



STAINLESS STEEL MILK CAN FOR TRANSPORT

Really robust, made in stainless steel. Food grade quality.

Sku. 124009030



30 L. H 50 cm.
Ø 33,5 cm



MILK CAN WITH ALUMINIUM LID

Made of aluminum, robust and very resistant to impacts. Does not pick up odors and easy to clean. Food grade quality.

Sku. 124100010



With handle 10 L.
H 32 cm. Ø 25 cm

Sku. 124100020



Without handle 10 L.
H 32 cm. Ø 25 cm



ALUMINIUM MILK SAMPLER DIPPER

Can measure and collect the milk.

Sku. 124063010



1 L



MILK FUNNEL & ALUMINIUM GRILLS

Sold with cones set, lower disc, strainer and circlips. Food grade quality. Fits on milking pots for optimal filtration.

Sku. 124020030



Ø 300 mm



ALUMINIUM BUCKETS

Aluminum bucket with spout. Capacity : 12 L.

Sku. 120003012



12 L





SPECIAL DAIRY BRUSH

Can be boiled. Food grade nylon bristles. Very robust. Bristles length: 40 mm. Weight: 270 g.

Sku. 124001



L 195 x W 60 x H 60 mm



SCRUBBING BRUSH

Can be boiled, robust. Food grade nylon bristles. Weight: 260 g.

Sku. 124002



L 195 x W 60 x H 60 mm



MILK TANK BRUSH

Food grade nylon bristles. Can be boiled. To use with a handle. Supplied without handle. Very robust. Bristles length: 40 mm. Weight: 280 g.

Sku. 124003



L 90 x W 55 x H 115 mm



CLEANING BRUSH

Food grade. Supplied without handle. Width: 26 cm.

Sku. 124004



26 cm



BRUSH WITH SHORT HANDLE

Bristles length: 40 mm. Weight: 220 g. Food grade.

Sku. 124006



L 260 x W 172 x H 55 mm



BRUSH WITH LONG HANDLE

Bristles length: 40 mm. Weight: 220 g. Food grade.

Sku. 124007



L 400 x W 45 x H 55 mm



HANDLES

Polypropylene handle.

Sku. 124000P



Length: 1,20 m



ROTARY BRUSH

Rotary brush used to clean milking liners. Can be used with all brands. Food grade nylon bristles.

Sku. 124010



Food grade nylon bristles

4 BRUSHES KIT

Sku. 124011



4 brushes, a bulk tank outlet brush, a separator brush and an angle brush



STRAIGHT BRUSHES

Straight brush used to clean milking tubes. Food safe nylon bristles.

Sku. 124010001



L 40 cm - Ø 10 mm



Sku. 124010002



L 100 cm - Ø 15 mm



Curry Comb

METAL CATTLE CURRY COMB **KAMER**

Nickel-plated comb with metal handle. Flat body with coarse teeth, mane and tail comb.

Sku. 123302



Nickel-plated comb with handle
21 x 17,5 cm



SQUARE CURRY COMB WITH COMB **KAMER**

Coarse teeth, flat body, equipped with a mane and tail comb, nickel-plated metal. Plastic handle.

Sku. 123303



22 x 24 cm



SQUARE CURRY COMB FLAT BODY **KAMER**

Coarse teeth, flat body, made of nickel-plated metal. Plastic handle. 7 rows.

Sku. 123305



14,5 x 22,5 cm



CURRY COMB

Round metallic curry comb (also called "american") serrated differently on each side for more or less sensitive horses. Stays dirt free.

Sku. 130E700029



14 x 27 cm





NATURAL FIBER BRUSH

KAMER

Sku. 123307



220 X 55 X 700 mm -
Big model



WOODEN CARDER

KAMER

Size: 120 x 170 mm.

Sku. 151010



120 x 170 mm - Large
claw



PNEUMATIC CARDER

KAMER

Size: 120 x 170 mm.

Sku. 151030

120 x 170 mm -
Fine claw



COW BRUSH

KAMER

Zinc coated metal. Very strong spring. Supplied with 2 brushes with plastic back and nylon bristles. **The cow brushes are essential elements of hygiene and comfort in a cattle's life in a shed.** Avoids injuries caused by rubbing against concrete and metal parts of the shed. Spring Sku: 9123327.

Sku. 123315

Cow brush in zinc
coated metal



SPARE BRUSH

KAMER

For shed brushes Sku. 123315 and 123325. Plastic back. Nylon bristles.
Size: 50 x 10 x 10 cm.

Sku. 123316

Spare brush for
shed brushes



VINK COW BRUSH

Vink

Special nylon brush for livestock. Horizontal moveable brush. Solid spring suspension. Spring Sku: 9123325.

Sku. 123325

VINK nylon cow
brush



ROUND BRASS BELL

KAMER

Clapper available on request. Please consult the list in the price list and on the website.

Sku. 121803100	Ø 100 mm. Loop: 50 mm. Height: 70 mm	3 338020 077441	
Sku. 121803110	Ø 110 mm. Loop: 50 mm. Height: 77 mm	3 338020 077397	
Sku. 121803120	Ø 120 mm. Loop: 70 mm. Height: 84 mm	3 338020 077458	
Sku. 121803130	Ø 130 mm. Loop: 70 mm. Height: 91 mm	3 338020 077403	
Sku. 121803140	Ø 140 mm. Loop: 70 mm. Height: 98 mm	3 338020 077465	
Sku. 121803150	Ø 150 mm. Loop: 70 mm. Height: 105 mm	3 338020 077045	
Sku. 121803180	Ø 180 mm. Loop: 82 mm. Height: 126 mm	3 338020 077588	



BLACK BLUE STEEL BELL



Steel bell for sheep and goats. Nice tone. Clapper available on request. (réf. 1218069064 et 1218069088). Please consult the list in the price list and on the website.

Sku. 121806064	Ø 64 mm. Loop: 50 mm. Height: 64 mm	3 338020 077649	
Sku. 121806088	Ø 88 mm. Loop: 50 mm. Height: 115 mm Limited stock	3 338020 077434	
Sku. 121806104	Ø 104 mm. Loop: 75 mm. Height: 104 mm	3 338020 077656	
Sku. 121806120	Ø 120 mm. Loop: 82 mm. Height: 120 mm	3 338020 077076	
Sku. 121806144	Ø 114 mm. Loop: 82 mm. Height: 144 mm	3 338020 077663	



BROWN LEATHER COLLARS

KAMER

Soft chrome-tanned leather. Ideal for bells. Different sizes available: 6 or 8 cm wide. Length: 120 or 135 cm.

Sku. 121162126	120 x 6 cm	3 338020 076154	
Sku. 121162128	120 x 8 cm	3 338020 076161	
Sku. 121162136	135 x 6 cm	3 338020 078646	
Sku. 121162138	135 x 8 cm	3 338020 078653	



PUNCH PLIERS

To adjust your leather goods.

Sku. 130E700423	By piece	3 338025 288323	
-----------------	----------	-----------------	---



heiniger

XPLORE THE POWER

XPLORERPRO
≡2-SPEED≡



SWISS MADE  PRECISION

PATENTED



TENSION
INDICATOR



2-speed



Li-Ion



-120 min



ERGO
NOMIC



light



UKAL

— SHEEPS

50	Lambing
51	Feeding
53	Clipping
54	Dehorning
54	Castration
55	Restraining
57	Hoof care
58	Bells



EWESPOON WITH TIES

KAMER

The ewespoon is a simple and economical way to control gestation problems. It is used for ewes and goats to keep the uterus in place in case of a prolapse. This model is made of plastic with two ties and is heat resistant.

Sku. 101112

By 4



USE OF THE EWESPOON

There are several reasons of uterus prolapse by ewe:

- mineral deficiency,
- traumatic (caught up in a rush during feed distribution),
- obstetrical (early contractions).

For ewes, the uterus prolapse is before the lambing. The ewespoon, must be placed after cleaning and placing the genital tract in its original place.

Use always disposable gloves, and obstetrical gel. To keep the ewespoon in place, attach it to the wool, or attach a tie of the ewespoon to the ewe straps. The ewespoon must be released while lambing. Pay careful attention to ewes with a ewespoon to avoid any problems with lambing and delivery.



SHEEP EWESPOON IN NYLON

KAMER

Helps to keep the uterus in place in case of an prolapse. Heat-proof plastic.

Sku. 101110002



By unit



PROLAPSE NEEDLES

KAMER

Elles permettent le maintien de l'appareil utérin après un prolapsus. Nickelées. Livrées par 5.

Sku. 101114



Without eyelet.
Size : 8 cm



Sku. 101114A



With eyelet.
Size : 8 cm



Tétiblu

LAMB FEEDER 11 L

Multi-bottle twin compartment placed on rack or board. Comes complete with teats and the corresponding valves. With the new flared shape of each of the two compartments, the flow of milk is total. No more waste or loss of milk. In addition, it is very robust due to the reinforcement of the central part. High Density Polyethylene (HDPE) grade. The original! Comes with 6 natural rubber lamb teats Sku. 120004 and 6 valves Sku. 120022.

Sku. 120008006



11 L



DID YOU KNOW?

Latex is made from the sap of rubber trees and offers an easier sucking thanks to its softness and flexibility.



Tétiblué

**COMPLETE SET
FOR LAMB FEEDER**

It consists of 6 natural rubber teats for lamb Sku. 120004 and 6 valves.
For multi-bottle feeder Sku. 120008006.

Sku. 120008007

Complete set for lamb
feeder



Tétiblué

**VALVE FOR LAMB
TEATS**

For lamb teat Sku. 120004.

Sku. 120022

In aluminium
By 6



Tétiblué

LATEX LAMB TEAT

With hole.

Sku. 120004006

By 6



Tétiblué

**LATEX TEAT
FOR BOTTLE**

Pierced. Really supple.

Sku. 120019042

By 6

**COMPLETE LAMB FEEDER, 6 RUBBER TEATS 12 L**

Nursing trough for lambs without handle. Ideal for 6 lambs. Plastic with steel hook. Supplied with 6 natural rubber teats and aluminum valve.
Dimensions: 38,1 x 30,5 x 25,4 cm. Capacity : 12 liters.

Sku. 120008002

12 L



Tétiblué

**NATURAL RUBBER
LAMB TEAT FOR LAMB FEEDER**


Very flexible natural rubber teats.
X shaped hole. For lamb feeder bucket
Sku. 120008006.

Sku. 120004050

By 50

**Sku. 120004**

By 6



Tétiblué

**NATURAL RUBBER
LAMB TEAT FOR BOTTLE**

Pierced. Supple.

Sku. 120019

By 6



SHEEPS | Feeding



NEW

Tétiblué

LAMB FEEDER BOTTLE

38 mm extra wide neck for easy filling, with a strong plastic collar to ensure secure fixing of the teat. Extra tough to prolong life and calibrated for accurate feeding, sterilize by boiling. Delivered with one teat.

Sku. 120008120



500 ml



Tétiblué

COLOSTRUM FEEDER FOR LAMB

Suitable for feeding the correct amount of colostrum to large lambs without refilling; positive pressure can be applied to save time. Length: 33 cm.

Sku. 120008130



250 ml



TEAT FOR LAMB BOTTLE

Specially designed teat with unique moulded in vacuum release valve. Bulbous teat end encourages more rapid acceptance by lambs. Hollow cone tip allows flow of milk to be regulated.



Sku. 120008220



By 6



TRUSTI FEEDER FOR LAMB



A specially designed Trusti Tuber ANTAHI rehydrator for lambs with a specific mouthpiece and a flexible and transparent tube. Simple to use with one hand, very practical and easy to hold. Ergonomic and stable shape allowing a good flow by gravity and not under pressure, safer and easy to control. Capacity: 240 ml.



Sku. 120008200



240 ml



COLOSTRUM BAGS FOR LAMBS 1 L



Colostrum bags help to develop and strengthen lambs' immunity from birth. They come with a large opening to facilitate filling and cleaning and can hold **1 litre** to meet the feeding needs of young lambs and kids. The bags can be deep-frozen flat to preserve the nutritional qualities of colostrum over time. They are suitable for pasteurisation and can be quickly defrosted. Their comfortable handles make them very user-friendly for the farmer. The bag's transparency is also a plus point. It allows the user to see at a glance how much is left in the bag. Colostrum bags are **designed to be reused** (durability and easy cleaning). Please note that the number of times a bag can be reused will depend on how well it has been cared for.



Sku. 120008210

By 10



Sku. 120008250

By 50



Sku. 120008300

Teats for
colostrum bags
By 6



HAND SHEEP CLIPPERS**KAMER****Sku. 100337**



1-hand sheep clippers

**Sku. 100337101**Comb blade set
Limited stock**NICKEL-PLATED SHEEP SHEARS**


Very nice finish in nickel-plated steel. This nickel plated straight blade sheep shears is great for small sheep. Easy clipping. Single bow. High quality cutting. Exists in two sizes.

Sku. 100339002Size: 29 cm
Blade's length: 14,5 cm**DOUBLE BOW SHEEP SHEARS****KAMER**


Double bow, red painted handle sheep shears comes with straight blades. The handle and blades are one piece of forged steel. Used for parts which are difficult to reach or for shearing the whole sheep. Available in two sizes.

Sku. 100339Size: 34 cm.
Blade's length: 16,5 cm**Sku. 100339001**Size: 29 cm.
Blade's length: 14,5 cm**BLACK BLUE SHEEP SHEARS RIGHT-HANDED**

The black blue sheep shears are incontestably the finest shears in our range. Made from hardened and tempered steel, they are equipped with rubber stoppers to smoothen the shearing. Strong and long lasting.

Sku. 100350Size: 29 cm
Blade's length: 16 cm**Sku. 100351**Size: 34 cm
Blade's length: 16 cm**CURVED BLADE SHEARS****KAMER****Sku. 100339003**Size: 29 cm
Blade's length: 14,5 cm**Sku. 100339005**Size: 24 cm
Blade's length: 9 cm**PROFESSIONAL KAMER YELLOW SHEEP SHEARS**

Professional yellow sheep shears. One piece handle and blades / double bow **for intensive use**. Its manufacturing quality and 16,5 cm blades allow you to shear your sheep easily.

Sku. 100360Size: 34 cm
Blade's length: 16,5 cm

SHEEPS | Dehorning and castration

Dehorning



COSMOS ELECTRIC DEHORNER FOR GOATS

The Cosmos electric dehorner with its Ø 14 mm tip specifically designed for goats, is mains-operated for extreme ease-of-use. Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished. You no longer need to worry about the power supply as its 6-metre mains cable offers superb handling for high-quality dehorning. With numerous technological innovations, such as the ceramic head with integrated circular heating wire and a built-in power supply indicator, it helps operators save time. Weight: 560 g. Heating temperature: 700 °C.

Sku. 103017300

On mains



THE 4 R'S OF DEHORNING

The Right moment

As soon as possible and before 4 weeks: the younger they are, the more they are easy to handle. At this age the veins come just under the skin.

The Right restraints

A lamb that does not move restraining dehorning easier for the farmer. This represents 80% of a successful dehorning.

The Right technic

Shear prior to properly locate the horn. Cauterize in 10 seconds without pressing too hard (10 seconds max). Make a furrow of 4-5 mm. Cauterization, not a burn.

The Right pain management after dehorning

Apply a cleaning spray that cools cauterization. Treat against flies. Keep under careful observation the following 48 hours. Avoid putting animals outside in wet weather.



Castration



23 cm



30 cm



BLOODLESS CASTRATOR

KAMER

Articulated with closing stop. Made of high quality nickel-plated. The castration can be performed as soon as the testicles have reached their final firmness (not their final size). The bloodless castrator allows the testicular cord to be crushed through the scrotum skin. You must proceed by crushing one testicular cord at a time, and make two crushes at 1-2 cm (1/2" - 3/4") apart.

- Locate the testicular cord.
- Block it with the castrator for 5 minutes.
- Repeat the same operation 1-2 cm (1/2" to 3/4") lower on the same cord. The noncrushed space maintains irrigation and prevents gangrene.
- Repeat on second testicular cord.
- Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators. After using and cleaning the castrator must be stored opened.

Sku. 102223023

23 cm



Sku. 102223030

30 cm



Sku.

9102223048CLE

Tightening key



METAL KNEE PAD KAMER

Suitable for all bloodless castrators.

Sku. 102224



By unit



STEEL EMASCULATOR

KAMER

Makes a clean cut and stops the blood by crushing the blood vessels.

Sku. 102209



Straight 19,5 cm



RUBBER RING APPLICATOR

KAMER



With a wide opening for an easy application and with a high gear ratio. Made of nickelplated forged steel. Very resistant. High-quality model! Can also be used for tailing.

Sku. 102201



Nickel-plated forged steel



STANDARD RUBBER RINGS APPLICATOR

Economical model.

Sku. 102200



Steel



CLASSIC ORANGE RUBBER RINGS

KAMER

Rubber used for tail docking and castration. Premium quality, rolled rubber. Please check the safety instructions before use. Keep away from children. Professional use only.

Sku. 102202100



By 100

Sku. 102202500



By 500



ELASTRATOR RUBBER RINGS



Quality rubber rings. For castration and tailing of lambs, goats and calves. The younger the animal the better. Elastrator rings are designed to be used on calves no older than two weeks, and lambs and goats no older than three weeks. Use after this period is not recommended.

Sku. 102150100



Box of 100

Sku. 102150500



Box of 500



SHEPHERD LEG CROOK

KAMER

With a fixed and a movable handle.

Sku. 104452



0,95 m



NICKEL PLATED STEEL CATCH HOOK

KAMER

Made of nickel-plated steel. Use with a 28 mm diameter handle.

Sku. 104452100



Ø 28 mm



ALUMINUM CATCH HOOK

KAMER



Made of aluminium. Use with a 21 mm diameter handle.

Sku. 104452200



Internal Ø 21 mm



SHEPHERD STOVEL

KAMER



Made of nickel-plated steel. Use with a 20 mm diameter handle.

Sku. 104452500



Internal Ø 20 mm

Limited stock

RAM APRON

KAMER

Prevents unwanted mating, Fastening strap made of nylon. Clip closing. Adjustable strap length. Width 60 cm and height 30 cm. Depending on availability.

Sku. 104452700

L 60 cm x H 30 cm



HEAD GATE FOR SHEEP


KAMER

Ideal for preparations for shows, shearing, styling, tattooing, identification, hoof care, replacing of a prolapse, difficult lambing or dosing. Robust and solid design. To fix on barriers, fences, grills or any other rails. Height adjustable by the slidable headpiece. Supplied with lanyard. Locking closure. Very practical to carry. For all sizes of animals. **It only weighs 7,5kg!** Structure of zinc-plated steel, ensures a long life time. **Works also for calves.**

Sku. 106901



Minimum height 36 cm



SHEEP HOOF SHEARS

KAMER


Large 6 cm replaceable blades.
Lightweight and resistant. Thick aluminium handle for a better grip.
The hoof shears of professionals!

Sku. 106607


Not serrated 6 cm


Sku. 106607001


Serrated 6 cm



SHEEP HOOF SHEARS

KAMER

Nickel-plated steel. Short or long blades, serrated or non serrated. Very resistant.
Very nice finish.

Sku. 106605


Not serrated 6 cm


Sku. 106605001


Serrated 6 cm


Sku. 106606


Not serrated 8 cm



PREMIUM SHEEP HOOF SHEARS

KAMER

Non-serrated high-carbon steel blades - heat treated to cleanly cut even hard hooves. Does not rust, padded handle protects hand and joints. Easy action, one-handed locking device. Quality product, practical and lightweight shears for daily use.

Sku. 106605002


Not serrated



FELCO HOOF SHEARS



They improve considerably the working conditions for the breeder. Increased efficiency due to the easy handling and exceptional cutting performance. Light forged metal handle. Lightweight and resistant. Xylan coated blades for better hygiene. Closing with rubber shock absorber. 2 models available : with a fixed handle and with a rotating handle (for an intensive use and saves effort).

Sku. 106608001


Rotating handle


Sku. 106608002


Fixed handle



SHEEP HOOF KNIFE



Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.

Sku. 106612


Double blade



BLACK BLUE HOOF KNIFE



High quality. One piece blade and handle. Black handle. Ergonomic shape. Treated steel blades. Available in different versions.

Sku. 106609BB4


Right fine blade


Sku. 106609BB5


Left fine blade



SHEEPS | Foot care and bells



SHEPHERD'S KNIFE

KAMER

Sku. 128300



1 x 6 cm blade

Sku. 128301




1 x 6,8 cm blade

Sku. 128302



2 blades 8 cm and 5,5 cm



VICTORINOX SHEPHERD'S KNIFE



Original Victorinox Folding Knife. Length: 100 mm. Swiss quality.

Sku. 128303



Straight blade 55 mm

Sku. 128304



Curved blade 51 mm



WRAPPING SET

The essential kit for wrapping the legs of lambs and goats. Contains 2 strips of plaster 2 m x 10 cm and a jersey sock 2 m x 3 cm.

Sku. 106608100

Complete kit



Bells

ROUND CAST BRASS BELL

KAMER

Alpine type bell for sheep. Clapper available on request.

Sku. 121800050

N°5 Ø 50 mm.
Loop: 30 mm.
Height: 35 mm



Sku. 121800057

N°6 Ø 57 mm.
Loop: 30 mm.
Height: 40 mm



Sku. 121800067

N°7 Ø 67 mm.
Loop: 35 mm.
Height: 50 mm



Sku. 121800075

N°8 Ø 75 mm.
Loop: 45 mm.
Height: 55 mm



Sku. 121800090

N°9 Ø 90 mm.
Loop: 45 mm.
Height: 65 mm



ROUND STEEL BELL

KAMER

Bronze color. Traditional alpine and Jurassic bells for sheep and goats, type redon. Clapper available on request.

Sku. 121801045

Ø 45 mm. Loop: 30 mm. Height: 60 mm



Sku. 121801055

Ø 55 mm. Loop: 38 mm. Height: 75 mm



Sku. 121801060

Ø 60 mm. Loop: 42 mm. Height: 90 mm



Sku. 121801080

Ø 75 mm. Loop: 42 mm. Height: 110 mm




For spare parts, please contact us.

STRAIGHT STEEL BELL

KAMER

Bronze color.

Sku. 121802055	Ø 55 mm. Loop: 35 mm. Height: 60 mm	3 338020 077007	
Sku. 121802065	Ø 65 mm. Loop: 43 mm. Height: 75 mm	3 338020 077014	
Sku. 121802075	Ø 75 mm. Loop: 50 mm. Height: 85 mm	3 338020 077021	
Sku. 121802090	Ø 90 mm. Loop: 60 mm. Height: 100 mm	3 338020 077038	



BLACK BLUE STEEL BELL



Steel bell for sheep and goats. Nice tone. Clapper available on request. (ref. 1218069064 and 1218069088). Please consult the list in the price list and on the website.

Sku. 121806064	Ø 64 mm. Loop: 50 mm. Height: 64 mm	3 338020 077649	
Sku. 121806088	Ø 88 mm. Loop: 50 mm. Height: 115 mm	3 338020 077434	




COPPER PLATED STEEL BELL

KAMER

3 types of traditional bell for cattle and goats.

Sku. 121807020		3 338020 078738	
80 x 95 mm			
Sku. 121807001		3 338020 078714	
50 x 50 mm. 9 mm loop			



LEATHER COLLAR FOR SHEEP

KAMER

Buffalo leather.

Sku. 1211727055		3 338020 078011	
27 mm x 55 cm			
Sku. 1211747055		3 338020 078028	
47 mm x 55 cm			



Heiniger

*Sheep shearing
machine*

XPERT

≡2-SPEED≡

NEW!
≡2-SPEED≡

***Fast &
ergonomic***

Developed and manufactured
in Switzerland

High speed with
2500/2800
double strokes

Extremely
quiet

Lightweight,
small and ergonomically
shaped for comfort

Robust and
durable

Controlled
airflow

quality  swiss made

Int.Pat.Nr DM/078 110 EU
Pat.Nr. 138501 CH
Pat.Nr. 340969 AUS
Pat.Pending US/CN



UKAL

— PIGS

- 62 Feeding and scalpel
- 63 Tooth cutting and restraining
- 63 Restraining

Feeding



FISH OIL WITH 50% COD LIVER OIL

UKAL

High quality nutritional supplement naturally rich in omega 3, in AD3E vitamins and essential fatty acid. Blends with traditional foods. Use daily or as a cure. Contains 50% cod liver oil, as well as fish oil. Only for animal consumption. Our new formula contains winterized oil, much more digestible. Wintering consists of the cold filtration of oils.

Sku. 000100	1 L	3 338020 000067	12
Sku. 000500	5 L	3 338020 000081	4



Scalpel

SCALPEL HANDLE KAMER NO. 4

Accepts all scalpel blades for fixed handle no. 4. Sterilizable.

Sku. 102204	3 338020 001293
-------------	-----------------

Fixed handle
Delivered by unit.

Sku. 102205	3 338020 001309
-------------	-----------------

Foldable Handle.
Delivered by unit.



SCALPEL BLADE KAMER NO. 22

Delivered in pack of 10.

Sku. 102206022	3 338020 001316
----------------	-----------------

Box of 10



SCALPEL BLADES

KAMER

Blade individually packed. Delivered in pack of 100.

Sku. 102206120	n°20 / box of 100 Limited stock	3 338020 059232	
Sku. 102206121	n°21 / box of 100 Limited stock	3 338020 059249	
Sku. 102206122	n°22 / box of 100	3 338020 061235	
Sku. 102206123	n°23 / box of 100 Limited stock	3 338020 051267	
Sku. 102206124	n°24 / box of 100 Limited stock	3 338020 051274	



Tooth cutting

NICKEL-PLATED KAMER TOOTH CUTTING NIPPER

Nickel plated, length: 13 cm.

Sku. 105520



Cut length: 16 mm



STAINLESS STEEL KAMER TOOTH CUTTING NIPPER

Length: 13 cm. Stainless steel.

Sku. 105521



Cut length: 20 mm



SUPER PRO KAMER TOOTH CUTTING NIPPER

Slip-resistant handle. The shape of the blades prevents gum injuries.

Sku. 105523



Stainless steel.
Cut length: 16 mm



Restraining

PIG HOLDER, SELF-LOCKING KAMER

Heavy and very robust model. Self-locking loop. Reinforced loop and end. Cable easy to replace. 60 cm.

Sku. 105509001



60 cm. Nickel-plated metal and steel cable

Sku. 105509002



Pig catcher 60 cm, self locking



MINI ALUMINIUM KAMER PIG CATCHER

Mini catcher. Molded aluminium handle. Safety device on restraining cable.

Sku. 105509005



Aluminium



PIG HOLDER KAMER

Restrains pigs by the snout. Both hands are needed to maintain the tension. Reinforced loop. Made of nickel-plated metal. With steel cable. No self-locking.

Sku. 105509



60 cm. Nickel-plated.



PIG CATCHER WITH SLIP KNOT KAMER

Steel cable. Large rubber handle that ensures a good grip. Not very cumbersome. 80 cm.

Sku. 105510



Nickel-plated





PIG STAPLES APPLICATOR

Aluminium screw to adjust the opening. Used to place the wire pig staples no. 3 (Sku. 105 504 003) and no. 4 (Sku. 105504004).

Sku. 105507



Aluminium



TRIANGULAR PIG STAPLES

Stop pigs from foraging on the ground. To be used with applicator Sku. 105507. Two sizes available. Delivered in pack of 100.

Sku. 105504003



3 cm / box of 100



Sku. 105504004



4 cm / box of 100



PIG RING APPLICATOR

For rings Sku. 105502. Nickel-plated steel. High quality. Robust.

Sku. 105503



Nickel-plated steel



NICKEL-PLATED STEEL PIG NOSE RINGS

High quality. Keeps a perfect circular shape after application. Self-locking. To be used with applicator 105503. Pack of 10.

Sku. 105502



Box of 10



HOT SHOT POWERMITE

Pocket powermite. Compact and robust. Works with 2 9V 5LF22 batteries (not included). Works even on wet animals.

Sku. 104405010



Works with 2 9V 5LF22 batteries (not included)



HOT SHOT PLUS POWERMITE

Effective electric shock! Cuts off after 2 seconds in accordance with the latest animal protection law. Long life expectancy. Can also be operated with an extension handle. 5000 V max. voltage.

Sku. 104405020



Hot Shot Plus powermite



GUIDE PADDLE

With rattling noise. For guiding animals in an animal-friendly way. PVC handle and rubber arm.

Sku. 105511



110 cm



SCRATCHNALL™ PAD



Offers wellness for all kind of animals! Safe and effective way of self-scratching. No danger to skin, face and eyes. Durable quality. Flexible nubs for comfortable scratching. Unique interlocking design. Adjust the grooming surface as large as needed. Mounted individually or in groups flat on walls or around a corner. Can be folded on a 90° angle on corners.

Sku. 123340002



12,7 x 15,24 cm
Limited stock





UKAL

— POULTRY

- 66 Incubation
- 69 Chicken coop
- 72 Feeders & drinkers
- 75 Care
- 83 Rings
- 84 Well-plucked
- 85 Rabbits



BOROTTO designs and produces technologically advanced, high performance incubators, operating in compliance with advanced quality standards UNI EN ISO 9001 certified. By taking completely original ideas and developing them into revolutionary technical applications, three of which have been patented, Borotto has made its mark in the field of artificial incubation.



Incubators



LUMIA 8 INCUBATOR AUTOMATIC DIGITAL



- In Heat-Resistant ABS with Biomaster.
- Lumia 8: A small, technologically advanced, high performance machine. Its elegant design with "smart" technology makes this machine smart and easy to use and one of the best in its class.
- Lumia 8 stems from a desire to make the miracle of life available to all. It includes the highest professional incubation technology aimed at those with a limited number of eggs. The same technology that Borotto uses in larger models that can reach a higher level of accuracy and reliability.
- Lumia 8 is designed and built to better meet farmyard poultry and valuable species breeding requirements. Thanks to the use of innovative materials and a functional and ergonomic design, Lumia 8 is an indispensable instrument that is easy to use, both for the professional breeder and for all new breeding enthusiasts who want to try breeding farmyard animals for the first time, with expectations of a good result.

Dimensions : 39 x 22 x 20 cm.

Sku. 530300008 8 eggs



LUMIA 16 INCUBATOR PATENTED AUTOMATIC DIGITAL



- In Heat-Resistant ABS with Biomaster.
- Lumia 16: A small, technologically advanced, high performance machine. Its elegant design with "smart" technology makes this machine smart and easy to use and one of the best in its class.
- Lumia 16 stems from a desire to make the miracle of life available to all. It includes the highest professional incubation technology aimed at those with a limited number of eggs. The same technology that Borotto uses in larger models that can reach a higher level of accuracy and reliability.
- Lumia 16 is designed and built to better meet farmyard poultry and valuable species breeding requirements. Thanks to the use of innovative materials and a functional and ergonomic design, Lumia 16 is an indispensable instrument that is easy to use, both for the professional breeder and for all new breeding enthusiasts who want to try breeding farmyard animals for the first time, with expectations of a good result.

Dimensions : 39 x 34 x 24 cm.

Sku. 530300016 16 eggs





Automatic turning.



Digital temperature.



Outdoor filling.

DIGITAL SEMI AUTOMATIC INCUBATOR



Our digital incubators are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. Digital display. It is possible to set the temperature from 32°C to 40°C with 0.1°C steps by pressing the (+) and (-) buttons (Programme Mode). Inspection windows allow to follow each phase of the incubation. Mouths to fill the water trays from outside, avoiding the opening of the incubator and the dispersion of heat and humidity.

Sku. 530200024	24 eggs	8 068056 992054
Sku. 530200049	49 eggs	8 068056 992030



DIGITAL AUTOMATIC INCUBATOR



The incubator is ideal for chicken eggs, pheasant, guinea fowl, quail, partridges, duck, mallard, goose, turkey, peacock, bartavelle, pigeon, hake, exotic birds and birds of prey. Digital Display temperature control with decimal point. Range Temperature changeable from a Min of 30°C to a Max of 40°C. Precise electronic thermostat $\pm 0.1^\circ\text{C}$. Ventilation with turbine, diameter 100mm. **One complete inclination every 2 hours. 220V.**

Sku. 530300024	24 eggs	8 068056 992047
Sku. 530300049	49 eggs	8 068056 992023
Sku. 530200	Motor for digital incubator automatic	8 068056 992092



Incubator accessories



EGG CANDLER

This product is intended for the control of egg incubation. Using this egg spotter, you can check for the presence of cracks on the shell and the fertilisation of the egg and the stage of development of the embryo. Works on area 220V. maximum power: 15W. Delivered with two rubber inserts.

Sku. 530002010



24



SPARE THERMOMETER

Display of 25°C to 45°C.

Sku. 5300050



Angled



Sku. 530050001




Straight



EGG SPOTTERS ADVICES

Apart from the presence of cracks and the stage of development of the embryo, you can also inspect the proportion of air inside the egg. Indeed, this percentage allows you to determine and adjust the level of humidity of your incubator, which is essential to the success of a good breeding. The diagram on the left shows the correspondence between the proportion of air and the number of days of incubation. Adjust your humidity as a function of the air proportion observed.



Heating plates



HEATING PLATE FOR CHICKS

Provides a very soft as if under distributed warmth on the surface. The chicks will nest there as under the wing of their mother. Adjustable height to adapt to the growth of the chicks and splash-proof. Shell in very resilient plastic with insulation, washable and supporting water splashes. Cover available upon request.

Sku. 530005025	25 x 25 cm 15-20 poussins		1	
Sku. 530005030	30x30cm 20-25 chicks		2	
Sku. 530005040	40x40cm 30-35 chicks Limited stock		3	
Sku. 530005050	40x50cm 40-45 chicks		4	
Sku. 530005060	40x60cm 50-55 chicks Limited stock		5	



Cage

CHICKS AND QUAIL REARING CAGE

Ultra-practical between the incubator and the poultry house. Feeding trough and drinking trough for 150 chicks. After the incubator, the small paradise for the chicks before joining the poultry house! The opening is on the top. This breeder contains a retrieval tray for droppings. Very easy to maintain. Feel free to add a heating lamp to keep your chicks warm. To assemble yourself.

Sku. 531100

150 chicks



→ Please, have a look p. 89
to discover our light bulbs offer.



Poultry houses

GALITY POLLY BERGAME POULTRY HOUSE

The Gality Polly Bergame henhouse is a superb fully equipped henhouse! Warm thanks to the insulating role of the HPL, it is strong and designed to last. It has 2 wooden perches high up for sleeping. The secure entrance allows you to sleep in peace! The wooden decoration gives a familiar and aesthetic appearance. Supplied as a kit for quick assembly. Capacity: 2 to 4 hens dimensions on the ground: 70 x 85cm. Overall dimensions: 80 x 80 x 130cm



Sku. 595426



Poultry house for 2 to 4 hens

GALITY POLLY VENISE POULTRY HOUSE

The Gality Polly Venise henhouse is a particularly innovative 4 to 6 chicken henhouse. Maximum comfort for your chickens with unequalled ease of assembly. Strong, durable, beautiful and spacious, it takes full advantage of the material HPL. Supplied in kit form, it can be set up like child's play in a few minutes. Capacity: 4 to 6 hens. Floor dimensions 80 x 105 cm overall 105 x 96 x 157 cm.



Sku. 595427



Poultry house for 4 to 6 hens

ISLAND PREMIUM POULTRY HOUSE

Beautiful, well equipped the nesting box are covered with ventilation hatch with shutter. Beautiful Very well equipped henhouse in wood. 1 vent hatch with damper, nesting box with 2 compartments with outside access, 2 perches. The access hatch of large size (32x43cm) with ramp allows the accommodation of large hens. A door (dim. 36x46cm) located on the back allows easy cleaning of the living area. Delivered run as a kit, easy to assemble. Fits perfectly with the universal pathway, providing a secure space for your hens. Dimensions on the ground: 71x95cm - overall: 130x115x80cm. New model with a galvanized sheet metal roof, one of the two doors is sliding. This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.



Sku. 595400



Poultry house for 6 to 8 hens

COLORADO POULTRY HOUSE

Capacity : 6-8 hens

Dimensions :

On the ground : 223 x 84 cm

Overall : 268 x 195 x 96 cm

Material : Treated wood. The roof and the nest are covered with a tarpaulin.

Equipment : An air vent with shutter, 2 compartment nest with outside access, perches, a large access hatch with ramp, a door in the back makes it easy to clean the interior.

This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.

Sku. 595402



Poultry house for 6 to 8 hens



POULTRY | Poultry houses

OSLO POULTRY HOUSE



Large perfectly Comfortable external poultry house. It's suitable for dwarf or large breed hens. Comfort and practical. The nesting box is accessible from the outside for the collection of eggs without panicking the hens. Delivered as a kit. Capacity: 8 to 12 hens. Dimensions on the ground: 259 x 143cm - overall: 278 x 195 x 180 cm. In treated wood. Roof with asphalted canvas. Soldered mesh grilling 25 x 25mm.

This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.

Sku. 595403



Poultry house for 8 to 12 hens

CALGARY POULTRY HOUSE



Large, deep, fully equipped, this poultry house will amaze you with you by its dimensions. Unique on the market, we wanted it to be functional and aesthetic. One side is dedicated to the nesting boxes while the other is equipped with perches as trelliswork. Ideal for laying hens, it is well ventilated and equipped with an exit runs each facade with sliding hatch. It can be equipped with 1 or 2 universal pathways. Delivered as a kit, very easy to assemble. Capacity: 8 to 12 hens. Dimensions on the ground: 120 x 140cm - overall: 158 x 140 x 116 cm high. In stained wood, it has a galvanised metal roofing.

This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.

Sku. 595423



Poultry house for 8 to 12 hens

UNIVERSAL RUN FOR POULTRY HOUSE



This run is designed to fit on many poultry houses. A small ledge ensures the run of hens going from under the henhouse. A run at the end of pathway to let out the poultry while the top opens 2/3 for easy access. A removable panel to fully close the pathway, thus transforming it into a completely practical run. Dimensions 150 x 93 x 67 cm. Frame treated wood supports a mesh grilling 13 x 13 mm.

This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.

Sku. 595425



OTTAWA POULTRY HOUSE



We have designed this poultry house for your best nesters: comfortable internal nesting box and perches facing each other, it is equipped with 2 grilled Ventilation openings. The nesting box and the run part are accessible from the top. It adapts to the universal pathway (optional) while its sliding hatch can be equipped with an electronic gatekeeper (optional). Delivered as a kit, very easy to assemble. Capacity: 5 to 7 hens. Dimensions on the ground: 70x120cm - overall: 88x140x116cm high. In stained wood. The roofing in galvanised metal provides both sealing and durability.

This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.

Sku. 595422



Poultry house for 5 to 7 hens

NORWAY POULTRY HOUSE



Very large poultry house aviary designed both to provide maximum comfort to the hens and their owner! For the hens: Spacious shelter equipped with a nesting box and perches, large aviary protected from draughts, access to the garden by the exit hatch, adjustable ventilation internal tilting nesting box that makes egg collection easier and safer. Easy cleaning. Particular new concept of internal nesting box for tilting that facilitates and secures the egg collection. Delivered as a kit and easy assembly. Capacity: 10 to 12 hens. Dimensions of the ground: 181 x 233 cm. Overall: 190 x 245 x 190 cm high. In stained wood, roof with asphalted canvas.

This poultry house is made of treated wood. Not exportable outside Europe. (ISPM15 standard). We won't be responsible for any delivery problems if you order this product.

Sku. 595424



Poultry house for 8 to 12 hens




Coop

FOLDABLE COOP

A cage without a bottom, easy to move, so your pets always have access to the grass. Outdoor cage for rabbit, guinea-pig, poultry. Dimensions: 1 x 1 x 0.50 m (wire 2 mm). It allows the grazing of small farm animals.

Sku. 595115 Pliable hen run
Wire 2mm 3 338020 082636



Nests

NESTING BOXES

Fully galvanised. Bottom in inclined mesh allowing an easy collection of always clean eggs and protects against cannibalism.

Sku. 400010 Single nesting
nest, 33 x 45
x 35 cm 3 700393 911958

Sku. 400011 Double nesting
nest, 63 x 45
x 35 cm 3 700393 912016
Limited stock



PHEASANT EGGS GREEN PAINTED WOOD

Lure in wood, green. Allows fixing of the place of egg laying.

Sku. 520005 3 338020 051618
By 2
Limited stock



PAINTED WOOD HEN EGGS

Lure in painted wood. Allows fixing of the place of egg laying.

Sku. 520001003 3 700393 933905
By 3



NATURAL WOOD HEN EGGS

Lure in natural wood. Allows fixing of the place of egg laying.

Sku. 520002003 3 700393 933912
By 3
Limited stock



CERAMIC HEN EGGS

Lure in ceramic. Allows fixing of the place of egg laying.

Sku. 520010003 3 700393 933929
By 3



POULTRY | Colorful range

Plastic drinkers



DRINKER WITH HANDLES

Drinker with ankle. Delivered with feet.



Sku. 510100005	5 L		
		3 700393 962318	10
Sku. 510100015	15 L		
		3 700393 962325	4

Plastic feeders



FEEDER WITH PLASTIC FEET

Adjustable with Greenical nylon rod. Delivered with feet.



Sku. 505100009		
	3 700393 962349	5
9 L		
Sku. 505100020		
	3 700393 962394	5
20 L		



COLORFUL PLASTIC FEEDER

In yellow, orange or red plastic!! Practical and easy to clean. 18 kg.



Sku. 505018019	
	3 700393 964114
10 to 13 hens	
Limited stock	



COMPACTA FEEDER BIG CAPACITY

The feeder is made of durable plastic. The yellow body is a unique piece that supports itself without the need for a central stem or sleepers. It is very easy to assemble. The amount of food in the dish can be adjusted through one of three holes provided. The feeder is provided with lid and can be placed on the ground or suspended. The anti-waste gate and the suspension ring are integrated in the body. Design facilitates stacking, optimizing spaces. **The feeder is delivered without feet.** Feet available Sku. 505100P.



Sku. 509100008		
	3 700393 915673	10
8 kg		
Sku. 509100015		
	3 700393 962332	10
15 kg		



CHICK FEEDER 50CM GREEN

In plastic! Practical and easy to clean.



Sku. 505050008	
	3 700393 964282
15 chicks	



HEN FEEDER 75 CM PINK

In coloured plastic! Practical and easy to clean.

Sku. 508075021	
	3 700393 962424
20 hens	

Plastic drinkers

TRANSPARENT BLUE DRINKING TROUGH

In blue plastic. Practical and easy to clean.

Sku. 510100006



5 L with handle



POULTRY GRAVITY DRINKERS WITH TWISTED CAP OR BAYONET CLOSURE

Made of high quality plastic, very UV resistant. Professional design. Easy to clean.

Sku. 510103001



1 L - with twisted cap

Sku. 510103041



4 L - with bayonet closure and handle

Sku. 510103008



8 L - with bayonet closure and handle



"ECO" DRINKING TROUGH FOR CHICKENS

Highly resistant antibacterial plastic drinkers, ideal for chickens. Easy refill thanks to the cap.

Sku. 510200006



8 L - 8 hens




MULTIFUNCTION DRINKER «MAXI CUP»

The drinker is easily attached to all types of tanks up to 180cm water depth. This tank fills half automatically. It is easy to install and use and is very easy to maintain. Adapts to several varieties of animals (chickens, birds...). Indoor or outdoor use.

Sku. 510103005



0,5 L



POULTRY DRINKER

Made of high quality plastic, very UV resistant. Professional design. Easy to clean.

Sku. 510103006

0,6 L



Sku. 510103013

1,3 L



Sku. 510103040

4 L - with handle



Sku. 510103065

6,5 L - with handle



Sku. 510103012

12 L - with handle



Plastic feeders



BLUE TRANSPARENT FEEDER

Easy to use and easy to clean. Can be hanged.

Sku. 505004006	4 hens	3 700393 911071	5
----------------	--------	-----------------	---



POULTRY FEEDER «MOUNTAIN»

The «Mountain» feeders are very resistant thanks to their high quality plastic, and they are easy to clean. Thanks to its automatic feeding system, your birds will always receive fresh feed. Its conical shape is particularly suitable for this use. This range can be used suspended or laid directly on the floor. Possibility to adjust the dosage thanks to its height. UV protection for a better resistance. Feeder entirely made of plastic and very UV resistant. Easy maintenance. Can be used suspended or placed on the ground, adjustable by height adjustment.

Sku. 505300015	1,5 kg Without lid	4 014803 342898	
Sku. 505300003	3 kg With lid	4 014803 342904	
Sku. 505300005	5 kg With lid	4 014803 342911	
Sku. 505300008	8 kg With lid	4 014803 342928	15



Drinkers

METAL BUCKET CONSTANT LEVEL DRINKING TROUGH 12L

Metal bucket constant level drinking trough.

Sku. 501112



12 L



TRIPOD GALVANISED DRINKER 22 L

Tank drinking trough in galvanised steel on steel tripod. The height of the drinking trough cup allows poultry to have permanently available good quality water.

Sku. 510002030



22 L



Feeders

FEEDER ANTI-PESTS

The automatic opening of the hopper is done by simple pressure when poultry goes to the feeding trough. Avoids pests being introduced into the food. Delivered with lid.

Sku. 400001



15 L - 10 hens

Sku. 400002



30 L - 20 hens



FEEDING TROUGH WITH HOPPER

For breeding with anti - waste edge and rain canopy protection placed on or hanging from the rear.

Sku. 400003



10 L - 8 hens

Sku. 400004



18 L - 13 hens

Sku. 400005



25 L - 17 hens



FEEDER WITH ROOF AND ROTATING ROLL

Roll of 60cm, capacity 4,2 L. Completely galvanised. The turning roller prevents pigeons from roosting.

Sku. 400006



4,2 L - 15 hens





ENAMELLED HEN FEEDER WITH HOPPER

Control of flow by rack and pinion. Ideal product for feeding outdoors poultry and small game without the risk of waste and pollution of food. In galvanized sheet.

Sku. 500009	5 L - 6 hens	3 338020 012848
Sku. 500010	25 L - 17 hens	3 338020 012855
Sku. 500011	40 L - 25 hens	3 338020 012862



FEEDER WITH MOVABLE GRILL FOR CHICKS

Galvanised sheet metal. Trough of 4 cm depth. Width: 7 cm. With solid base.

Sku. 500001033 3 338020 012749

30 x 7 cm - 10 chicks

Sku. 500001050 3 338020 012756

50 x 7 cm - 20 chicks

Sku. 500001100 3 338020 035816

100 x 7 cm - 40 chicks

Limited stock



FEEDER WITH MOVABLE GRILL

Solid base. Galvanised sheet metal. Trough of 6cm depth. Width: 11 cm.

Sku. 500006050 3 338020 012817

50 cm - 6 hens

Sku. 500006075 3 338020 012824

75 cm - 10 hens

Sku. 500006100 3 338020 012831

100 cm - 15 hens



STANDARD ECONOMIC CHICK FEEDER

Standard quality feeder. A very good price to quality ratio. Dimensions: 50 x 7 cm.

Sku. 500000050 3 338020 085835

15 hens



Feeders

CIRCULAR CHICK BOTTLE HOLDER DRINKING TROUGH

Circular chick bottle holder drinking trough. Supplied with 3 adaptors for bottles.

Sku. 510004



AUTOMATIC CYLINDRICAL DRINKER ITALIAN MODEL

Plastic cylindrical automatic drinking trough, Italian model for poultry. Only suitable for low pressure. Delivered with 3m of hose in 12mm diameter and a pricking collar. Able to water 200-250 chickens. Spare parts available.

Sku. 510020



Tuyau 3 m Ø 12 mm



AUTOMATIC DRINKER FOR CHICKEN



This automatic drinking trough at constant level supports a pressure of up to 2 bar thanks to its very resilient valve. It is used both suspended and laid on the ground. It is also suitable for hens. Use the CHICK'A drinking trough with our antifouling disc for improved hygiene and time saving!

Sku. 510015001



1,5 L



RAPIDO DRINKER BUCKET 18L



This drinking trough has a bucket shape, it fills up like a bucket, convenient to carry with its broad handle. Drinking trough at constant level equipped with a float. Dimension Ø 30 x H 38 cm.

Sku. 517018



18 L



POULTRY DOUBLE CYLINDER DRINKING TROUGH



Drinking trough to place on the floor. With transport handle with bayonet fixing. Advantage of the product: can be used suspended. Available in 2 capacities. The double wall makes filling easier! **Feet available**, Sku. 509006001.

Sku. 510007006

6 L - 7 hens



Sku. 510007012

12 L - 14 hens



PLASTIC DRINKER



The basic, essential to water your hens! Simple, practical, resilient, shape studied specifically for poultry watering.

Sku. 510005001

1,5 L - 2 hens



Sku. 510005003

3 L - 4 hens



Sku. 510005005

5 L - 6 hens



Sku. 510005010

10 L - 12 hens





TRIPOD PLASTIC DRINKER

24 liters tank drinking trough in galvanised steel on steel tripod. The height of the drinking trough cup allows poultry to have permanently available good quality water.

Sku. 510005030



24 L



PLASTIC DRINKER WITH HANDLE

Ultra-practical for moving or filling the drinking trough due to its transport handle! Ideal shape to water the poultry. This drinking trough in highly resilient plastic has slits for mounting to prevent tipping over. Available in 3 capacities.

Sku. 510006005

5 L - 6 hens



Sku. 510006010

10 L - 12 hens



Sku. 510006015

15 L - 18 hens



TRANSPARENT RED DRINKING TROUGH 5 L

Made of red plastic. Practical and easy to clean.

Sku. 510007005



5 L



SUSPENDED DRINKING TROUGH WITH PIPETTE 12 L

Ideal to keep clean water, this drinking trough is equipped with 3 multidirectional pipettes. The specific shape of the drinking trough allows it to be laid on the ground when filling without damaging the pipettes. Suitable for poultry of all ages. Delivered with a suspension kit.

Sku. 509010012



12 L - 14 hens



Feeders

ANTIFOULING DISC



A must for your backyard hygiene! This very practical antifouling disc is used with hoppers and CHICK'A drinking troughs. It will avoid dirt water or food, and will limit the risk of bacterial contamination. Significant interest, it will save you cleaning time.



Sku. 510016



12 L - 14 hens

Limited stock

FEEDER WITH GRILL



Poultry feeding tray in plastic, metallic grill. Available in 3 sizes.



Sku. 500008050



6 hens - 50 cm

Sku. 500008075



10 hens - 75 cm

Sku. 500008005



Chicks - 50 cm

PLASTIC FEEDERS



Hoppers for the feeding of the chicks, hens and other poultry. In very resilient plastic. Very hygienic and easy to clean. The 18/20 liters feeder comes with an anti-waste grill injected in one piece onto the central tube (no risk of loss). Optimal use with the anti-fouling CHICK'A disc (Sku. 510 016) for chicks up to 15 days old. 40% less loss and improved hygiene. To be placed every 5 meters.

Sku. 500015006

5 / 6 L - 6 hens



Sku. 500015010

8 / 10 L - 8 hens



Sku. 500015012

12 L - 10 hens



Sku. 500015020

18 / 20 L
13 to 15 hens



POULTRY | Vintage epoxy range

Feeders



FEEDER HOPPER USING RACK AND PINION



For a better coating! Delight in the vintage look of this feeder! Hopper with control of flow by rack and pinion. Delivered without base (Sku. 503122).

Sku. 503103 

3 L - 4 hens

Sku. 503105 

5 L - 6 hens

Limited stock

Sku. 503110 

10 L - 8 hens

Sku. 503120 

20 L - 15 hens



Drinkers



LIGHT GREEN RANGE



For a better coating! Natural and nuanced, this color will give a relaxing spring atmosphere to your barnyard!

Sku. 400001008 

Feeder anti-pests 15 L

18

Sku. 500006050008 

Standard feeder 50 cm

Limited stock

Sku. 503103008 

Feeder hopper using

rack and pinion 3 L

Limited stock

AWNING HOPPER OR DRINKING TROUGH



Single awning, in metal for rack and pinion feeder. Allows the use of enamelled hoppers outdoors Product suitable for the scattering of grain for small game.

Sku. 503111 

Awning hopper or
drinking trough
10 L - **Limited stock**

METAL DRINKING TROUGH IN GREY ENAMELLED SHEET METAL



For a better coating! You will love the vintage look of this drinking trough with filling valve.

Sku. 501003 

3 L - 4 hens

Sku. 501005 

5 L - 6 hens

Sku. 501010 

10 L - 12 hens

Sku. 501020 

20 L - 25 hens





The 1st CHICK'A range of eco-designed feeders and drinkers for an even more eco-citizen approach. Made from sugar cane and beets.



Plastic from 100% renewable resources. Natural dye.



Does not contain oil or oil derivatives.



POSITIVE CARBON FOOTPRINT.

Drinkers



GREEN LINE POULTRY DRINKING TROUGH

In plastic of superior quality. Practical. Easy to clean. Made from sugar cane and beets.

Sku. 509001001



1,5 L

Sku. 509001003



3,5 L

Sku. 509001005



5,5 L



GREEN LINE POULTRY DRINKING TROUGH FOR QUAIL 1,5 L

In plastic of superior quality. Practical. Easy to clean. Made from sugar cane and beets.

Sku. 509007001



1,5 L



FOR QUAIL



POULTRY DOUBLE CYLINDER DRINKING TROUGH

With transport handle and feet. Double plastic wall allows a better filling! Delivered with feet. Made from sugar cane and beets.

Sku. 509006006

6 L + feet



Sku. 509006012

12 L + feet



Sku. 509006002

drinking trough
green feet x 4



24



POULTRY | Green plastic line

Feeders



Accessories



Pigeons



PLASTIC DRINKING FOUNTAIN

The essential friend of the doveote! Ideal shape for the pigeons. In plastic.

Sku. 710001



1,5 L



FEEDER WITH HOPPER + GREEN LINE GRILL

Made in plastic of superior quality. Practical, easy to clean. Made from sugar cane and beets.

Sku. 509002001

1 kg



Sku. 509002002

2,5 kg



Sku. 509002004

4 kg



GREEN LINE FEEDER WITH HOPPER ANTI-PESTS

Succumb to this ultra-convenient feeder with its reserve of 12 or 20kg. It makes life easier while taking care of your hens! Our UKAL experts have selected this feeding trough for its 4 advantages:

- Practical: The filling of the feeder is done on top with a hinged lid, moreover the pedal in plastic grill facilitates cleaning and avoids the accumulation of droppings.
 - Protected: The feeder is opened by pressing the pedal, triggered by the weight of the animal. Pests (rats, mice, sparrows, etc.) cannot open it because they are too light.
 - Resilient: Produced in galvanised sheet metal of quality, this feeder can remain outdoors thanks to its anti-rain system that prevents water from seeping inside.
 - Rational: An anti-waste grill prevents a significant loss of food.
- By adjusting the sensitivity of the pedal, this feeder is suitable for all species of ducks, hens, pheasants...

Sku. 509002110

12 kg



Sku. 509002120

20 kg



GRAIN MILL WITH BARREL

Easy to use, robust, reliable and safe, it is particularly suitable for small-scale breeding. It allows grinding and crushing of all types of cereals and dried vegetables. Grain mill with reserve barrel (50 liters). Delivered with 1 set of perforated grill diameter: 1,5 - 2,5 - 5 - 7 mm. Height 95 cm. Hourly flow: 20/40/90/170 kg.

Sku. 598100



PIGEON FEEDER

A beautiful plastic feeder, easy to clean. In red and yellow colour, it will brighten your backyard. Shape specifically tailored to the pigeons. Capacity 1,5 L.

Sku. 710002



1,5 L





RING WITH CLIPS

Easy to use and reliable. 4 diameters: 8, 12, 16 and 20 mm.

Ø
8 mm



Sku. 540008101	
8 mm white x 100	
Sku. 540008103	
8 mm red x 100	
Sku. 540008106	
8 mm blue x 100	
Sku. 540008108	
8 mm green x 100	
Sku. 540008110	
8 mm yellow x 100	
Sku. 540008119	
8 mm orange x 100	

Sku. 540008201	
8 mm white x 25	
Sku. 540008203	
8 mm red x 25	
Sku. 540008206	
8 mm blue x 25	
Sku. 540008208	
8 mm green x 25	
Sku. 540008210	
8 mm yellow x 25	
Sku. 540008219	
8 mm orange x 25	

Ø
12 mm



Sku. 540012101	
12 mm white x 100	
Sku. 540012103	
12 mm red x 100	
Sku. 540012106	
12 mm blue x 100	
Sku. 540012108	
12 mm green x 100	
Sku. 540012110	
12 mm yellow x 100	
Sku. 540012119	
12 mm orange x 100	

Sku. 540012201	
12 mm white x 25	
Sku. 540012203	
12 mm red x 25	
Sku. 540012206	
12 mm blue x 25	
Sku. 540012208	
12 mm green x 25	
Sku. 540012210	
12 mm yellow x 25	
Sku. 540012219	
12 mm orange x 25	

Ø
16 mm



Sku. 540008101	
16 mm white x 100	
Sku. 540016103	
16 mm red x 100	
Sku. 540016106	
16 mm blue x 100	
Sku. 540016108	
16 mm green x 100	
Sku. 540016110	
16 mm yellow x 100	
Sku. 540016119	
16 mm orange x 100	

Sku. 540016201	
16 mm white x 25	
Sku. 540016203	
16 mm red x 25	
Sku. 540016206	
16 mm blue x 25	
Sku. 540016208	
16 mm green x 25	
Sku. 540016210	
16 mm yellow x 25	
Sku. 540016219	
16 mm orange x 25	

Sku. 540020001	
20 mm white x 50	
Sku. 540020003	
20 mm red x 50	
Sku. 540020006	
20 mm blue x 50	
Sku. 540020008	
20 mm green x 50	
Sku. 540020010	
20 mm yellow x 50	
Sku. 540020019	
20 mm orange x 50	





FAMILY ELECTRICAL PLUCKER

Is used for plucking chickens, hens and all similar animals. Beforehand, the animals will have to be immersed in 50-60°C water for 2 to 3 minutes. They can then be plucked by placing them on the roller equipped with rubber fingers that removes the feathers by turning. Height: 75 cm. Max 6 kg.

Sku. 560005



Family electrical plucker

Sku. 9560005001



Feet for plucker

Sku. 560005001



Fingers for plucker



PLASTIC POULTRY TRANSPORT CAGE

The perfect asset to transport your chickens! It has an upper opening thanks to a sliding door. It is also available with a side door. Dimensions: 95 x 58 cm.

Sku. 590020



Upper door

Sku. 590021



Upper door and side door



POULTRY CATCHER

Allows you to capture poultry more quickly.

Sku. 502010



POULTRY SACRIFICE PLIERS

The subject must be suspended by the legs at a good height. Take the head in the left hand, press firmly with your thumb at the base of the skull. The beak of the poultry is then wide open. Insert the blade of the flat clamp so that it is placed in the bottom of the throat. Make a quarter turn with the clamp to bring it vertically so that the recessed part carried by the other branch of the clamp is placed on the skull, just behind the ridge, the tip of the blade must be at the bottom of the slightly inclined throat. When the clamp is in place, close it vigorously. The bleeding must be abundant, the muscles relax which allows a fast and efficient plucking.

Sku. 560001



METAL CLAMP FOR WINGS

Prevents poultry from flying away. Operating advice: Close the wing of the poultry. Clamp the feathers of the arm and forearm, without touching the flesh. Screw by tightening strongly.

Sku. 560020



By 2



PLASTIC FEEDING TUBE

For the force-feeding of geese. Plastic funnel, screw and metal. Very strong and effective.

Sku. 580020



Length 24 cm



POULTRY RESTRAINING CONE

Fixed to the wall using the support Sku. 560002002.

Sku. 560002001



Bleeder funnel

Sku. 560002002



Bracket for bleeder funnel



RABBIT KILLER

To kill small animals and especially the rabbit without suffering. Equipped with a spring pressure, it causes instant death.

Sku. 560010



Hutch

BURGUNDY HUTCH

Capacity: 1 to 3 rabbits - Dimensions on the ground: 52 x 135cm - Dimensions overall: 65 x 145 x 101cm. The house for rabbits: summer or winter, this magnificent hutch will wonderfully accommodate rabbits and other rodents. Fully equipped: roof covered with asphalt canvas, shed 60x52x50cm, drawer for droppings, outdoor access door to the shelter, hatch between the shelter and the pathway, access ramp to pathway with grilling, 2 external access points to the pathway. In stained pine.

Sku. 595415

1 to 3 rabbits



Feeders and drinkers



RABBIT HOPPER WITH LID

In galvanised sheet metal. To fix on the doors of cages with bars. Height: 23 cm. Depth: 11 cm.

Sku. 600016  3 338020 013869

1 compartment with lid

Sku. 600015  3 338020 013852

2 compartments with lid

Sku. 600017  3 338020 036479

3 compartments with lid



RABBIT HOPPER WITH PLASTIC LID

Automatic food distributor for rabbits. In plastic with protection against gnawing in galvanised metal. Locking mechanism. To hang in the cages. Ideal for a holiday.

Sku. 60001008  3 700393 937804

1 compartment with plastic lid



RABBIT AUTOMATIC SOOTHER DRINKING TROUGH

Automatic water supply line at low pressure.

Sku. 610004  3 338020 013906

By 3



BOTTLE HOLDER DRINKING TROUGH

Delivered with stand.

Sku. 610001002  3 338020 054046

Ovale base

Sku. 610001003  3 338020 054053

Rectangular base



ALUMINIUM RABBIT DRINKING TROUGH

Allows water supply by bottle (any type of bottleneck). Very easy installation.

Sku. 610001004  3 700393 934001

By 4



BOTTLE HOLDER DRINKING TROUGH

Drinking trough oval base.

Sku. 610001010  3 700393 907968

By 2



DRINKING PIPETTE FOR RABBIT

Filling and cleaning facilitated through an opening placed at the top. Robust pipette ensuring drop after drop for a good provision of drinking water.

Sku. 610003050  3 700393 919664

0,5 L **Limited stock**

Sku. 610003100  3 700393 919688

1 L



PLASTIC RABBIT DRINKING TROUGH

Drinking trough in resilient plastic. Easy filling from the top. Teat at 90°. Teat anti-drip mechanism. Fits easily on all types of cages. Capacity 1L.

Sku. 615100008  3 700393 937835

1 L



AUTOMATIC RABBIT DRINKING TROUGH BY 2

Automatic water supply at low pressure.
Fixation by plate Delivered in sets of 2.

Sku. 610040	
By 2	



PLASTIC HOSE & JUNCTION

Sku. 610041	
Raccord droit x 5	
Sku. 610042	
Jonction L x 5	
Sku. 610043	
Jonction T x 5	
Sku. 610044	
Jonction X x 5	



CERAMIC BOWL

Glazed. Heavy version.

Sku. 600018100	
1 L	
Sku. 600018750	
750 ml	
Sku. 600018500	
500 ml	
Sku. 600018250	
250 ml	



PLASTIC FEEDING TROUGH

Plastic, with heavy base to improve stability.

Sku. 710010	
Double rectangular plastic feeding trough 750 ml	
Sku. 710020	
Single rectangular plastic feeding trough 500 ml	
Sku. 710030	
Round plastic feeding trough 500 ml	



NOTES



UKAL

— HEATING

90	INTERHEAT
90	PHILIPS
91	HORIZONT

HEATING



3 wires

— INFRARED interHeat PROTECTORS - 250 W

Infrared protector, model meets CE standards and the French standard IPX4 (guaranteeing its compliance with sprinkling tests of electrical equipment). Usable with IR lamps from **100 to 250 W** and quartz reflectors. Ideal for keeping your chicks, calves, piglets and other animals warm under all circumstances. Delivered with attachment chain. 3 wires. Screwed sockets E27. Meets CE standards. 2 cable lengths available. Box of 10.

Sku. 116602



Simple infrared protector 5m of cable



Sku. 116602001



Simple infrared protector 2.5m of cable. Unassembled



— IR LAMP interHeat INTERHEAT

Experience shows that their life expectancy is greater than traditional infrared light bulbs. Infrared heating bulb, **captive screw base**, guaranteed for life. Provides a regular warmth and improves the conditions of breeding for young animals. **Available in PAR glass.**

Sku. 116622150R



IR lamp red 150 W **Limited stock**



Sku. 116622175B



IR lamp white 175 W **Limited stock**



Sku. 116622175R



IR lamp red 175 W **Limited stock**



Sku. 116622250R



IR lamp red 250 W **Limited stock**



Sku. 116623100R



IR/PAR lamp screw red 100 W **Limited stock**



Sku. 116623175R



IR/PAR lamp screw red 175 W **Limited stock**



— INFRARED interHeat PROTECTOR WITH DIMMER SWITCH - 250 W

Infrared protector, model meets CE standards and the French standard IPX4 (guaranteeing its compliance with sprinkling tests of electrical equipment). Usable with IR bulbs from **100 to 250 W**. Ideal for chicks, lambs, piglets etc. Delivered with attachment chain. 3 wires. E27 screw socket. Meets CE standards. Equipped with a dimmer switch and 5m cable. Box of 10.

Sku. 116601



IR protector with dimmer switch 5 m of cable



3 wires



— IR PROTECTOR IPX4 - 175 W

Aluminium lamp holder. Cable length: 2,5m. Chain length: 2m. This infrared protector meets CE standards. For lamps **up to 175 W**. Delivered in a box, unassembled.

Sku. 116605




IR protector



Sku. 116605001



IR protector with dimmer switch



2 wires



— IR PROTECTOR IPX4 - 175 W

For normal or energy-saving infrared lamps with a maximum output of **175 Watts**. Rubber cord.

Sku. 116613



IR protection 5 m



Sku. 116613001



IR protection 5 m with dimmer switch



— IR PROTECTOR IPX4 - 250W

With ventilation slots for optimum air circulation. For normal or energy-saving infrared lamps up to **250 Watts**.

Aluminium protection cage ø 21 cm with galvanised grid.

Supplied with 2 m galvanised chain and ceiling hook (minimum suspension capacity 20 kg) GS/CE approved for more safety.

Conforms to EN standard Splashproof (IPX4) with safety insulation E27 cap with silicone gasket.

Sku. 116610



IR protection 2,5 m



PHILIPS IR LIGHT BULB

PHILIPS

Incandescent infrared Philips reflector lamps are designed for the toughest environments: farms, bathrooms, kitchens. They offer a reinforced structure through the use of hard glass. Their compact form and base of universal cowlings allows them to be used with any adaptive equipment. Thermal lamps are a great way to produce warmth. They provide direct warmth without draught to animals, people and food. Tungsten filament lamps for instant response, with an average lifetime of 5,000 hours. Available in classic or PAR glass.

Sku. 116400100C	
IR 100 W - white	
Sku. 116400150C	
150 W - white	
Sku. 116400150R	
IR 150 W - red	
Sku. 116400250C	
IR 250 W - white	
Sku. 116400250R	
IR 250 W - red	

Sku. 116401100C	
IR PAR 100 W white	
Sku. 116401100R	
IR PAR 100 W red	
Sku. 116401175C	
IR PAR 175 W white	
Sku. 116401175R	
IR PAR 175 W red	



90%

Advantages

- 90% of the energy is redistributed in infrared.
- Average lifetime of 5,000 hours.
- Instantly controllable radiant heat.
- Easy installation.

NEW

IR LIGHT BULB



Incandescent infrared reflector lamps are designed for the toughest environments: farms, bathrooms, kitchens. They offer a reinforced structure through the use of hard glass. Their compact form and base of universal cowlings allows them to be used with any adaptive equipment. Thermal lamps are a great way to produce warmth. Please use the proper lamp holder, especially for the 250W. They provide direct warmth without draught to animals, people and food. Tungsten filament lamps for instant response, with an average lifetime of 5,000 hours. Available in classic or PAR glass. Really good price/quality ratio.

Sku. 116404100C	
IR 100 W - white	
Sku. 116404150C	
IR 150 W - white	
Sku. 116404150R	
IR 150 W - red	
Sku. 116404175C	
IR 175 W - white	
Sku. 116404175R	
IR 175 W - red	
Sku. 116404250C	
IR 250 W - white	

Sku. 116404250R	
IR 250 W - red	
Sku. 116405100C	
IR PAR 100 W - white	
Sku. 116405100R	
IR PAR 100 W - red	
Sku. 116405175C	
IR PAR 175 W - white	
Sku. 116405175R	
IR PAR 175 W - red	





NEW RANGE OF BULBS AVAILABLE

*Provide all the heating
needed by your animals!*



FROM 100 W TO 250 W

White and red bulbs.

UKAL






UKAL

— IDENTIFICATION

- 94 Eartags
- 97 Collars and ankle straps
- 99 Temporary marking
- 101 Permanent marking

IDENTIFICATION | Eartags

HOW TO APPLY THE EARTAG CORRECTLY:




Always make a new hole. Dip the male tag into antiseptic or disinfectant solution. Make sure the male part is on back of ear. Avoid penetrating cartilage and blood vessels.

UKAFLEX MAXI + MAXI EARTAGS


Available in 8 sizes and 5 colors. Supplied in pack of 20 pairs. Can be marked with our different markers. For cattle, we recommend the size Maxi or Super Maxi. Metal pin. For more information, please have a look at the chapter on identification.

1 Super Maxi + Button









Type	Dimensions	Plain eartag white	Plain eartag red	Plain eartag blue	Plain eartag green	Plain eartag yellow	Printed laser 1 side	Printed laser 2 sides
1 Super Maxi + Button	99 x 74 mm	108068001	108068003	108068006	108068008	108068010	Upon request	Upon request
2 Maxi + Maxi	71 x 63 mm	108060001	108060003	108060006	108060008	108060010	108060100	108060200
3 Maxi + Button	Female part: 71 x 63 mm Male part: Ø 27 mm	108061001	108061003	108061006	108061008	108061010	108061100	108061200
4 Large + Button	Female part: 63 x 55 mm Male part: Ø 27 mm	108062001	108062003	108062006	108062008	108062010	108062100	108062200
5 Wide + Wide	45 x 55 mm	108063001	108063003	108063006	108063008	108063010	108063100	108063200
6 Wide + Button	Female part: 45 x 55 mm Male part: Ø 27 mm	108064001	108064003	108064006	108064008	108064010	108064100	108064200
7 Small + Small	45 x 55 mm Plastic pin	108066001	108066003	108066006	108066008	108066010	108066100	108066200
8 Button + Button	Ø 28 mm	108067001	108067003	108067006	108067008	108067010	-	-

2 Maxi + Maxi



3 Maxi + Button





MAXI + MAXI

Eartags. By 20.

Sku. 108060001

White

Sku. 108060003

Red

Sku. 108060006

Blue

Sku. 108060008

Green

Sku. 108060010

Yellow

MAXI + BUTTON

Eartags. By 20.

Sku. 108061001

White

Sku. 108061003

Red

Sku. 108061006

Blue

Sku. 108061010

Yellow

SUPER MAXI + BUTTON

Eartags. By 20.

Sku. 108068001

White

Sku. 108068010

Yellow

Sku. 108068003



Red

Sku. 108068006

Blue

Sku. 108068008

Green



Super Maxi + Button

IDENTIFICATION | Eartags

APPLICATOR FOR UKAFLEX EARTAGS



Complete with 2 universal pins. Can be used with most cattle eartags on the market. Can be used to apply Ukal-Flex, Kelflex and Allflex eartags.

Sku. 108000	
Applicator with 2 universal pins	
Sku. 108000002	
Universal pin x 2	

BLACK MARKER



Smear proof markers to mark sheep collars, neck tags, ankle straps and all kinds of eartags. Reistant to contact with organic matter, bases and acids.

Sku. 108280001	
Fine tip	
Sku. 108280003	
Round tip	



UKALTAG EARTAGS

UKAL

Ukaltag eartags are made of high quality nylon (nylon 6-6). The standard version of the eartags is available in several U.V. resistant colours. Dimensions: 3 x 1 cm. Special printings can be made on request. Tags can be printed on both sides as follows: - consecutive numbers. - 8 fixed numbers. - 8 fixed characters (letters, numbers). Supplied by 100 pairs.

PRINTING FROM 1 TO 100

	Sku. 109922001	
	Sku. 109922003	
	Sku. 109922006	
	Sku. 109922008	
	Sku. 109922010	

PRINTING FROM 101 TO 200

	Sku. 109922101	
	Sku. 109922103	
	Sku. 109922106	
	Sku. 109922108	
	Sku. 109922110	

LASER PRINTING 1 OR 2 SIDES

	Sku. 109922701	
	Sku. 109922703	
	Sku. 109922706	
	Sku. 109922708	
	Sku. 109922710	



UKALTAG APPLICATOR

UKAL

Can be used with most sheep eartags available on the market.

Sku. 109925	Metal		
--------------------	-------	--	--




PLASTIC COLLAR FOR SHEEPS

KAMER



Very solid and resistant to chemicals. With safety catch fastening. Can be marked with marking pen. Sold in set of 5. Length: 57.5 cm.

	Sku. 121151010	Yellow - By 5	3 700393 961458	
	Sku. 121151003	Red - By 5	3 700393 961496	
	Sku. 121151019	Orange - By 5	3 700393 961472	
	Sku. 121151006	Blue - By 5	3 700393 961373	
	Sku. 121151008	Green - By 5	3 700393 961533	
	Sku. 121151002	Black - By 5	3 700393 961519	



NYLON COLLAR FOR SHEEPS

KAMER



Adjustable. With D-ring to put a lanyard. Very sturdy and reinforced leather, they are suitable for all types of sheep. Length about 65 cm. Width: 2,5 cm. By unit.

	Sku. 121152006	Blue	3 700393 922152	
	Sku. 121152008	Green	3 700393 922169	
	Sku. 121152010	Yellow	3 700393 922145	



SELF-ADHESIVE FLUORESCENT ANKLE STRAP FOR COWS

KAMER



Very resistant and easy to put on and remove. Better hold due to a plastic loop. Allows a fast identification of the cow and udder (1 leg = 1 teat). Facilitates use of colour coding in case of any treatment. Fluorescent colours for a very good visibility. Long. Sold in bag of 5 ankle straps. Dimensions: 3,8 x 41 cm.

	Sku. 108701008	Fluorescent Green By 5	3 338020 086320	
	Sku. 108701010	Fluorescent Yellow By 5	3 338020 086306	
	Sku. 108701019	Fluorescent Orange - By 5	3 338020 086313	
	Sku. 108701021	Fluorescent Pink By 5	3 338020 086337	


NEW

PLASTIC STRAP FOR COWS

KAMER



Extra long model. Easy to use. Precise tightening by non-return catch. Use these bright neon coloured straps for all temporary i.d. needs. Approx. 340 mm long. In pack of 10.

	Sku. 108811003	Fluorescent Cherry By 10	3 700393 923241	
	Sku. 108811008	Fluorescent Green By 10	3 700393 923265	
	Sku. 108811010	Fluorescent Yellow By 10	3 700393 923272	



IDENTIFICATION | Collars and ankle straps



NYLON COW COLLAR

KAMER

Can be used with strap digits. Nice finish. Length: 120 cm. By unit.

	Sku. 121160	Yellow and black		
	Sku. 121160003	Red		
	Sku. 121160006	Blue		
	Sku. 121160008	Green		



PLASTIC IDENTIFICATION STRAP DIGITS

KAMER

Fits on most collars, halters, straps. Each digit is 4 cm - 2" high. Printed with 1 digit. In pack of 10.

Sku. 108906050	0		
Sku. 108906051	1		
Sku. 108906052	2		
Sku. 108906053	3		
Sku. 108906054	4		
Sku. 108906055	5		
Sku. 108906056	6 / 9		
Sku. 108906057	7		
Sku. 108906058	8		



MULTI-LINE MARKING SPRAY

Livestock spray marker specifically formulated for short-haired animals. Non aggressive formula. Box of 12. 500 ml.

Sku. 108312103



Red



Sku. 108312106



Blue



Sku. 108312108



Green



OVI-LINE MARKING SPRAY

High quality formula specifically for marking wool, long or short. Long lasting (2 months). Composition: contains lanolin. The Ovi-line spray meets the highest standards of the wool industry. The quality of the paint and lanolin-based marker allows for legible and long-lasting marking (2-3 months). The Ovi-line spray is the only spray which allows the mother and lamb to be marked at lambing with a quantity comparable to paint marking. To mark a number with the spray, hold the tip 5-6 cm from the fleece and write the number by moving the can like a marker. 500 ml. Delivered in box of 12.

Sku. 108316003



Red



Sku. 108316006



Blue



Sku. 108316008



Green



MARKING SPRAY

RAIDEX

Specifically formulated for marking cattle, pigs, and short-haired animals. Delivered in box of 12. 500 ml.

Sku. 108307003



Red



Sku. 108307006



Blue



Sku. 108307008



Green



MARKING SPRAY RAIDEX FOR SHEEP

RAIDEX

RAIDEX sheep marking spray is suitable for marking sheep and lambs. It is an advancement of the established RAIDEX sheep branding fluid and offers improved drying and washability. It contains harmless, light-fast pigments, mildly-odorous solvent, lanolin grease and natural resins. This composition achieves good drying and removal during the wool wash. 500 ml. Supplied by box of 12. Reference 108308003 to 108308021. The markings/numbers are applied by spraying from a distance of 10-15 cm. RAIDEX sheep branding fluid dries within 4 to 8 hours depending on ambient temperature and consistency of the dye. As these fluids take several hours to dry, care must be taken to prevent contact with the dye and hence smudging. The dye markings wash out if conventional wool washing is employed. The dye markings should be left on the animal for approx. 4-6 weeks in order to guarantee washability. Ensure that the markings are applied to sheep in an appropriate place, e.g. head or legs.

Sku. 108308002



Black



Sku. 108308003



Red



Sku. 108308006



Blue



Sku. 108308008



Green



Sku. 108308010



Yellow



Sku. 108308019



Orange



Sku. 108308020



Purple



Sku. 108308021



Pink



IDENTIFICATION | Temporary marking



RAIDEX MARKING STICK

RAIDEX




Sticks made of special waxes and paraffin oil. We use high-quality pigments to achieve an excellent colour quality. The sticks are set apart by effective writing capability on hide, temperature stability, colour intensity and high luminance. The ingredients are harmless for humans or animals. By 3 (108303003 to 108303020), by 10 (108304002 to 108303020) and by 50 (108305021). Packaging and any unused materials can be discarded with residual waste. The marking remains visible on the upper back of cattle and sheep for approx. four weeks. Please note that markings on sheep are impossible or difficult to wash out. They should therefore be applied in a more suitable place, e.g. head or legs.

Sku. 108303003		Sku. 108303020		Sku. 108304003		Sku. 108304010	
Red - By 3		Purple - By 3		Red - By 10		Yellow - By 10	
Sku. 108303006		Sku. 108303100		Sku. 108304006		Sku. 108304019	
Blue - By 3		Red - Blue - Green		Blue - By 10		Orange - By 10	
Sku. 108303008		Sku. 108304002		Sku. 108304008		Sku. 108304020	
Green - By 3		Black - By 10		Green - By 10		Purple - By 10	



BLOCK FOR HARNESS

RAIDEX



RAIDEX wax blocks consist of high-quality special waxes and paraffin oil. We use high-quality pigments to achieve an excellent colour quality. The ingredients are harmless for humans or animals. RAIDEX wax blocks can be used at any temperature without any problem. To be stored between 5 and 25 degrees. For cattle and sheep.

Sku. 108601002		Sku. 108601008	
Black		Green	
Sku. 108601003		Sku. 108601010	
Red		Yellow	
Sku. 108601006		Sku. 108601019	
Blue		Orange	



SUPER BLUE HARNESS FOR RAMS

KAMER



The new Super blue harness has been specially designed by animal breeders. Easy to use and to adjust. Very resistant. Easy maintenance. Padded straps prevent cuts and chafing. Nylon.

Sku. 108605006	
Nylon	



HARNESS FOR RAMS

KAMER



The new Super blue harness has been specially designed by animal breeders. Easy to use and to adjust. Very resistant. Easy maintenance. Padded straps prevent cuts and chafing. Nylon.

Sku. 108605	
Nylon	



EAR NOTCHER

KAMER



Nickel-plated steel. Very sharp for a neat cutting. Available in 5 shapes.



Sku. 108400010	10N		
Sku. 108400011	11N		
Sku. 108400012	12N		
Sku. 108400013	13N		
Sku. 108400014	14N		

SHEEP MARKING FLUID

To be used with marking numbers (Sku. 108430-440). Specific composition which respects the wool. Completely washable, leaves no residue in the wool. 4 kg container.



	Sku. 108455003	Red		
	Sku. 108455006	Blue		
	Sku. 108455008	Green		

MARKING NUMBERS 0-9

KAMER

Only to be used with Master laine sheep marking fluid. Made of aluminium (Sku. 108455003, -006, -008). Set of 9 number from 0 to 9 (6 and 9 are the same). Available in 2 sizes.

Sku. 108430	8 cm	
Sku. 108440	10 cm	



Permanent marking

BLACK TATTOOING PASTE RAIDEX

Veterinary quality paste. Can be applied with finger. Massage areas to be tattooed with paste. Black.

Sku. 109175600	
600 g jar	



BLACK TATTOOING INK UKAL

High quality tattooing ink, intense black. Apply with a small brush on area to be tattooed or used in the ink pad for pig tattooing hammers. Ready to use. Density 1,24/1,25 g/liter.

Sku. 109946100	
1 L	





UKAL

ELECTRIC CLIPPING

- 104 **Clippers for cattle and horse**
- 106 **Blades for cattle and horse**
- 107 **Clippers for sheeps**
- 108 **Combs for sheeps**
- 112 **Trimmers**
- 113 **Blades**
- 115 **Accessories and care**

Heiniger

HEINIGER IS THE WORLD NUMBER 1 IN ANIMAL SHEARING

Founded in 1946, Heiniger quickly established a good reputation as a manufacturer of quality products and agricultural services. Following the great success of exports, the product range and sales were widened. Worldwide, millions of animals are shorn with Heiniger products. Heiniger instruments are designed for precise shearing, clean and fast. Each shear corresponds to a type of animal so that all clippings, even the most difficult, can be easily accomplished with the right tools. Discover the range, perfect for shearing your horse, cattle, sheep with a 2 year warranty provided by UKAL Livestock France. A 30 years partnership.



DISCOVER OUR WEBSITE

www.heiniger.fr



XPERIENCE ELECTRIC CLIPPER 2 SPEEDS

Heiniger

The XPERIENCE clipper is the perfect balance between power and lightness. It will fulfil all your shearing needs for horses and cattle. Thanks to its unique ergonomic design, it ensures a perfect grip making for fatigue-free working. The innovative connecting system between the cutting head and the reinforced body, coupled with a powerful engine, ensure a long-life use. Light, sleek and silent. The XPERIENCE clipper will satisfy your needs of quality, style and precision. Supplied in a box including operating instructions, screwdriver, cleaning brush, oil. **Power: 250 W. Weight: 1180 g. Noise: 68 dB(A). Motor speed: 2600/2900 rpm. Power supply: 240 V. Supplied with 21 and 23 teeth blade set/screwdriver/brush/oil.**

Sku. 100272001

On mains



CORDLESS CATTLE XPLORER

Heiniger

The Xplorer accumulator clipper is the latest technological innovation. The perfect tool for cattle and horse clipping. Wireless, it has up to 2 hours run time and offers more flexibility thanks to its wireless system. Practical thanks to LED charging indicator. No disturbing air output. No power loss due to the development of the dual pinion drive. Strong and durable thanks to its fibreglass reinforcement. The Xplorer clipper meets all requirements in the field of shearing horses and cattle. **2600mAh Li-Ion battery with no memory effect.** Li-Ion high performance 3-cell. Safety certification: CE/electrosuisse Delivered in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23 teeth combs set. Weight: 990 g. Noise: 65 dB(A).**

Sku. 100264

Supplied with 1 battery + 1 charger



Sku. 100264001

1 extra battery



NEW

CORDLESS XPLOER PRO - 2 SPEEDS

Heiniger



Heiniger revolutionises cattle and horse clipping with its new XplorerPro clipper. Ever more powerful than its predecessor, the XplorerPro features two speeds and is the only clipper to date to include a patented clipping pressure display. This guarantees more precise clipping than ever before and also extends the clipper's life.

Delivered with a carrying case including a set of 21/23 teeth combs, instructions for use, screwdriver, cleaning brush, oil and a charging station.

- Features :
- **2 speeds: 2450 et 2 900 double strokes per minute**
 - Battery capacity: 2850 mAh
 - Battery run time: approx. 120 min
 - Battery charging time: approx. 90 min
 - Sound pressure level: approx. 65 dB
 - Integrated battery charge indicator
 - Handy and light: 975 g
 - Length: 300 mm

2 YEARS WARRANTY.



Sku. 100264004 Supplied with 1 battery + 1 charger 7 613073 065581

Sku. 100264005 1 extra battery 7 613073 063846

PROGRESS - ELECTRIC CLIPPER FOR HORSE

Heiniger



Equipped with last generation electronic features, the Progress clipper is now even more powerful and user-friendly. Thanks to its ultra-streamlined handle, its light weight and its low-noise running, it is the best solution for nervous horses shearing. Particularly well suited to women's hands.

Adaptable with combs from the other clippers. Also suitable for cattle finishing touch. Performance: 80 W. Speed: 2200 oscillations/min. Length: 280 mm. 5 m wire. Weight: 930 g. Noise emission: 70 dB. **Mounted with: 31/15 teeth combs.** Supplied in a storage box with instruction manual, screwdriver, cleaning brush and oil.

Sku. 100268 On mains 3 338020 087570



TAILWELL MK2

The use of Tailwell 2 facilitates shearing cows tail hair to ensure optimum hygiene of the cattle. Silent, fast and safe shearing. Works with 14V cordless screwdrivers, 1250 rpm. Supplied with the cutting head, 1 bottle of lubricant for the blades and 1 syringe for the lubricant. Supplied without screwdriver.

Sku. D100500 9 417027 206703



DISCOVER THE VIDEO

ELECTRIC CLIPPERS | Blades for cattle and horse ans clippers for sheeps



FAST CLIPPING



Sku. 100246SET



Blade set 18
and 23 teeth



SPECIAL BLADE SET CHAROLAIS



Sku. 100242SET



Blade set 18 and 15
teeth



Sku. 100247015



15 teeth cutter



ALL-ROUND BLADE SET FOR CATTLE



Sku. 100244SET



Blade set 21
and 23 teeth



Sku. 100246



21 teeth comb



Sku. 100245



23 teeth cutter



BLADE FOR VETERINARY USE



Sku. 100241SET



Blade set 53
and 23 teeth



Sku. 100241053



53 teeth comb



Sku. 100245



23-teeth cutter



Clippers for sheeps



XPERT SHEARING 240 V 2 SPEEDS



The latest machine by Heiniger, Xpert is a powerful, yet still ergonomic and lightweight machine. **2 speeds.** The unique, innovative, stable connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing. Silent. This shearing machine will amaze anyone who shears. Supplied in an extra-strong carrying case including a set of combs, screw driver, oil bottle, brush and user manual. Manufactured in Switzerland. **Fitted with OVINA PREMIUM comb set. Weight: 1180 g, noise: 79 dB. Power supply: 240 V / 200 W. Motor speed: 2500/2800 rpm.**

Sku. 100279001

On mains



SHEEP CLIPPER XTRA 320 W



Large head, powerful engine. Equipped with an exclusive clipping system. Less vibrations. The motor consists of a 320 watts and 2400 cycles per minute. The sheep clipper is equipped with a large head and comes with Ovina Premium. This powerful electric HEINIGER sheep clipper is supplied in a case. Weight: 1530 g. Noise: 80 dB. Power supply: 220-240 V.

Sku. 100280

On mains



Sku. 100281

Shearing head only



Sku. 100145

Motor only



Sku. 9H100280

Maintenance kit
for sheep clipper
XTRA 10 control
points



ONE PROFESSIONAL SHEARING PLANT 300 W



Ideal for shearing big herds. Thanks to its ICON handpiece the ONE shearing plant is very compact and easy to handle. The powerful electric motor allows you to shear sheep and goats. Supplied with a flexible shaft of 200 cm and ICON handpiece. Available in WORM DRIVE or PIN DRIVE. **Color non contractual.**

Sku. 100123001	ONE professional shearing plant 300 W WORM DRIVE	7 613073 002272
Sku. 100123002	ONE professional shearing plant 300 W PIN DRIVE	3 700393 903861
Sku. 100123005	Wall mount	3 338020 081363



PIN DRIVE



WORM DRIVE

EVO PROFESSIONAL SHEARING PLANT 300 W




The HEINIGER professional shearing plant is the only one in the world equipped with an electrical safety device with an international ratification certificate. **3 speeds:** 2700, 3200 and 3500 rpm. An autoadjustable belt ensures the transmission. It is protected by a very sturdy case made of synthetic material reinforced by fiberglass. **Color non contractual.** Noise: 70 dB.

Sku. 100124100	EVO professional shearing plant 300 WORM DRIVE	7 613073 000391
Sku. 100124200	EVO professional shearing plant 300 PIN DRIVE	3 338020 084128
Sku. 100124101	Flexible shaft WORM DRIVE	3 338020 084135
Sku. 100124201	Flexible shaft PIN DRIVE	3 338020 084142



PIN DRIVE



WORM DRIVE

ICON HANDPIECE FOR PROFESSIONAL SHEARING PLANTS



Quality handpiece provides top professional shearing. Ergonomical form for a better grip or handle. Supplied without comb and cutter. **Color non contractual.**

Sku. 100122030	PIN DRIVE	3 338020 039715
Sku. 100122031	WORM DRIVE	3 338020 079100



ICON FX - HANDPIECE



The significantly lighter weight requires less energy to stop momentum and minimises the effort required for every blow. The slimmer shape barrel ensures a superb grip and provides maximum in-hand comfort. The precise weight distribution provides superior balance and handling to deliver easier manoeuvrability. 10 % lighter handpiece. Now even slimmer. Optimum balance. Ergonomic.

Sku. 100122302	WORM DRIVE	7 613073 059863
----------------	------------	-----------------



ELECTRIC CLIPPERS | Combs for sheep clippers



UKAL RECOMMENDS
THE WORM DRIVE TIP
FOR MORE SECURITY

EVO PROFESSIONAL SHEARING PLANT WITH RIGID SHAFT

Heiniger

Comes with rigid shaft WORM-DRIVE and ICON handpiece. 3 speeds: 2700, 3200 and 3500 rpm.

Sku. 100124300 EVO with shaft 3 338020 084616

Sku. 100122020 Shaft only 3 338020 039722

Combs



FINE WOOL AND DENSE FLEECE

Heiniger



Specially designed for shearing animals with fine wool or dense fleece such as sheep or goats. 13 high-quality teeth for easy shearing. Used by experienced shearers.

Sku. 100255SET 3 338020 038619

13 and 4 teeth
blade set

Sku. 100256 3 338020 000746

13 teeth comb

Sku. 100253 3 338020 000715

4 teeth cutter



CLASSIC SHEARING & PREMIUM

Heiniger



For Heiniger sheep clippers. Classic shearing and fine wool and dense fleece. The Ovina Premium comb set is equipped with the new LG2 technology.

Sku. 100252SET 3 338020 038602

13 and 4 teeth
blade set

Sku. 100254 3 338020 000722

13 teeth comb

Sku. 100253 3 338020 000715

4 teeth cutter

Sku. 100253SET 3 700393 970009

Ovina Premium
blade set



ESPECIALLY FOR CATTLE

Heiniger



Heiniger clipper comb, specially designed for shearing cattle. 25 and 4 tooth blade set. **Only works on sheep clippers.**

Sku. 100257SET 3 338020 038633

25 and 4 teeth
blade set



ESPECIALLY FOR MERINO WOOL

Heiniger



Sku. 100261SET 3 338020 083466

13 and 4 teeth
blade set



ESPECIALLY FOR CAMELIDS

Heiniger



Sku. 100256SET 3 700393 922893

13 and 4 teeth
blade set



Combs for winter shearing

PRO BLIZZARD COMB




Box of 2 combs.

Sku. 100100018



Size: 94,5 mm



HIGHLANDER COMB




Box of 2 combs.

Sku. 100100042



Size: 98 mm



ISOBAR COMB




Box of 2 combs.

Sku. 100100041



Size: 98 mm



CRUSADER COMB




Box of 2 combs.

Sku. 100100043



Size: 94,5 mm



Cutters

XTREME CUTTER




Box of 10 combs.

Sku. 100100106



Size: 3,7 mm



PRO JET CUTTER




Box of 10 combs.

Sku. 100100100



Size: 4,4 mm



STORM CUTTER




Box of 10 combs.

Sku. 100100107



Size: 4,6 mm



DIAMOND CUTTER





Box of 10 combs.

Sku. 100100102



Size: 3,7 mm



EDGE CUTTER




Box of 10 combs.

Sku. 100100108



Size: 4,4 mm



For broad wool



CHARGER COMB



Box of 5 combs.



Sku. 100100016



Size: 93,5 mm.
Right hand

Sku. 100100017



Size: 93,5 mm.
Left hand



SUPER CHARGED COMB



Box of 5 combs.



Sku. 100100006



Size: 93,5 mm



WARRIOR COMB



Box of 5 combs.



Sku. 100100001



Size: 96 mm



QUANTUM COMB



Box of 5 combs.



Sku. 100100012



Size: 95 mm.
Right hand



QUAZARD COMB



Box of 5 combs.



Sku. 100100005



Size: 95 mm



CONDOR COMB



Box of 5 combs.



Sku. 100100024



Size: 98 mm



CALIBRE COMB



Box of 5 combs.



Sku. 100100044



Size: 93,5 mm



XLR-8 COMB



Box of 5 combs.



Sku. 100100039



Size: 98 mm

For fine wool



PRO AWESOME COMB



Box of 5 combs.



Sku. 100100010



Size: 92 mm



XPRESS COMB



Box of 5 combs.



Sku. 100100009



Size: 93,5 mm

FREESTYLE COMB

Heiniger



Box of 5 combs.

Sku. 100100036



Size: 96 mm.
Right hand

Sku. 100100046



Size: 96 mm.
Left hand



HUGE COMB

Heiniger



Box of 5 combs..

Sku. 100100029



Size: 96 mm



PRO REBEL COMB

Heiniger



Box of 5 combs.

Sku. 100100032



Size: 92 mm



BAD COMB

Heiniger



Box of 5 combs.

Sku. 100100004



Size: 95 mm



FREAK COMB

Heiniger



Box of 5 combs.

Sku. 100100034



Size: 94,5 mm



B-EVIL COMB

Heiniger



Box of 5 combs.

Sku. 100100002



Size: 94,5 mm



Universal comb

PRO RAPIER COMB

Heiniger



Box of 5 combs.

Sku. 100100021



Size: 86 mm



REFLEX COMB

Heiniger



Box of 5 combs.

Sku. 100100037



Size: 94 mm



PRO LEGEND COMB

Heiniger



Box of 5 combs.

Sku. 100100014



Size: 92 mm



PROFLEX COMB

Heiniger



Box of 5 combs.

Sku. 100100038



Size: 94 mm



ELECTRIC CLIPPERS | Combs



PRO OVINA COMB



Box of 5 combs.

Sku. 100100025



Size: 77 mm



TOPAZ COMB



Box of 5 combs.

Sku. 100100030



Size: 84,5 mm



OVINA PREMIUM COMB



Box of 5 combs.

Sku. 100100028



comb with LG2 technology.
Ovina Full thickness.
77 mm wide / Medium Bevel



Saphir clippers



CORDLESS PROFESSIONAL TRIMMING CLIPPER SAPHIR



For small animals and veterinary care. Up to 90min clipping time per battery with high performance lithium-ion technology. Additional battery pack and less than 60min charging time for continuous clipping. The perfect clipping machine for trimming cattle or for Cow-Styling. Detachable Saphir blade system compatible with clippers from Andis, Moser, Oster and Wahl. Supplied with clipping blades, 2 batteries, charger unit, oil, brush and instruction manual. Power: 35 W. Weight: 440g. Noise: 63 dB. **Motor speed: 2650 rpm.** Dimensions: 204 x 50 x 41 mm.

Sku. 154400

2 batteries



SAPHIR STYLE CORDLESS PROFESSIONAL TRIMMING CLIPPER



For small animals and veterinary care. Low-noise and high-performance 35 W permanent magnet motor. High performance battery with the latest lithium-ion technology for continuous clipping. Over 90 minutes of clipping time with less than 60 minutes of charging time. Highquality charger with additional charging dock for 2 batteries and with charging indicator. Large selection of interchangeable clipping blades, compatible with Andis, Moser, Oster and Wahl. Supplied with clipping blades, two batteries, charger unit, oil, brush and instruction manual. Power: 35 W. Weight: 440g. Noise: 63 dB. **Motor speed: 2650 rpm.** Dimensions: 204 x 50 x 41 mm

Sku. 154405

2 batteries



SAPHIR CORD PROFESSIONAL CLIPPER



For small animals and veterinary care. The latest technology coupled with a new design. A clipper with exceptional technical qualities specifically developed for shearing small animals. A wide selection of interchangeable cutting heads. A powerful and innovative clipper that is quickly becoming an essential tool for the professional shearing of small animals. Operates on mains power, with 3 m of cable. Power: 35 W. Weight: 330g. Noise: 63 dB. **Motor speed: 3200 rpm.** Dimensions: 204 x 50 x 41 mm. Operates on mains power with 3 m of cable.

Sku. 154410

On mains



CORDLESS PROFESSIONAL TRIMMING CLIPPER SAPHIR BASIC



For small animals and veterinary care. Up to **90 minutes** clipping time per battery with high performance lithium-ionic technology. The perfect clipping machine for the trimming of cattle and horses or for cow-Styling. Detachable Saphir blade systems compatible with clippers from Andis, Moser, Oster and Wahl. Supplied in a resistant and practical case, with clipping blades, 1 battery, oil, brush and instruction manual. Power: 35 W. Weight: 440 g. **Motor speed: 2650 rpm.** Dimensions: 204 x 50 x 41 mm. Noise: 63 dB.

Sku. 154415

1 battery



CORDLESS BATTERY 2 SPEEDS CLIPPER OPAL



The Opal is extremely quiet. It is also impressively powerful and equipped with **two speed levels**. With 3100 oscillations per minute in fast mode (and 2600 in slow mode), this clipper works smoothly and quickly even through dirty and thick fur and hair. The latest lithium-ion battery technology ensures cordless clipping **for 240 minutes**. It takes just one hour for a full battery recharge. Thanks to the built-in battery level indicator, it is always possible to check the remaining battery time. Opal has a cutting-edge ergonomic design and fits perfectly in the hand. Moreover, this clipper is particularly small and lightweight. Professionals can thus work effortlessly – whether for grooming, veterinary applications or dog, horse and cow styling. Noise: 63 dB. **Speed: 2600/3100 db/min.** (Available with 2 batteries on demand)

Sku. 154420

1 battery



NEW



STYLE MINI CLIPPER

Heiniger's STYLE MINI clipper has a new lithium-ion battery technology that extends its operating time to 120 minutes. Ideal for clipping small animals and veterinary care. It will provide ultra-precise and fine mowing, with a 30 mm precision steel cutting head and an even more powerful motor. Ideal for the final styling of the dog. The adjustable shoe allows a cutting length of 3 to 6 mm. Quiet, low-vibration and cordless, it offers a clipping time of 120 minutes with a battery charge of 90-120 minutes. After use, the mower can be easily cleaned, thanks to its detachable mowing head. The design remains unchanged. Speed: 5500 oscillations / min. Autonomy: approx. 120 min. Charging time: 90-120 min. Battery technology: Lithium-Ion. Cutting length : 0,3 mm. Noise emission LpAm: <60 dB(A). Length: 145 mm. Width: 30 mm. Height: 38 mm. **Weight: 120 g.** 24 months warranty. Made in Switzerland.

Sku. 154700050

Battery Li-Ion



Sku. 154700100

MINI trimming head



ELECTRIC CLIPPERS | Saphir clippers



BATTERY STYLE MIDI TRIMMER



This trimmer is used for the part trimming of the dog and the contours of the dog's head, legs, belly and tail. The continuously adjustable cutting head allows variable **cutting lengths between 0.5 - 2.5 mm**. The package also includes 5 snap-on combs in the most common **cutting lengths 4, 8, 12, 16 and 20 mm**. Furthermore, the supplied cable adapter allows trimming any time on the 230V mains. Light with low-noise and precise cut, the new Heiniger Style Midi Trimmer glides through the dog's coat with ease. Noise: 63 dB. **Weight: 240 g. Motor speed: 2400 rpm.** Size: 175 x 46 x 50 mm. Operating time: up to 100 minutes.

Sku. 154710	1 batterie	
Sku. 154710100	MIDI trimming head	

Saphir clipper heads



Sku. 100282 
Comb 0,2 mm 



Sku. 100283 
Comb 0,25 mm 



Sku. 100284 
Comb 0,5 mm 



Sku. 100285 
Comb 0,8 mm 



Sku. 100286 
Comb 1,2 mm 



Sku. 100287 
Comb 1,5 mm 



Sku. 100288 
Comb 2 mm 



Sku. 100296 
Comb 2,3 mm 



Sku. 100289 
Comb 2,8 mm 



Sku. 100290 
Comb 3,2 mm 



Sku. 100291F 
Comb 3,2 mm 



Sku. 100292 
Comb 6,3 mm 



Sku. 100293F 
Comb 6,3 mm 



Sku. 100294 
Comb 9,5 mm 



Sku. 100295F 
Comb 9,5 mm 

CURVED BLADE SCISSORS

It is used for the finishing of the mane but also to prepare the animals for the shearing (for dirty or matted parts). They also allow the shearing of small areas before a surgical operation. The curved blade avoids pricking or cutting into the animal skin.

Sku. 100338



18 cm

Sku. 100340



20 cm



VASELINE OIL

UKAL

The use of oil is needed for proper operation of the clipper.

Sku. 100141



100 ml



COOL SPRAY FOR COMB

UKAL

Cooling spray for clippers, combs and blades. This product cools, lubricates and cleans. Therefore it improves shearing and keeps the combs sharp. It prevents dirt accumulation, which optimizes the performance of your shears and ensures perfect hygiene. It is also suitable for hair clippers, beards and electric razors. Clean the combs with a brush or a dust remover spray, then apply the cooling spray.

Sku. 100143



500 ml



SPECIAL CLIPPER OIL

Heiniger

Specially developed non toxic clipper oil increases performance, reduces friction and enhances blade life.

Sku. 100142105



100 ml



Sku. 100142102



500 ml



SHARPENING PASTE

The very fine grain n°1 sharpening paste is suitable for finishing or cutting heads for dog/ rabbit. Sharpening paste n°2 is suitable for all types of combs and counter combs of Heiniger electric clippers or others. For sharpening bovine, ovine or equine combs. 480 g.

Sku. 100121001



Fine grain N°1

Sku. 100121002



Coarse grain N°2



NOTES



UKAL

— VACCINATION & DRENCHING

118 Demaplast
122 Socorex
123 NJ Phillips
124 Needles

VACCINATION STRATEGY




The link between vaccination strategy and herd size is clearly visible. 80% of farms with more than 100 cows routinely vaccinate in order to ensure good health of the herd without the cost and time taken by other preventative approaches. In smaller herds, vaccination strategies are less homogeneous : 1 out of 2 breeder does not vaccinate , pSku.erring other preventive strategies more easily permitted by herd size.

How to choose the syringe and needle ?

The choice of a syringe (manual, automatic or revolver) depends on the product to be injected, the injection volume, the repetition of gesture or on the urgency of the injection.

The choice of the needle depends on the type of injection (subcutaneous, intramuscular, intravenous) and the product viscosity. There is a sizing convention. For example, a needle 15/10 = 15 mm length / 10 mm in diameter.

- **Subcutaneous injection** : under the skin for slow diffusion due to low blood supply.
- **Intramuscular injection**: in muscle (thigh or neck) for rapid dissemination through the strong blood supply.
- **Intravenous injection**: in the jugular for immediate action. However, please be aware of shocks. You must use this method only in severe cases.



- Subcutaneous
- ★ Intramuscular
- ▼ Intraperitoneal
- ⊕ Intraruminal
- ◆ Intravenous
- Intradermal
- Retromammary
- ▲ Intramammary

Examples of application

BOVINS		
Intramuscular 30/15, 30/20, 40/20	Subcutaneous 15/20, 20/20	Intravenous 60/20
OVINS		
Intramuscular 20/15, 30/15	Subcutaneous 10/10, 15/10	Intravenous 20/15, 30/20
PORCINS		
Intramuscular 30/20, 40/15, 40/20, 50/20 10/18	Subcutaneous 10/10, 15/13, 15/10	Intravenous 40/20

HOW TO CHOOSE THE RIGHT NEEDLE?

INTRAMUSCULAR		SUBCUTANEOUS		INTRAVENOUS	
Piglet	10/10 - 15/10	Lamb	20/10	Sheep	30/20 - 40/20
Sow	40/15 - 50/20	Sheep	20/15	Cattle	60/20
Poultry	10/15	Cattle	20/20 - 25/15 - 30/15	For oily product	Diamètre 15 ou 20
Lamb	15/15				
Sheep	25/20				
Cattle	30/20 - 35/15 - 40/20				



Veterinary quality. DEMAPLAST offers a wide range of products for vaccination (manual, semiautomatic or automatic syringes) and for the drenching (dosing syringes, drenchers). The products are manufactured in Europe. They are known for their quality and their very good value for money.

DEMPLAST PLEXI SYRINGE



Economical syringes. Multi-purpose. Can be boiled or cold sterilized. **Plastic piston, cover and handle.** Wash thoroughly after use. Rinse thoroughly with clean water. Lubricate with vaseline oil Sku. 110039. Replace washers regularly. Do not autoclave. With LUER LOCK fitting.

Sku. 110004005	5 ml tip luer lock Sku. washer: 9DE005		
Sku. 110004010	10 ml tip luer lock Sku. washer: 9DE010		
Sku. 110004020	20 ml tip luer lock Sku. washer: 9DE020		
Sku. 110004030	30 ml tip luer lock Sku. washer: 9DE030		
Sku. 110004050	50 ml tip luer lock Sku. washer: 9DE050		
Sku. 110004100	100 ml tip luer loc Sku. washer: 9DE100		



LUER LOCK

DEMPLAST METAL SYRINGE



Handle and cover made in metal. Can be boiled or sterilized at high temperature. Wash thoroughly after use. Rinse in clear water. Lubricate with vaseline oil Sku. 110039. Replace washers regularly. Do not autoclave. With LUER LOCK fitting.

Sku. 110001005	5 ml - Sku. washer : 9DE005 Limited stock		
Sku. 110001010	10 ml - Sku. washer : 9DE010		
Sku. 110001020	20 ml - Sku. washer : 9DE020		
Sku. 110001030	30 ml - Sku. washer : 9DE030		
Sku. 110001050	50 ml - Sku. washer : 9DE050		



LUER LOCK



PRIMA AUTOMATIC SYRINGE



Professional instrument. Automatic syringe. Body made of nylon and the barrel a specific polymer. Ergonomic handle for a better grip. Precise and reliable dosing thanks to the valve. Supplied with spare part kit.

This model is supplied with vial holder.

Sku. 110040202 

2 ml vial holder 

Sku. 110040205 

5 ml vial holder 

This model is supplied with feeding tube (not pictured).

Sku. 110040101 

1 ml feeding tube 

Sku. 110040102 

2 ml feeding tube 

Sku. 110040105 

5 ml feeding tube 

Sku. 110040110 

10 ml feeding tube 

+ PRODUCTS

- High quality
- Effortless, high throughput vaccination
- From small to large animals
- Suitable for most liquids and suspensions
- Operate under any climatic conditions
- Easy disassembly and maintenance
- All components are treated against corrosion



DRENCHING GUN



Very robust ABS grip and ergonomic handle. Transparent acetate barrel. Resistant to chemical attack. Dose adjustment by screw. Comes with a 125 mm (9AL125) cannula for 35 ml and 70 ml pistols. Original design. Made in Europe.

Sku. 107035 

In acetate - 35 ml 

Sku. 107070 

In acetate - 70 ml 

Sku. 107035A 

Automatic dosing gun 35 ml 

Sku. 107070A 

Automatic dosing gun 70 ml 



DRENCHING GUN



Very robust and ergonomic ABS grip. Transparent acetate or polypropylene barrel. Resistant to chemical stress. Calibration through distal screw. Comes with a 200mm (9AL200) cannula for 200 ml and 300 ml pistol. Made in Europe.

Sku. 107200 

Acetate barrel - 200 ml 

Sku. 107200S 

Drenching gun polypropylene cylinder 200 ml 

Sku. 107300 

Polypropylene transparent barrel 300 ml 

Sku. 107805 

Service kit for drenching gun - 300 ml 



AUTOMATIC DRENCHING GUN BRAVO + HOSE



The valve and the tank are resistant to chemical attack. Dosage adjustment using the wheel behind the barrel. Ergonomic handle. Supplied with nozzle, suction hose, Luer Lock and spare parts (washers). Can be used with tank Sku. 107900 (sold separately).



Sku. 107430  3 338020 055197

30 ml 

Sku. 107460  3 338020 055203

60 ml 

METAL DRENCHING SYRINGE



Metal piston and handle. Plexi transparent barrel. Complete, delivered with 250 mm cannula (9AL 250).



Sku. 107630  3 338020 002887

300 ml 

Sku. 107645  3 700393 927836

450 ml 

PLEXI DRENCHING SYRINGE



Drenching syringe. Cellulose acetate. Very resistant to shock and to chemical stress. Delivered with cannula.



Sku. 107755  3 338020 002979

250 ml 

CANNULA FOR SYRINGES



To be used with metal and plexi DEMAPLAST syringes.



Sku. 107760  3 338020 002993

LUER LOCK Length: 120 mm 

Sku. 107762  3 338020 003013

Male screw Length: 120 mm 



LUER LOCK

MALE

TANK SET FOR AUTOMATICS GUNS



1 plastic backpack with 3 liter capacity.

Sku. 107900 3 L  3 338020 053933



INTRAVENOUS SET



Allows perfusion for intravenous treatment. Rehydration fluid, minerals, glucose, etc.

Sku. 110600 Silicone  3 338020 066988 

Sku. 110601 PVC  3 700393 971631 





SOCOREX is a Swiss brand .They manufacture a wide variety of high precision instruments used for reliably measuring, dosing, transferring, dispensing and injecting liquids in a large number of applications. Each precision instrument bears its own serial number and passes a strict performance control attested by an individual QC certificate. Discover the automatic syringes from SOCOREX.



AUTOMATIC SYRINGE WITH VIAL HOLDER



Most commonly used, the automatic vial feeding syringe is perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions. Enables tight fitting of any 20 mm neck diameter vaccine vial. (needle not included).

Sku. 110050011/5	0,5 ml	3 338020 052615
Sku. 110050011	1 ml	3 338020 049998
Sku. 110050012	2 ml	3 338020 039296
Sku. 110050015	5 ml	3 338020 031443
Sku. 110050020	10 ml	3 338020 051441

AUTOMATIC SYRINGE WITH FEEDING TUBE



Automatic Syringe supplied with aspiration and vent cannulas, sinker and silicone tubing (1 metre), spare part kit and operating instructions (needle not included).

Sku. 110050001/5	0,5 ml	3 338020 052400
Sku. 110050001	1 ml	3 338020 031405
Sku. 110050002	2 ml	3 338020 031412
Sku. 110050005	5 ml	3 338020 031429
Sku. 110050010	10 ml	3 338020 031436



PLASTIC DRENCHING GUN

Metal cannula. Plastic body. Ideal for sheep. Lightweight. Easy to clean. 25 ml.

Sku. 107830



25 ml



SEMI AUTOMATIC PLASTIC SYRINGE

Comfortable handle. Easy choice of 5 fixed dose settings. Ergonomic fingertip action reduces hand strain.

Sku. 110010050



50 ml

Sku. 110010025



25 ml



METAL ORAL DRENCHER

Light weight, well balanced, robust design. Easy access to piston and valves for servicing. Simple dose adjustment system. High-flow, blockage resistant valves. Highly chemical resistant cylinder with moulded graduations. Dosage from 1 to 20 ml. Delivered with a sheep cannula. Service kits available.

Sku. 107820020



20 ml

Sku. 107815020



20 ml with backpack
2,5L



SEMI AUTOMATIC METAL SYRINGE

Comfortable handle. Administers a variety of vaccines. Easy to clean and maintain. Fixed settings for ease and speed of use.

Sku. 110013050



50 ml

Sku. 110013025



25 ml



Accessories

VASELINE OIL UKAL

Lubrication of materials and various equipments. Jelly oil is essential for the operation of the syringes and the clipper. Non toxic. Doesn't irritate the skin.

Sku. 110039



50 ml

Sku. 100141



100 ml



WEIGHTBAND KAMER

For an approximate evaluation of the weight in kg of living animals. Not allowed for commercial transactions. Customisation available on request.

Sku. 129040





TRIPLE EDGE NEEDLES

Luer Lock hub. Triple edge sharpening ensures better penetration.

Sku. 110180	
L 10 mm Ø 8	
Box of 12	
Sku. 110190	
L 10 mm Ø 10	
Box of 12	
Sku. 110190008	
L 8 mm Ø 10	
Box of 12	
Sku. 110200	
L 15 mm Ø 10	
Box of 12	
Sku. 110201	
L 20 mm Ø 10	
Box of 12	
Sku. 110201030	
L 30 mm Ø 10	
Box of 12	
Sku. 110202040	
L 40 mm Ø 12	
Box of 12	
Sku. 110205	
L 15 mm Ø 13	
Box of 12	
Sku. 110205013	
L 13 mm Ø 13	
Box of 12	
Sku. 110207	
L 15 mm Ø 15	
Box of 12	
Sku. 110207010	
L 10 mm Ø 15	
Box of 12	
Sku. 110210	
L 20 mm Ø 13	
Box of 12	

Sku. 110215	
L 20 mm Ø 15	
Box of 12	
Sku. 110216	
L 25 mm Ø 15	
Box of 12	
Sku. 110218	
L 25 mm Ø 20	
Box of 12	
Sku. 110220	
L 30 mm Ø 13	
Box of 12	
Sku. 110221	
L 30 mm Ø 15	
Box of 12	
Sku. 110225	
L 40 mm Ø 15	
Box of 12	
Sku. 110230	
L 50 mm Ø 15	
Box of 12	
Sku. 110247	
L 15 mm Ø 20	
Box of 12	
Sku. 110250	
L 20 mm Ø 20	
Box of 12	
Sku. 110255	
L 30 mm Ø 20	
Box of 12	
Sku. 110260	
L 40 mm Ø 20	
Box of 12	
Sku. 110265	
L 50 mm Ø 20	
Box of 12	



DELVO VETERINARY NEEDLES

High quality veterinary needles. Triple bevel sharpening. LUER LOCK hub.

Sku. 110300	
L 10 mm Ø 10	
Box of 12	
Sku. 110301	
L 15 mm Ø 10	
Box of 12	
Sku. 110305	
L 10 mm Ø 15	
Box of 12	
Sku. 110307	
L 15 mm Ø 15	
Box of 12	
Sku. 110315	
L 20 mm Ø 15	
Box of 12	
Sku. 110321	
L 30 mm Ø 15	
Box of 12	
Sku. 110347	
L 15 mm Ø 20	
Box of 12	
Sku. 110350	
L 20 mm Ø 20	
Box of 12	
Sku. 110355	
L 30 mm Ø 20	
Box of 12	
Sku. 110360	
L 40 mm Ø 20	
Box of 12	
Sku. 110365	
L 50 mm Ø 20	
Box of 12	





UKAL

FARM AND STABLE EQUIPMENTS

- 126 **Drinkers**
- 128 **Feeders & Hay racks**
- 131 **Stable equipment**
- 132 **Cleaning**
- 135 **Shovels**
- 139 **Scales**
- 141 **Thermometers**
- 142 **Hooks**
- 144 **Pest control**



IDEAL DRINKING BOWL MODEL 61

SUEVIA

Enameled cast bowl made of cast iron. Smoothly running pipe valve for a calm water flow. 1/2" water supply from the top or the bottom. For pipe or wall mounting. 4-hole fixation. Approximate water flow quantity of 6 l/min (at 5 bar water pressure).

Sku. 119160



Cast iron



DRINKING BOWL MODEL 10P

SUEVIA

High quality plastic drinking bowl. Smoothly running pipe valve for a calm water flow. 1/2" water supply from the top. For pipe or wall mounting. 2-hole fixation. Approximate water flow quantity of 6.5 l/min (at 5 bar water pressure).

Sku. 119170



Plastic



FLOATER DRINKING BOWL

Solid plastic bowl and cover. With resistant float valve. 1/2" water supply from on the side. Easy adjustment of water level. Approximate water flow quantity of 10 l/min (at 5 bar water flow).

Sku. 119165



Plastic



DRINKING BOWL WITH PIPE VALVE

Double powder coated bowl made of cast iron. Smoothly running pipe valve for a calm water flow. 1/2" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 12 l/min (at 5 bar water flow).

Sku. 119180



Cast iron



FLOATER DRINKING BOWL XL

Solid plastic bowl and cover. With resistant float valve. 1/2" water supply from on the side. Easy adjustment of water level. Approximate water flow quantity of 10 l/min (at 5 bar water flow).

Sku. 119185



Cast iron



DRINKING BOWL WITH PRESSURE TONGUE

Double powder coated bowl made of cast iron. Exchangeable brass valve. 1/2" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 8-10 l (at 5 bar water flow).

Sku. 119190



Cast iron - stainless steel tongue



Sku. 119195



Cast iron



LIGHT GREEN EPOXY BUCKET

Galvanized + epoxy coating. With spout.
Light green.

Sku. 120003013



12 L

Limited stock



ALUMINIUM BUCKET

Material : Aluminium. With spout.

Sku. 120003012



12 L



GREEN PLASTIC BUCKET

Plastic. Extremely durable and shatterproof due to the high wall thickness.
Extra stable handle for everyday use. With inner scal. **Made in Europe.**

Sku. 122016

7 L



Sku. 122020

12 L



Sku. 122021

17 L



EQUIP YOUR WATERING TROUGHS WITH OUR HOTLINE MEADOW PUMP.

An energy-saving solution!



→Go on page 206 to discover our range





UNIVERSAL MANGER WITH GRASP

Made of very high impact resistant polypropylene with rounded edges. With carrying handle 13 liters capacity. Dimension: width x height x depth = 36,5 x 38 x 28 cm. **Made in Europe.**

Sku. 122205008	Green	4 014803 444837
Sku. 122205002	Black	4 014803 444844



FEED BUCKET WITHOUT HANDLE

Plastic with steel attaching hools perfectly adapted for boxes doors. Very resistant. 14 L ≈. Dimensions : 38.1 x 30.5 x 25.4 cm. **Made in Europe.**

Sku. 122202002	Black	4 014803 440273
Sku. 122202006	Blue	4 014803 343222
Sku. 122202008	Green	3 338020 053834



PORTABLE MANGER, 13,5 L

Made of very high impact resistant polypropylene with rounded edges. With mounting brackets and carrying handle **13,5 liters capacity**. Dimension: width x height x depth = 36 x 37 x 31 cm. **Made in Europe.**

Sku. 122203002	Black	4 014803 444806
Sku. 122203006	Turquoise	4 014803 445933
Sku. 122203008	Green	4 014803 445919
Sku. 122203009	Kaki	4 014803 444790
Sku. 122203020	Purple	4 014803 445926



MANGER RECTANGULAR

Made of very high impact resistant polypropylene. Portable. Useable for group housing of calves. **Capacity: 50 liters.**

Sku. 122204200	Green Limited stock	5 703414 120306
----------------	-------------------------------	-----------------

MANGER WITH HOOK AND HANDLE

Very solid. Perfect for transport. **Approx. 14 liters capacity.** Several colors are available. **Made in Europe.**

Sku. 122206002 

Black

Sku. 122206003 

Red

Sku. 122206006 

Blue

Sku. 122206007 

Light green

Sku. 122206008 

Green

Sku. 122206020 

Purple

Sku. 122206022 

Turquoise



UNIVERSAL MANGER

Made of very high impact resistant polypropylene with rounded edges. **12 liters capacity.** With inner scale 41 x 34 x 35 cm. **Made in Europe.**

Sku. 122207002 

Black

Sku. 122207008 

Green



CALF AND SHEEP FEEDER

Made of very high impact resistant polypropylene with rounded edges. **8,5 liters capacity.** Foal manger insert also fits with this feeder. Dimension: width x height x depth = 35 x 22,5 x 28 cm. **Made in Europe.**

Sku. 122208002 

Black

Sku. 122208008 

Green



FOAL MANGER

With adjustable bars. Made of very high impact resistant polypropylene with rounded edges. **8,5 liters capacity.** Thanks to the adjustable bars only the foal can take up the feed. Easy, quick and flexible adjustment to suit growing animals. Dimension: width x height x depth = 35 x 22,5 x 29 cm. **Made in Europe.**

Sku. 122209002 

Black

Sku. 122209008 

Green



FLEXI-TUBS



Flexible tubs ideal for everyday work in small stables (clearing out stalls, distributing water, grain or hay). Not only sturdy and strong but also flexible and very light. **Capacity: 12 liters.**

Sku. 130E711000002 

Black

Sku. 130E711000003 

Red

Sku. 130E711000006 

Blue



FARM AND STABLE EQUIPMENTS | Baling twine and hay racks



BALING TWINE

Polyethylene baling twine, with loops.

Sku. 130E306823002



Black



BALING TWINE

Polypropylene, with loops.

Sku. 130E306760



Assorted colors



Hay racks




HEAVY DUTY CORNER HAY RACK

Depth: 53 cm. Grill type: 12 mm diameters bars. Height: 83 cm. Width: 53 cm.

Sku. 119400002



83 x 53 x 83 cm



HAY RACK LARGE MODEL

Made from zinc-plated steel. Strong, sturdy model. Available in two sizes.

Sku. 119400003



Big model
70 x 70 x 45 cm

Sku. 119400004



Little model
50 x 35 x 21 cm



HALF-ROUND HAY RACK

Hay rack form: Half-round. Depth: 42 cm. Height: 62 cm. Width: 73 cm. Material: Zinc plated steel.

Sku. 119400005



73 x 62 x 42 cm

Limited stock

Salt lick holder s



SALT LICK HOLDER

The plastic salt lick holder helps to avoid animal dung waste and pollution of mineral supplements. Helps to control the animal salt consumption. For round and square lickstones up to 10 kg. Solid design, plastic. Anti-bite edge. UV-resistant. **Made in Europe.**

Sku. 119300002

Black



Sku. 119300004

Brown
Limited stock



Sku. 119300006

Blue
Limited stock



Sku. 119300008

Green



Sku. 119300021

Purple
Limited stock



SALT LICK HOLDER

For 2kg lickstones. Solid design. Foodsafe. Anti-bite edge. UV-resistant.

Sku. 119300204

Brown
Limited stock



FIXED BRIDLE BRACKET



Traditional bridle bracket, ideal for your tack.

Sku. 130E704200002



Black

Limited stock



BRIDLE BRACKET



Full headpiece support. Metal covered with plastic.

Sku. 130E704204002



Black



VINYL COATED SADDLE RACK

Standard type saddle rack. Ideal for your tack room.

Sku. 130E704220002



Black



REMOVABLE BRIDLE BRACKETS

For outdoor or indoor use. Made of sturdy plastic-coated metal, with one or two fixed bridle brackets and one multi-purpose hook.

Sku. 130E704226002



Black



JUMP CUPS HOLDER

Made of extra-strong ABS plastic with notches for jump cups every 5 cm. Affixes to a wooden post with screws Interlocks with one or several additional holders to increase total height.

Sku. 130E704601005



Jump cup

Sku. 130E704600005



Jump cups holder



GRIP FOLDING STOOL



Stool with anti-slip rubber pimples. Easy to carry thanks to its integrated handle, and can be easily stored away behind a cabinet or inside your locker. Features anti-slip rubber legs. Can hold weights of up to 100kg. Dimensions: L 28.5 x W 21.5 x H 39 cm. Compliant with EN 14183:2003 safety standards.


Sku. 130E930251



Grey



Brooms



PVC BROOM

Height: 90 mm. Width: 70 mm. Length: 400 mm. Material: PVC. Ideal to use when the ground is rough. For big sweeping jobs (wet or dry). Delivered without handle. Exists in 3 sizes.

Sku. 129300040	40 cm		
Sku. 129300060	60 cm		
Sku. 129300080	80 cm		

WOODEN HANDLE 28 MM

Can be used with Sku. 129300040-060-080, 129312, 129312001. Diameter: 28 mm.

Sku. 129390	Ø 28 mm		
--------------------	---------	--	--

GREEN RANGE BROOMS

A high quality range. Without shaft. Suitable shafts: 129007002 and 129007003.

Sku. 129300100	Scrubbing broom 29 cm		
Sku. 129300120	Universal - 40 cm		
Sku. 129300140	Large - 40 cm		

FARMERS BROOM


Plastic shaft holder (24 mm). Dustbinding, moisture resistant and very robust due to Arenga / Elaston bristles. Ideal for high load. Without shaft. Suitable shafts: 129007002 & 129007003.

Sku. 129300160	40 cm		
Sku. 129300180	50 cm		
Sku. 129300200	60 cm		

HALL BROOM

With saddle wood and shaft hole (24 mm). With red and moisture resistant PVC bristles. Without shaft. Suitable shafts: 129007002 and 129007003.

Sku. 129300220	40 cm		
Sku. 129300240	50 cm		
Sku. 129300260	60 cm		



PVC ROADMAN BROOM 32 CM

For small sweeping jobs, dry or wet.
Delivered without handle.

Sku. 129310



L 320 mm l 70 mm
H 130 mm / Red



RICE STRAW BROOM

Broom in rice straw. Length of the handle:
94 cm. Width of the broom: 30 cm. Weight
of the broom with handle: 0,7 kg.

Sku. 129312003



Length: 138 cm



Forks

SHAVING FORK "ORIGINAL SWEDISH"

Extrem durable, flexible, virtually unbreakable plastic with a high rate of polycarbonate. Extra angular prongs for easy gathering of shavings and manure. Without shaft. Fork width approx. 40 cm.

Sku. 129480102

Grey



Sku. 129480106

Blue



Sku. 129480108

Green



Sku. 129480120

Purple



SHAFT FOR SHAVING FORK "ORIGINAL SWEDISH"

Incl. bolts. Approx. Ø 26 mm. 115 cm long. Aluminium with plastic handle.

Sku. 129480112

Grey



Sku. 129480116

Blue



Sku. 129480118

Green



Sku. 129480121

Purple



ALUMINUM HANDLE FOR FORK

Length 123 cm. Without shaft. Suitable shaft: 129480201.

Sku. 129480200



Polycarbonate



SHAVING FORK WITH EXTRA HIGH SIDE PARTS

No lateral falling down of muck. Without shaft. Suitable shaft: 129480201. Solid plastic. 17 prongs. Prong length approx. 35 cm. Fork width approx. 40 cm.

Sku. 129480202



Polycarbonate



ALUMINUM HANDLE FOR FORK

Length 123 cm. For sku. 129480200 and 129480202.

Sku. 129480201

Aluminium



FARM AND STABLE EQUIPMENTS | Cleaning



MANURE FORK, 4 TEETH

Fork 4 teeth ideal for manure. With ash handle 135 cm. Height of the teeth: 22 cm. Width of the teeth: 31 cm. Anti-corrosion protection, the fork is laquered.

Sku. 129480600	31 cm silver lacquering	4 002408 411910	5
Sku. 129480300	31 cm gold lacquering	4 014803 310675	5



HAY FORK, 3 TEETH

Hay fork with 3 teeth and ash handle 135 cm long. Anti-corrosion protection, the fork is laquered. Height and width of the fork head: 30 cm.

Sku. 129480400	30 cm gold lacquering	4 014803 310668	5
Sku. 129480500	26 cm silver lacquering	4 014803 310651	5



FORKS WITH SPRING SOCKET

Without shaft. 1/2 gold and 1/2 silver lacquered. Suitable shafts: 129007008 and 129007010.

Sku. 129480510	26 x 20 cm 3 teeth	4 014803 310026	5
Sku. 129480610	26 x 20 cm 4 teeth	4 014803 310002	5
Sku. 129480620	26 x 20 cm 6 teeth	4 014803 310453	5

Stablemate



STABLEMATE

Complete set with shovel and rake. Ideal for partial resistant cleaning.

Sku. 129480205	4 014803 341082	32
-----------------------	-----------------	----

Shovel + rake

Hay rake



HAY RAKE

Solid high quality plastic for a long durability. Approx. 64 cm wide. Delivery without shafts. Suitable shaft: 129007003.

Sku. 129481	5 411069 161000	10
--------------------	-----------------	----

16 teeth



Scrapers

STRAIGHT SCRAPER

Ideal after washing the floor. Bracket material : Zinc plated. Delivered with 2 rubbers (129006).

Sku. 129005




60 cm

Sku. 129006



Rubber for straight scraper



CURVED DUNG SCRAPERS

Rubber band. The rubber band and the handle brace are replaceable. Stick not included. Zinc plated. Spare rubber 55 cm (sku. 129004) and 75 cm (sku. 129002).

Sku. 129001




75 cm

Sku. 129003



55 cm



SMP DUNG SCRAPER

Ejection squeegee, reinforced model. Use for the maintenance of waiting areas, curtains. Galvanized. Delivered without sleeve.

Sku. 129008




75 cm

Sku. 129009



55 cm



PULL SCRAPER

Green, lacquered steel. Useful for keeping holding areas and sawdust covered grounds clean. Stick not included.

Sku. 129009100



35 cm



Squeegee

STAINLESS STEEL FLOOR SQUEEGEE

Removes all chaff and dust without lifting. The soil dries out faster. Lightweight and easy to wash.

Sku. 129271

44 cm




40

Sku. 129272

60 cm



12



Shovels

FLAT ALUMINIUM SCOOP

KAMER

Flat feeding scoop in aluminium. Sustainable quality.

Sku. 129010001

1 kg



50

Sku. 129010002

1,6 kg



40

Sku. 129010005

2,5 kg



20





ROUND ALUMINIUM SCOOP

KAMER

Thanks to this high-quality aluminum round loading shovel, you can easily feed your animals. Its aluminum construction offers an incomparable resistance as well as a lightness that you will appreciate!

Sku. 129010003	0,750 kg	4 014803 301895	50
Sku. 129010004	1,6 kg	4 014803 301901	18
Sku. 129010006	2,5 kg	3 700393 964947	40



SCOOP IN GALVANIZED SHEET METAL

KAMER

Plastic sleeve.

Sku. 129010100	3 338020 011889
----------------	-----------------

Small model 1,5 L

Sku. 129010150	3 338020 011896
----------------	-----------------

Middle model 2 L



PLASTIC SHOVEL



Plastic feeding shovel. Easy to use and to clean. Non toxic. Grey.

Sku. 129011002	4 014803 312464
----------------	-----------------

1,5 kg

PLASTIC FEED SCOOP

Small feed plastic scoop. Non-toxic. White.

Sku. 129012	1 L	3 338020 053872
Sku. 129012015	1,5 L	3 338020 059157
Sku. 129012020	2 L	3 338020 059164

ALUMINIUM SHOVEL

Material thickness: 2 mm. Suitable shafts 129007004, 129007006 and 129007007.

Sku. 129015400	With handle 38 x 38 cm	4 014803 310538	5
Sku. 129015500	Without handle 34 x 33 cm	4 014803 311726	5



ALUMINIUM GRAINS SHOVEL

KAMER

Ideal for grain. Supplied with handle.

Sku. 129015	3 338020 000074
-------------	-----------------

Manche 1,30 m



FEEDING CUP

horizont



Easy measuring of feed quantity with inner scale. Food safe polypropylene. Shatter-proof premium plastic. Perfect for bagged feed - the short handle avoids cracks. Red.

Sku. 129016	4 014803 347152
-------------	-----------------

1,5 L

WOODEN HANDLE FOR SCRAPERS

Sku. 129007001	1,30 m	3 338020 065301	25
----------------	--------	-----------------	----

SHAFT FOR BROOM

Sku. 129007002	1400 x 24 mm	4 014803 311665	5
----------------	--------------	-----------------	---

SHAFT FOR SCRAPERS

Sku. 129007003	1500 x 28 mm	4 014803 310347	5
----------------	--------------	-----------------	---

SHAFT FOR SHOVEL

Sku. 129007004	1300 x 41 mm	4 014803 312402	5
----------------	--------------	-----------------	---

Sku. 129007005	1300 x 32 mm	4 014803 310316	5
----------------	--------------	-----------------	---

SHAFT WITH T-HANDLE

Sku. 129007006	1100 x 41 mm	4 014803 310330	5
----------------	--------------	-----------------	---

SHAFT WITH T-HANDLE

Sku. 129007007	1300 x 41 mm	4 014803 310583	5
----------------	--------------	-----------------	---

SHAFT FOR CURVED FORKS

Sku. 129007008	1350 x 36 mm	4 014803 310057	5
----------------	--------------	-----------------	---

SHAFT WITH METAL NOSE

Sku. 129007009	1350 x 36 mm	4 014803 310033	5
----------------	--------------	-----------------	---

SHAFT CURVED WITH T-HANDLE

Sku. 129007010	1350 x 36 mm	4 014803 310590	5
----------------	--------------	-----------------	---

SHAFT FOR SQUEEGEE

Sku. 129007011	1200 x 36 mm	4 014803 310125	5
----------------	--------------	-----------------	---

SHAFT

Sku. 129007012	1700 x 32 mm	4 014803 311429	5
----------------	--------------	-----------------	---

SHAFT

Sku. 129007013	1800 x 40 mm	4 014803 310606	5
----------------	--------------	-----------------	---



FARM AND STABLE EQUIPMENTS | Cleaning

Sprayers



MULTI-USE SPRAYER

KAMER

Adjustable jet with brass nozzle.
Anatomical shape, shockproof.

Sku. 123400



By unit



SPRAYER WITH QUICK CONNECT

Gilmour

Ideal for spraying hot or cold water. Metal head insert for maximum resistance to hot water. Male hose threaded front for attaching accessory. Metal valve stem and adjusting nut. Rubber head guard protects threads. Flow control adjusts water flow. Hold-open clip for continuous spraying. Insulated handle.

Sku. 123600



By unit

24

Cleaning products



CRESYL® BACTERICIDAL DISINFECTANT FUNGICIDE

CRESYL is an effective disinfectant based on phenolic oil and cresol oil. The product is ideal to clean and for disinfecting cattle barns, rabbit hutches, hen houses and all transport equipment. The dilution rates is 3% (3 liters of Cresyl for 100L of water).

Sku. 000601001

1 L



12

Sku. 000601005

1,5 L



4



Find the complete range of EKO'PIN multi-use cleaners on the website www.ekopin.fr, in the UKAL GREEN catalog p.5 and on the UKAL webshop. French market only, ask us if you need information.

Scales

CATTLE COUNTER KAMER

For an evaluation of the number of living animals. 4 rows. Metal. Manual.

Sku. 129041



Metal



DIGITAL CRANE SCALE KAMER

Not allowed for commercial transactions. New model with more advanced electronics. Versatile, reliable, accurate and easy to use. New large LCD display for better visibility (visual distance over 10 m). Removable hook.

Sku. 129051200



200 kg



200
KG

FIRST ELECTRONIC SCALE KAMER

Not allowed for commercial transactions. This Kamer First electronic load cell is ideal for making a precise weighing up to 30 %. 25 kg. Its digital screen, you will get an easy & amp. Read and you will be sure never to make any mistakes. This electronics is a remarkable precision, Its graduation of 10 g. The weight can be measured in kg or in pounds. This electronic load cell has a very handy ergonomic handhold that allows you to hold it firmly when weighing.

Sku. 129051025



25 kg graduation: 20 g



Sku. 129051050



50 kg graduation: 20 g



Sku. 129051100



100 kg graduation: 20 g



Sku. 129051150



150 kg graduation: 20 g



KITCHEN SCALE KAMER

Kitchen scale, **not allowed for commercial transactions.** High precision sensor system- Large LCD backlit display. Different weighing units (kg, lb, b / oz) - External calibrationtare function- Capacity: 150 kg. Low battery and overload indication- Remote display (on the wall, desk ...). Allows weighing large packages without hiding the display. Stainless steel platform. Power: 1,5 V x 4 AA battery or 110 V adapter (included). Does not stop automatically. Built-in clock (press the ON / TIME button to see the time). Minimum weight: 300 g. Graduation by 50 g.

Sku. 129052150



150 kg





DIGITAL SCALE

KAMER

Peson KAMER Digital display Color Assorted Prohibited for commercial transactions. The new KAMER crane scale is robust, precise and highly reliable. The large and bright led display allows easy reading. Shockproof and vibration resistant construction makes the weighting fast and stable. Raising, weighting, and registering data are done at once. Your best partner for construction, agriculture, warehouse, factory, dock or storage. Not for commercial use. The 1000 kg scale is delivered with a **remote control**.

Sku. 129053030	300 kg graduation: 100 g		
Sku. 129053100	1000 kg graduation: 500 g		



STANDARD SPRING SCALES

KAMER

Not allowed for commercial transactions.

Sku. 129055010	Graduation precision: 50 g/kilos number: 10 kg		
Sku. 129055025	Graduation precision: 100 g/kilos number: 25 kg		
Sku. 129055050	Graduation precision: 250 g/kilos number: 50 kg		
Sku. 129055100	Graduation precision: 500 g/kilos number: 100 kg		
Sku. 129055250	Graduation precision: 1000 g/kilos number: 250 kg		





RAIN GAUGE

The rain gauge must be placed in an open area and inserted in the ground vertically.

Sku. 129030



Rain gauge



MAXI MINI DIGITAL THERMOMETER DUAL DISPLAY

Instructions The MAX-MIN thermometer simply records the maximum and minimum temperatures obtained during a period. Fix the thermometer in a vertical position, away from heat and direct sunlight. Press «C/F» to select the measurement unit. Specifications: Digital display: MAX/MIN temperature recorded -40+50°C / -40+120°F. Plastic body. Protection roof. AAA battery.

Sku. 129021250



White



WALL THERMOMETER

Sku. 129023



15 cm



Sku. 129025002




25 cm



Sku. 129022



40 cm



MINI MAXI THERMOMETER HYGROMETER

Indoor or outdoor thermometer with digital display of temperatures. Temperature °C / °F. With mini-max. Wall hook.

Sku. 129021200



White



Sku. 129021208



Green



DIGITAL THERMOMETER EXTRA LONG PROBE WITH HANDLE

Digital thermometer extra long probe with handle, special for tanks, hay, cheese, ground, temperature control in inaccessible areas. Stainless steel probe # 340 suitable for food contact. Characteristics: Fixed probe very long : 1,45m. -50°C to +200°C / -58°F to +392°F. Resolution: 0,1°. Accuracy: ±1°C / ±2°F. Big digit. Stainless steel probe # 340 (suitable for food contact: 1450 mm - Å 10 mm. Tip Protection. 1 battery LR03 AAA.

Sku. 129021560

Height: 145 cm



TRIGGER HOOK, ROUND ROTATING

Round Nickel-plated steel. By pair.

Sku. 130700500	
Round - 20 mm	
Sku. 130700521	
Round - 30 mm	
Sku. 130700530	
Square - 20 mm	

CARABINER, 29 MM

By unit.

Sku. 130700535	
29 mm	

SNAP HOOK OF PANIC, FIXED ROUND EYE

By unit.

Sku. 130700536	
20 mm	
Sku. 130700537	
25 mm	

PANIC HOOK

By unit.

Sku. 130E702537	
Galvanised - 25 mm	
Sku. 130E702537010	
Brass - 25 mm	

D RING UNIVERSAL TRIGGER HOOK

D-ring 3". By unit..

Sku. 130700547	
12 cm / 5 inches	

TRIGGER HOOK, ROUND ROTATING RECTANGULAR

By unit.

Sku. 130700531	
Nickel-plated iron	

TRIGGER HOOK, ROUND ROTATING OVAL

By unit.

Sku. 130700532	
Oval - 20 mm - Nickel-plated iron	

TRIGGER HOOK, ROUND ROTATING OVAL

By 10.

Sku. 130700533	
Galvanized	 

SWIVEL EYE HOOK

By unit.

Sku. 130E702500	
Galvanised - 20 mm	
Sku. 130E702521	
Galvanised - 30 mm	
Sku. 130E702521010	
Brass - 30 mm	

SWIVEL

By unit. Galvanised steel.

Sku. 130E702539	
25 x 25 mm	
Limited stock	

SWIVEL HOOK

Nickel-plated steel. By pair.

Sku. 130700539	
22 x 22 mm	

SNAP HOOK

Galvanized.

Sku. 130700548	
50 x 5 mm - By 5	
Sku. 130700549	
50 x 5 mm - By 10	
Sku. 130700550	
60 x 6 mm - By 5	
Sku. 130700552	
60 x 6 mm - By 10	

Sku. 130700553	
70 x 7 mm - By 5	
Sku. 130700554	
70 x 7 mm - By 10	
Sku. 130700555	
80 x 8 mm - By 5	
Sku. 130700556	
80 x 8 mm - By 10	

Sku. 130700557	
90 x 9 mm - By 3	
Sku. 130700558	
90 x 9 mm - By 10	
Sku. 130700559	
10 x 10 mm - By 3	
Sku. 130700562	
120 x 11 mm - By 3	



QUICK LINK

Galvanized. By unit.

Sku. 130700563	5 cm		
Sku. 130700564	6 cm		
Sku. 130700565	7 cm		
Sku. 130700566	8 cm		
Sku. 130700567	10 cm		



ATTACHMENT RING TO SCREW

With ring to screwing. Galvanized steel.
Plate: 50 mm x 50 mm x 4 mm. Ring: Inside diameter: 50 mm. Thickness: 8 mm. By unit.

Sku. 130700620	
5 cm	



TRIGGER HOOK PLATE

For example, to attach a bucket to a wall.
5 cm. Galvanized. By unit.

Sku. 130700675	
5 cm	



TIE RING

In galvanised steel. By unit.

Sku. 130E704120	
1 x 1 cm	





RECHARGEABLE FLASHLIGHT EXPLORER LARGE MODEL **Hotline** Electric Fencing

EXPLORER flashlight: the multi-function accessory to have at home! Long autonomy: about 15 hours. Custom lighting with **4 lighting levels**: low, high, flashing and work light. Practical: easy USB charging and nomadic. Easily transportable thanks to its ergonomic handle. Dual-beam LED torch with flexible housing. 10 watt high-power LED Supplied with a mains charger and a belt. 1 year warranty.

Sku. 126120	Large model Limited stock	5 021385 009803	8
--------------------	------------------------------	-----------------	---



SPECIAL ADHESIVE TAPE FOR FILMS

For repairing damaged films (for example round bales, square bales and flat films). 10 cm wide and 10 m long. Extremely high adhesive power. Highly UV-resistant. Useful also on wet films.

Sku. 129280001	White	4 250574 101313	40
Sku. 129280002	Black	4 250574 101320	40
Sku. 129280008	Green	4 250574 101337	40



Pest control

TRADITION INSECTS KILLER



Stainless aluminium housing. Highly attractive ultra-violet neon strip lights. Insect collection tray. **Designed for indoor use only.** Can be used in all types of professional and domestic buildings: processing facilities, dairies and livestock buildings, etc. Night and day protection against: flies, horseflies, midges, mosquitoes. Insects are attracted to the light source and electrocuted before falling into the collection tray.

USP: Chemical-free, low-energy system. **SAFETY GLASS!** The insect killer contains a powerful ultraviolet neon strip light that attracts mosquitoes and other insects.

Sku. 129503015	15 W - 80m ² 50 x 26 x 8 cm	3 338020 082544	6
Sku. 129503030	30 W - 120m ² 50 x 26 x 8 cm	3 338020 082551	6
Sku. 129503040	40 W - 140 m ² 65 x 36 x 8 cm	3 338020 082568	4
Sku. 129503060	60 W - 160m ² 65 x 36 x 8 cm	3 700393 903557	4



"INSECT O KILL" INSECTS KILLER



The ultraviolet light emitted lures insects into the device's active zone. A high-voltage current flows through the grid in front of the fluorescent tubes. On contact with the grid, the insects are killed instantly and hygienically. The collection tray is easily removed and emptied. With hanging system. 220-240V/50-60Hz. Particularly suitable for agriculture, hotels, restaurants, shops (butchers', bakers', supermarkets), office spaces, as well as all food processing plants and the private sector.

USP: Designed for indoor use.

Sku. 129504016	16 W (2 x 8 W) - 100 m ² - 35 x 10 x 27 cm	4 014803 343383	
Sku. 129504030	30 W (2 x 15 W) - 120m ² - 51 x 10,5 x 31,5 cm	4 014803 441447	
Sku. 129504040	40 W (2 x 20 W) - 140m ² - 66,5 x 10,5 x 37 cm	4 014803 441454	



INSECTS KILLER IPX 4 360°



The new generation of insect killers. This insect killer uses ultraviolet light, which attracts flying insects to the active area of the device. The UV tubes are protected by a plastic film that makes the glass more resistant. It keeps the glass in place if the tube is broken. There is an electrified grid in front of the light tubes. When an insect comes into contact with this grid, it is immediately and hygienically killed. It drops into the collection tray. **The insect killer is class IPX4**. It is therefore splash-proof and rain-proof. A real plus to protect you from insects! **360° opening for a better insect attraction zone.** This means insects are attracted across a wider area. This insect killer's 360° attraction power is a real bonus! The device is environmentally friendly as it uses no toxic products. For indoor or outdoor use. For use in the home, restaurants, farms, stables or even on a large patio. Comes with a hanging system. 3 models are available; 16W, 30W and 40W, with a respective coverage of 100 m², 120 m² and 140 m².

USP : 360° opening-Outdoor use.

Sku. 129507016	Insects killer 16 W 100m ²	3 700393 920677	
Sku. 129507030	Insects killer 30 W 120m ²	3 700393 920707	
Sku. 129507040	Insects killer 40 W 140m ²	3 700393 920714	



**DISCOVER THE VIDEO
PRESENTATION OF THE
INSECTS KILLER IPX 4
360°**



Fly control



NEW

FLY BUCKET

Reduces fly nuisance on the farm and around the house with up to 90% • traps many flies before emptying is necessary • easy to clean The Fly Bucket 12 L is an ideal product to trap stable flies and house flies. This is how it works: Empty the bag with 240 grams of insect attractant (bag is included). We advise wearing gloves for this. Add 6 litres of water, and let the insect attractant mix well. Close the bucket with the lid. When the day turns into night and flies search for a sleeping place, they are drawn to the buckets by the attractant and will enter through one of the six special cones. Once inside the bucket, the insect is not able to get back out. The product is active for 30 to 60 days. When it is no longer working or if the bucket is full of flies, it is possible to scoop out the content and start again. The product has a volume of 12 litres and is easy to clean and re-use when it has filled up with flies.

Sku. 129595	Complete Fly busters bucket	3 700393 924453
Sku. 129595001	Filling fly bucket	3 700393 924460



FLY PROTECTION TAPE REEL

Classic and effective product. Flies are attracted with a natural bait. Pack of 4.

Sku. 129562	Fly protection sticky tape reel	4 260059 616508	24
--------------------	---------------------------------	-----------------	----

STICKY FLY TAPES

Sticky fly tapes 7 m or 9 m in length, free of chemical residue or powder. Thanks to its strong, instant attractiveness, the Sticky fly trap is a formidably effective way of trapping all the flying insects that touch it. It is thanks to its patterns that the Sticky fly tape is so effective. Its 30 cm width provides a large surface area that flies can easily land on. The Sticky fly tape can be hung virtually anywhere thanks to its metal hanger.

Sku. 129640007	7 m - Sold singly	3 700393 938030	12
Sku. 129640009	9 m - Sold singly	3 700393 937910	24

STICKY FLY STRING KIT



This complete anti-fly kit is the perfect way to get rid of flies quickly and for good! With its 300-metre long sticky fly string, you will maximise your chances of capture! The kit also includes an unwinder so that you can simply and quickly unwind your string for installation in seconds. This anti-fly string is for use in all types of locations, such as livestock buildings, chicken coops, barns or even warehouses. It is recommended that the string only be used indoors to avoid trapping small birds.

With string

Sku. 129633	Kit with 300 m string	
Sku. 129634	String refill 300 m	



STICKY FLY RIBBON KIT



This complete anti-fly kit is the perfect way to get rid of flies quickly and for good! With its 400-metre long, 0.5 cm wide ribbon, which is sticky on both sides, you will maximise your chances of capture! The kit also includes an unwinder so that you can simply and quickly unwind your ribbon for installation in seconds. Complete sticky ribbon kit designed to trap flies in all types of locations, such as livestock buildings, chicken coops, barns or even warehouses. It is recommended that the ribbon only be used indoors to avoid trapping small birds.

With ribbon

Sku. 129635	Kit with 400 m ribbon	
Sku. 129636	Refill with 400 m ribbon	



Hunting

PINE TAR FOR HUNTERS

ULRICH

"Hunters' special" pine tar in a 5 kg canister. Its powerful odour is very effective in attracting wild boar so that they can be confined and fed. So-called Norway hunters' pine tar is produced by the carbonisation of pine wood. For application to trees. More attractive. Stronger. Made in France.

High quality

Sku. 000026

5 kg



BEECH TAR FOR HUNTERS

ULRICH


Used to confine wild boar to a given territory. The ideal complement to crude tar. Easy to spread as it is less viscous than the hunters' special pine tar. Excellent value for money.

Sku. 000027

5 kg



Traps for licensed trappers



SNARES



For foxes only. The very flexible wire and its irreproachable slide are indispensable to facilitate capture. This snare has a latest-generation anti-return feature which prevents the snare re-opening once it is closed. It also has an end stop. The very thick crosssection of its swivel ensures solidity after capture. The stop (crimped) on the wires is crushed steel and not aluminium (non-shiny at night). The snare has a tag to engrave the trapper's number. Ideal for capturing foxes.

Sku. 129704100	10 white snares / Ø 1,6 mm	3 700393 938450	25
Sku. 129704101	10 black snares / Ø 1,6 mm	3 700393 938467	25
Sku. 129704201	10 black snares / Ø 2 mm	3 700393 938481	20
Sku. 129704202	10 white snares / Ø 2mm	3 700393 928758	25
Sku. 129704300	10 white snares / Ø 2,3 mm	3 700393 938498	25



BAITED FOOTHOLD TRAP

Baited foothold trap, sometimes called a kill trap, 30 cm in diameter, ideal to capture foxes and beech martens quickly and easily. Simply place the bait of your choice in the trap, set it and wait for the pest to be caught. Sturdily made and painted by cataphoresis to limit rusting and reduce the odour of human beings. This is an ideal trap to rid a roof space of beech martens or protect a chicken run from foxes or martens. It is easily set and you'd be surprised at how effective it is. Use this baited trap to capture pests like beech martens and foxes with ease! The mechanical parts are laser cut for greater stability and reliability.

Approval no. PHE 608

Sku. 129700009	30 cm	3 338020 082483	8
-----------------------	-------	-----------------	---



EGG BAIT FOOTHOLD TRAP FOR BEECH MARTENS

Category II trap. For capturing beech martens in particular. Designed to be set up indoors (hen house, barn, roof space) or outdoors, where it will be covered with straw or leaves to make it look like a nest. This type of trap is triggered when the animal removes the bait. It features a safety device, which it is preferable not to forget to use. The mechanical parts are laser cut for greater stability and reliability.

Approval no. PHE 609-610

Sku. 129700010	25 cm	3 338020 078288	8
Sku. 129700011	30 cm	3 338020 081714	8



WIRE TRAP



Wire trap Ø 13 cm or 17 cm, ideal to capture mice or rats. Very easy to use. Simply place bait on the trigger and open the wire trap to set it. Once set, it should be circular in shape. When the animal takes the bait, the trap closes to capture it.

USP: Works for mice and rats References.

Sku. 129701113	13 cm Limited stock	3 338020 089765	18
Sku. 129701117	17 cm Limited stock	3 338020 081752	18

BELISLE TRAP

The Belisle is commonly used to capture foxes. This trap allows the pest to be caught safely thanks to the lace that tightens when it places its paw in the trap. Safety device and setting wedge included in the trap..

Approval no. PHE 804

Sku. 129700020	Sold singly		
Sku. 129700022	Spare wire		



FRENCH-STYLE LEGHOLD TRAP

Category IV trap: permit required. Traps must be checked within two hours of sunrise. The French-style leghold trap is a trap with a large trigger plate which improves the capture rate, and wide, hard-rubber lined jaws for a good grip of the leg. For use only by licensed trappers. Supplied with a lace. Trigger sensitivity adjusted by a Teflon screw and washer. The mechanical parts are laser cut for greater stability and reliability.

Approval no. PHE 819

Sku. 129700025	Sold singly		
Sku. 129700022	Spare wire		



CONIBEAR TRAP

The conibear trap is compact and easy to transport. It has a powerful spring as well as a multi-position trigger. The sensitivity of the trap is adjusted by changing dog notches. Consists of a rigid, hand-riveted frame. You will be surprised by the quality of manufacturing of the device. Is used with bait placed on the trigger or in the cage, which directs the animal and increases the chance of capture. Its use is prohibited on regular animal paths. It is very effective in a small garden, in bales of straw or burrows. As it is not selective, it is prohibited in areas where multiple animals pass through.

Approval no. PHE G664

Sku. 129701002	1 trap with 2 springs - 13 cm		
Sku. 129701003	1 trap - 18 cm		



SAFETY SYSTEM FOR CONIBEAR TRAPS

This safety system is specially designed to safely set conibear traps of all sizes. Don't risk injury any longer and set your traps in just seconds with this safe system. Can be used on all conibear traps.

Sku. 129701020	Setting tool for conibear traps - Sold singly		
Sku. 129701021	Simple setting key for conibear traps - Sold singly		



Gas cannon



VERBRUGGE GAS CANNON BIRD SCARER



Device with double gas injection and a housing protecting the mechanism. Protects an area of 1 to 4 hectares depending on the terrain and vegetation. Piezoelectric ignition system for about 200,000 detonations. Interval regulator to set detonations at intervals of from 30 seconds to 30 minutes as required. Propane fuel only. One bottle provides approximately 25,000 detonations. Can be fitted with a timer for more flexible use of the gas cannon.

Tips: Ideal for protecting field crops during sowing and before harvesting (maize, peas, sunflowers, cereals, vines, etc.). Scares away birds and protects your fruit crop.

Sku. 129703600 Quatz gas cannon 4 014803 700735

Birds and pigeons




MAGPIE AND CROW TRAP



Formidably effective and operational as soon as it is installed. Can be used in particular to capture decoy birds for magpie or crow cage traps. Simply bait according to the species you wish to catch with eggs, seeds, bread, fruit, etc. The bird is trapped when it comes to take the bait: it is not injured or killed and can be released if necessary. Do not use meat as bait.

Sku. 129703011 Small model 42 x 42 cm 3 338020 081813

Sku. 129703010 Large model on a post 75 x 80 cm 3 338020 081806



CROW CAGE TRAP WITH PERCH



Size suited to corvidae. The entry doors are oversized, making it particularly effective. Supplied with perch and central decoy bird compartment. 3 compartments.

Tips: It is the responsibility of the consumer to comply with applicable regional or national legislation relating to the use of these products and to trappable species.

Sku. 129703030 92 x 31 x 31 cm 3 338020 083824



OCTAGONAL MAGPIE CAGE TRAP



This very effective trap is used with a central decoy bird that attracts other birds of the same species. **4 entries around the periphery.** Hatches close with a tilting perch system. Allows the bird to fly around the trap to find the entrance. The octagonal shape guides the magpie towards the entrance which is most visible to the bird (prevents the bird flying round without entering the trap). Entirely powder coated. Welded wire mesh. Wire thickness 1.8 mm. Also suitable for crows.

Tips: Place your cages in an open space, avoiding trees. Look after your decoy bird (water + food) because it is essential for this trap to work. If you have no luck with your decoy bird, don't hesitate to replace it. In the Haut-Rhin region of France a Prefectoral order dated 27 June 2017 removed the Eurasian magpie from list of species classified as harmful (List II).


Sku. 129703002 30,5 x 100 x 88 cm 3 700393 971501

5-ENTRIES ROUND CAGE TRAP



drop-down doors around the edge of the trap. **5 entries around the periphery**, with doors triggered by a tilting perch system. This cage will capture large numbers of birds, especially in spring, the period of reproduction and birth. Ø: 80 cm. Height: 32 cm.

Sku. 129703001 32 x 80 cm 



Traps


RABBITS TRAP



This trap can be useful if you need to catch rabbits in one place to release them in another. Even used alone, you will get good results because the tilting door requires no surveillance. Once inside, the animal cannot go back out as the door closes behind it. The rabbit is caught alive and unhurt. It can be released elsewhere. Length: 81 cm. Ø: 13 cm.

Tips: It is the responsibility of the consumer to comply with applicable regional or national legislation relating to the use of these products and to trappable species.

Sku. 129704001 Ø 13 x 81 cm 



WEASEL BOX



This trap does not necessarily need to be baited, as the animal will generally enter out of curiosity. This type of trap is harmless and effective. It can be placed anywhere (woodpile, barn, chicken coop, etc.). It is a very selective trap: it only lets in the smallest animals. The system is simple: when the animal enters the trap, the trigger plate tips forward, the anti-return system activates and prevents the trigger plate tipping back again, ensuring the animal is a prisoner in the cage.

Tips: Soak the box with a scented liquid bait. This will make the trap more attractive and increase the number of catches. The entrance of the box must not be raised off the ground, but level with it.

Sku. 129704003 49 x 6 x 8 cm 



2-ENTRIES CAGE TRAP WITH SLIDING DOORS



Category 1 trap. This 64, 103 or 130 cm long cage trap is ideal for capturing foxes (103 and 130 cm), beech martens, rats and any other mustelids. It has 2 doors and is ideally placed on a path frequented by the pest. The animal will walk through it and be captured when it steps on the ultra-sensitive trigger plate. Make sure you block up any other passages so that the animal is forced to walk through the trap. Scented bait is recommended. Includes a carrying handle. The cage trap can also be used with just one door open, by placing some bait at the far end of the cage. Very effective and totally harmless, it can be used anywhere (woodpile, barn, chicken coop).

Tips: It is the responsibility of the consumer to comply with applicable regional or national legislation relating to the use of these products and to trappable species.

Sku. 12970222020 64 x 21 x 21 cm 

Sku. 12970223530 103 x 31 x 31 cm 

Sku. 12970224535 130 x 36 x 47 cm 





CAGE TRAP WITH SLIDE - RAT TRAP

This compact, easily handled cage trap is ideal for capturing rats. Its 19 x 19 mm mesh is perfect to ensure the animal is not injured and cannot escape once captured. Sturdily made, it will resist any weather thanks to its green epoxy paint finish. It will also blend into any environment with no difficulty. Available in versions with 1 or 2 doors. Lightweight and easy to transport thanks to its integrated handle, you can take this trap anywhere. With it you can trap easily, quickly and for a long time to come!

Sku. 129701502020	1 door - 50 x 20 x 20 cm	3 700393 963315
Sku. 129702502020	2 doors - 50 x 20 x 20 cm	3 700393 963322



SINGLE-ENTRY CAGE TRAP WITH SLIDING DOOR

62, 82 or 127 cm long cage trap, ideal for capturing rats and beech and pine martens. It has one entrance with a drop-down door. Robust, but lightweight, this trap is easy to transport with its integrated carrying handle. The trigger plate at the end of the trap is ultra-sensitive, which ensures that the animal cannot get out again once the door has dropped. The 127 cm cage has a compartment for live bait. Irresistible to predators. This cage trap features a fast-closing sliding door, for safe and easy manipulation of the trap. Very effective and totally harmless, it can be used anywhere (woodpile, barn, chicken coop).


Sku. 1297021254535	127 x 36 x 47 cm	3 338020 081769
Sku. 12970213030	82 x 32 x 31 cm	3 338020 078356
Sku. 1297021602020	62 x 21 x 21 cm	3 338020 080021



2-ENTRIES CAGE TRAP WITH INVISIBLE DOORS

Cage trap with a revolutionary setting system designed in the USA that makes the doors virtually invisible to the animal, thereby increasing the chances of catching the fox, marten or any other animal of a similar size. This trap has 2 doors and is ideally placed on a path known to be used by the pest. Simple to use, this cage trap can be set in seconds. It is easily transported thanks to its carrying handle. It is robust and of superior quality. The wild animal cage trap's steel doors are coated with green epoxy paint.

Sku. 12970222523	102 x 30 x 21 cm	3 338020 078400
Sku. 12970223030	127 x 26 x 26 cm	3 338020 081783



1-ENTRY COYPU CAGE TRAP

Category 1 coypu trap, size 82 x 31 x 31 cm. The unique bait rack ensures the bait is highly visible, so that the trap is even more effective. The epoxy-painted door is invisible to the animal when open. The Ø 2.6 mm wire mesh prevents the trap rusting whilst allowing it to blend in with its surroundings. Even if placed at the water's edge, it will keep its appearance and effectiveness for many years.

Sku. 1297021823030	82 x 31 x 31 cm	3 338020 081776
---------------------------	-----------------	-----------------



UKKAL

— MILK AND MEAT PROCESSING

- 154 Milk processing
- 157 Meat processing
- 163 Professionnal knives



NEW

ELECTRIC CREAM SEPARATOR 85 L



An easy-to-handle electric cream separator for skimming small quantities of milk, with a capacity of 85 litres of milk per hour. A simple, economical solution for those needing to separate cream from milk from time to time.

Ideal for small farmers with some dairy cows, goats or sheep or for hobby farmers. This separator is perfect for processing on the farm or for individuals wishing to make their own cream at home.

This model produces approximately 7% to 10% cream. This will vary according to the composition of the milk and the temperature.

The housing, milk and cream outlets and the bowl holder are made of plastic. The milk bowl is made of aluminium. The top bowl and the top bowl discs are also aluminium. Min. fill quantity: 2 L Max. fill quantity: 12 L. **2-year warranty.**

Sku. 150600010

• 40 x 24 x 42 cm

• 230 V

• Motor power: 55W

• Rotating speed: 10,500 rpm



CREAM SEPARATOR AR 140 ECO



The cream separator MILKY AR 140 ECO allows the separation of small and medium quantities of milk. It is very easy to handle. We recommend the use of this cream skimmer for semi-professionals, in particular for breeders wishing to start processing milk on the farms. The ideal solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. Materials: The body is made of plastic. The milk and cream outlets, the container holder and the milk container are made of polished, food-grade aluminium. The upper bowl and the discs in the upper bowl are also food grade. **2-year warranty.**

Sku. 150600020

• Aluminium

• 40 x 24 x 42 cm

• 230 V

• Moteur power: 60 W - RPM : 8500

• Rotating speed



NEW

MANUAL CREAM SEPARATOR FJ85



Manual cream separator for separating cream from milk. 85 litres of milk per hour. Allows the separation of all types of cow, goat or sheep milk. This model of creamer allows to obtain about 6% to 8% of cream. This percentage varies according to the composition of the milk and the temperature. The bowl, discs and outlets are made of food-grade aluminium. The body is made of plastic for easy cleaning. Number of roller discs: 11: min./max. filling capacity: 2-12 L. Dimensions: 36.5 x 36.5 x 53.5 cm. Weight : 7,5 kg . **2 years warranty.**

Sku. 150600030

Productivity: 85 L/h





BUTTER CHURN

The manual 10 L, electric 10 L and electric 32 L MILKY butter churns are ideal for small productions. of homemade butters. These machines are intended for semi-professionals, professionals, as well as for farmers wishing to start milk processing on farms. They are the perfect solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. They allow an optimal yield of between 32 % and 42% butter.

It consists of:

- a 10 litre or 32 litre cream container depending on the model.
- a removable stainless steel mixer
- a transparent plastic cover for permanent control
- a compartment for separating the buttermilk
- a multi-speed electric switch for individual control of butter production
- an automatic safety stop when the lid is removed during the process
- a powerful motor for speeding up or slowing down the butter production time.

[Model 105L available on order.](#)

Sku. 150700010	ELECTRICAL 10L Technical data: • Tank volume: 10 L • Working time per cycle: 20-35 min. • Filling capacity from 1,5 to 3,8 L • 4 speeds: 30 - 60 - 90 - 150 rpm • Power: 550 W • Dimensions: 39 x 33 x 31.5 cm • Materials: plastic cover and stainless steel body
Sku. 150700030	ELECTRICAL 32 L Technical data: • Tank volume: 32 L • Working time per cycle: 20-35 min. • Filling capacity from 6 to 13 L • Power: 250/370 W • Dimensions: 70 x 32 x 46 cm • 2 speeds: 70 and 140 rpm • Materials: plastic cover and stainless steel body



10 L



32 L





15 L



30 L



PASTEURIZER



The pasteurizers MILKY 15 L, 30 L, 50 L and 50 L with mixer allow the pasteurization of milk and juices, as well as the production of cheese, yoghurt and other dairy products. Can also be used for heating calf's milk (colostrum). for feeding, honey liquidation, honey wax production, etc. These machines are intended for semi-professionals as well as to farmers wishing to start milk processing on farms. They are the ideal solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. The pasteurizer works on the model of a water bath. All pasteurizers consist of a removable filling tank, a double wall heated to the desired temperature, an inlet with a pipe for filling the double wall with cold water for cooling the milk, an outlet with a pipe for draining off the hot water, a thermometer on the lid, the lid lock for maintaining the heat and a control display (setting the water temperature + pasteurization heating time). The 50L pasteurizer with mixer also consists of:

- a mixer.
- a ctime setting.
- a stable mixer support for the table version (wheels for stable support).

Other models are available on request. Please see our website for more information on the products.

15 L

Technical data:

- Power: 230 W
- Tank volume: 15 L
- Filling capacity: 2 L-14 L
- Temperature setting: 4-100° C
- Time setting: 1 - 999 min
- Maximum temperature: 90°
- Dimensions: 32 x 32 x 52 cm
- Weight: 6 kg
- Stainless steel

Sku. 150800010



30 L

Technical data:

- Power: 230 W
- Tank volume: 30 L
- Min. filling capacity: 5 L-29 L
- Temperature setting: 4-100° C
- Time setting: 1 - 999 min
- Maximum temperature: 90°
- Dimensions: 48 x 48 x 55 cm
- Weight: 12 kg
- Stainless Steele

Sku. 150800020



MEAT MINCER



Semi-professional meat mincers REBER are intended for professionals who want robust and quality equipment for the processing of their minced meat and the production of homemade fillings. From farmers to meat professionals (butchers, charcutiers and caterers), we offer you a complete range of meat processing on the farm. The meat grinders have a hourly production from 30 to 160 kg and are guaranteed for 2 years. REBER brand of 100 % Italian manufacture. Guarantee of quality. All the meat mincers consist of an induction motor with continuous operation, an oil bath gearbox with a Long Life type oil suitable for contact with food, AISI 430 stainless steel fairing, body, propeller and a nut made of food certified tinned cast iron, a top plate made of stainless steel AISI 304, a steel plate, a knife made of C55 steel as standard and a pulse reversal switch.

Sku. 150100001	Meat mincer REBER N5 - 400 W • Dimensions: 35 x 17 cm • Height: 26,5 cm • Weight: 9 kg • Hourly production: 30/50 kg • Grid hole: 6 mm
Sku. 150100002	Meat mincer REBER N12 - 500 W • Dimensions: 54 x 22 cm • Height: 32 cm • Weight: 16,3 kg • Hourly production: 50/90 kg • Grid hole: 6 mm • 2 funnels provided for gutting
Sku. 150100003	Meat mincer REBER N22 Classic 600 W • Dimensions: 51 x 23 cm • Height: 33 cm • Weight: 31,3 kg • Hourly production: 70/120 kg • Grid hole: 8 mm
Sku. 150100004	Meat mincer REBER N32 - 1200 W • Dimensions: 58 x 25,5 cm, • Height: 36 cm • Weight: 29,3 kg • Hourly production: 100-160 kg, • Grid hole: 10 mm



TOMATO MILL MACHINE



Make delicious tomato sauces and purées, fruit juices and jams at home. Easily remove seeds from tomatoes and other fruit. Nylon body and worm screw. Treated with food grade resin. Supplied with hopper, splash guard, stainless steel strainer and filter and plastic pusher. Well made, durable item. Easy to clean. 2 years warranty. **Delivered without motor.**

Sku. 150150001	NO. 3 - Compatible with 400-W mincers (150100001).
Sku. 150150002	NO. 5 - Compatible with 500 W (150100002), 600 W (150100003) and 1200 W (150100004) mincers.





STAINLESS STEEL SAUSAGE FILLING MACHINES

The sausage filling machines have a stainless steel tube, a square bar steel rack to guarantee a major power take-off surface, a nylon 6,6 piston support, a cover, a piston and a plastic gasket for food use. We offer vertical or horizontal REBER plungers with capacities from 3 to 15 kg. All sausage filling machines have 2 speeds and are supplied with 4 funnels: 19, 25, 30 and 40.

Sku. 150200001	Sausage filling machines REBER 2 speeds 5 kg PRO	• Capacity: 5 L • Dimensions: 57,5 x 33,5 cm • Height: 20,5 cm • Weight: 10,5 kg	8 013152 895006
Sku. 150200002	Sausage filling machines REBER 2 speeds 8 kg PRO	• Capacity: 8 L • Dimensions: 67 x 33,5 cm • Height: 20,5 cm • Weight: 11,9 kg	8 013152 895105
Sku. 150200003	Sausage filling machines REBER 2 speeds 10 kg PRO	• Capacity: 10 L • Dimensions: 74 x 41 cm • Height: 22 cm • Weight: 19,4 kg	8 013152 895310
Sku. 150201001	Stainless steel sausage filling machines REBER 2 speeds 5 kg PRO	• Capacity: 5 L • Dimensions: 57,5 x 33,5 cm • Height: 20,5 cm • Weight: 10,4 kg	8 013152 896065
Sku. 150201002	Stainless steel sausage filling machines REBER 2 speeds 8 kg PRO	• Capacity: 8 L • Dimensions: 67 x 33,5 cm • Height: 20,5 cm • Weight: 11,9 kg	8 013152 896164
Sku. 150201003	Stainless steel sausage filling ma- chines REBER 2 speeds 10 kg PRO	• Capacity: 10 L • Dimensions: 74 x 41 cm • Height: 22 cm • Weight: 19,4 kg	8 013152 896317
Sku. 150201004	Stainless steel sausage filling ma- chines REBER 2 speeds 15 kg PRO	• Capacity: 15 L • Dimensions: 86 x 26 cm • Height: 29 cm • Weight: 25 kg	8 013152 896508
Sku. 150202001	Stainless steel sausage filling machines REBER 2 speeds 3 kg PRO vertical	• Capacity: 3 L • Dimensions: 28 x 24 cm • Height: 60 cm • Weight: 8,5 kg	8 013152 896201
Sku. 150202002	Stainless steel sausage filling machines REBER 2 speeds 5 kg PRO vertical	• Capacity: 5 L • Dimensions: 40 x 31 cm • Height: 70 cm • Weight: 14 kg	8 013152 897024

FOOD SLICER

The ham slicers REBER, with 20 or 25 cm blades, are designed for professionals who want robust and quality equipment for cutting their meat, sausages and fish. From breeders to professionals in the meat industry (butchers, pork charcutiers and caterers), we offer you a complete range of meat processing. The ham slicers are guaranteed for 2 years. REBER brand of 100% Italian manufacture. Guarantee of quality. They have a die-cast aluminium base varnished with steel effect, a professional tempered and fitted 200 m steel blade with fixed protective ring, a movable partition made of molten aluminium with steel tips, a blade protector, a tray and a wall made of molten aluminium with a simple cleaning system, a blade shaft mounted on double ball bearing, a ventilated 140W professional motor, a safety button, a cutting thickness adjustment, a double ball bearing, a ventilated 140 W professional motor, a safety button, a cutting thickness adjustment. From 0 to 16 mm.

Sku. 150300001	REBER food slicer 20 cm blade • Motor power: 140 W • Dimensions: 46,5 x 34,5 cm • Height: 29,5 cm • Weight: 10 kg • Cutting thickness adjustment from 0 to 16 mm • Removable sharpener NOT INCLUDED available on request
Sku. 150300002	REBER food slicer 25 cm blade with sharpener • Motor power: 140 W • Dimensions: 53 x 48 cm • Height: 37,5 cm • Weight 13 kg • Cutting thickness adjustment from 0 to 16 mm • Fixed sharpener INCLUDED



AUTOMATIC VACCUUM MACHINES



REBER automatic vacuum packing machines are ideal for automatically vacuum packing food. We recommend these machines for family, semi-professional or professional use. From farmers to meat professionals (butchers, charcutiers and caterers), we offer you a complete range of meat processing on the farm. The vacuum packing machines are easy to use, operate without stopping and waiting for cooling and are guaranteed for 2 years. All machines are supplied with 20 bags of 20 x 30 cm. They are equipped with an energy saving system. **For optimal vacuum packing, we strongly recommend the use of REBER bags. We do not guarantee the quality of the vacuum if bags of other brands are used.**



Sku. 150400001

Vacuum packing machine REBER automatic SALVASPESA PLUS

- Colour: white
- Dimensions: 37,5 x 17,5 x 11,5 cm.
- Weight: 3 kg
- Power: 180 W
- Empty: -830 mbar
- Suction: 18 lt/min
- Sealing bar: 32 cm



Sku. 150400002

Vacuum machine REBER automatic FAMILY DE LUXE

- Colour: silver
- Dimensions: 43,5 x 15,5 x 11 cm
- Weight: 3 kg
- Power: 190 W
- Empty: -830 mbar
- Suction: 18 lt/min
- Sealing bar: 32 cm. Supplied with suction hose for box



Sku. 150400003

Vacuum packing machine REBER stainless steel 30 cm (not illustrated)

- Colour: silver
- Dimensions: 37 x 27 x 11 cm
- Weight: 6,5 kg
- Power: 280 W.
- Empty: -900 mbar
- Suction: 40 lt/min
- Sealing bar: 32 cm. Supplied with a Hose connection for containers



Vacuum packing machine REBER stainless steel 40 cm

- Colour: silver
- Dimensions: 47 x 27 x 12 cm
- Power: 335 W
- Weight: 7,8 kg
- Empty: -900 mbar
- Suction: 40 lt/min. Supplied with a hose connection for containers.
- Sealing bar: 43 cm

Sku. 150400004



VACUUM BAGS AND ROLLS



Vacuum bags and rolls REBER are ideal for optimal vacuum packaging for the preservation of your food fresh. They are resistant and airtight. We recommend these bags and rolls for professionals. From breeders to meat professionals (butchers, pork charcutiers and caterers), we offer you a complete range of meat processing. The vacuum bags and rolls are easy to use. REBER brand of 100% Italian manufacture. **Guarantee of quality. REBER bags are tested for vacuum cooking up to a temperature of 100°C for a maximum of 4 hours. We recommend cooking at 60°C for 24 hours.** REBER triple-layer bags have all these qualities: 2 inner polyethylene layers suitable for contact with food, 1 outer layer of polyamide which guarantees airtightness against air penetration, 2 layers of polyethylene. These layers make the bag more resistant to punctures and tears and prevent the penetration of moisture, reduce the risk of leakage and the formation of frost and ice crystals in the freezer. Finally, the special indentations on the surface promote the exit and leakage of air and allow the creation of a true vacuum.

Sku. 150500015	100 embossed pockets 15 x 25 cm	8 013152 674205
Sku. 150500020	100 embossed pockets 20 x 30 cm	8 013152 672300
Sku. 150500025	100 embossed pockets 25 x 35 cm	8 013152 672416
Sku. 150500030	100 embossed pockets 30 x 40 cm	8 013152 673505
Sku. 150510020	2 rolls 20 x 600 cm	8 013152 672607
Sku. 150510030	2 rolls 30 x 600 cm	8 013152 672508
Sku. 150520005	50 pockets 40 x 50 cm 105 microns	8 013152 672591
Sku. 150520006	50 pockets 40 x 60 cm 105 microns	8 013152 672430



ELECTRONIC FOOD THERMOMETER



Electronic cooking thermometer for monitoring the temperature of meat, cheese etc. For hot or frozen food. Memory and digital temperature display. Also suitable for monitoring the temperature of air conditioning or soil. It can be boiled.

Technical data:

- Waterproof.
- Comes with battery.
- Scale range in Celsius: -50°C to +200°C.
- Scale range in Fahrenheit: -58°F to +392°F.
- With min. and max. action.
- Length: 20 cm.

Sku. 129027	20 cm	3 700393 922107
--------------------	-------	-----------------





GRIDS FOR MEAT MINCER REBER

You will find all our mincer grids: 4,5 mm, 6 mm, 8 mm, 10 mm, 12 mm. Depending on the desired result (minced meat, sausages, pâtés). These Grids are made of steel, which gives them a clean cut of the meat.

Sku. 9REB4007A/4	Grid 4,5 mm - Meat mincer N°5 REBER	8 013152 050405
Sku. 9REB4007A/8	Grid 8 mm - Meat mincer N°5 REBER	8 013152 050801
Sku. 9REB4007A/10	Grid 10 mm - Meat mincer N°5 REBER	8 013152 051006
Sku. 9REB4007A/12	Grid 12 mm - Meat mincer N°5 REBER	8 013152 051204
Sku. 9REB4312A/4	Grid 4,5 mm - Meat mincer N°12 REBER	8 013152 120412
Sku. 9REB4312A/8	Grid 8 mm - Meat mincer N°12 REBER	8 013152 120818
Sku. 9REB4312A/10	Grid 10 mm - Meat mincer N°12 REBER	8 013152 121013
Sku. 9REB4312A/12	Grid 12 mm - Meat mincer N°12 REBER	8 013152 121211
Sku. 9REB4312A/1	Diamond grid 3 holes - Meat mincer N°12 REBER	8 013152 431211
Sku. 9REB4714A/4	Grid 4,5 mm - Meat mincer N°22 REBER	8 013152 220419
Sku. 9REB4714A/6	Grid 6 mm - Meat mincer N°22 REBER	8 013152 220617
Sku. 9REB4714A/10	Grid 10 mm - Meat mincer N°22 REBER	8 013152 221010
Sku. 9REB4714A/12	Grid 12 mm - Meat mincer N°22 REBER	8 013152 221218
Sku. 9REB4714A/1	Diamond grid 3 holes - Meat mincer N°22 REBER	8 013152 471415
Sku. 9REB4750A/4	Grid 4,5 mm - Meat mincer N°32 REBER	8 013152 320409
Sku. 9REB4750A/6	Grid 6 mm - Meat mincer N°32 REBER	8 013152 320607
Sku. 9REB4750A/8	Grid 8 mm - Meat mincer N°32 REBER	8 013152 320805
Sku. 9REB4750A/12	Grid 12 mm - Meat mincer N°32 REBER	8 013152 321208



KNIVES FOR MEAT MINCER

Knives for meat mincer. Material: Steel type C55.

Sku. 9REB4006A	Knife TC 5	8 013152 400606
Sku. 9REB4311A	Knife TC 12	8 013152 120115
Sku. 9REB4712A	Knife TC 22	8 013152 220112
Sku. 9REB4752A	Knife TC 32	8 013152 475208



Based in the small Italian village of Premana, the MAGLIONERO brand has made a name for itself, over the last 50 years, in the craft manufacturing of professional knives. Its state-of-the-art factory works with chefs to design knives that cater as closely as possible to their needs. Its range now includes not only knives, but also complementary accessories such as sharpeners and products to care for your knives.



NEW

CLEAVER



This knife is specifically designed to work on large pieces of meat that are difficult to cut with a conventional knife. It is used for splitting or cutting bones. Made of AISI 420 stainless steel with a hardness of 52HRC. It has an ergonomic and sturdy handle to facilitate the cutting work. 1 year warranty.

Sku. 150310000



Blade: 22 cm
Length: 40 cm
Weight: 1,3 kg



Sku. 150310001



Blade: 26 cm
Length: 44 cm
Weight: 1,3 kg



NEW

CLEAVER "FRANCESE"



This knife is specifically designed for slicing, splitting or cutting up large carcasses (meat, poultry, etc.). Made of AISI 420 stainless steel with a hardness of 52HRC. It has an ergonomic and sturdy handle to facilitate cutting work. 1 year warranty.

Sku. 150310002



Blade: 24 cm
Length: 35 cm
Weight: 0,8 kg



NEW

BONE SAW WITH SCREW



This butcher's knife makes it easy to cut meat carcasses and bones. Its steel hoop will ensure better stability when cutting. It has a screw blade that can easily be changed. Made of AISI 420 stainless steel with a hardness of 52HRC. It has an ergonomic and sturdy handle for easy cutting. 1 year warranty.

Sku. 150310004



Blade: 50 cm
Length: 64 cm
Weight: 1 kg



Sku. 150310005



Blade: 50 cm
Weight: 40 g
Supplied alone



NEW

BUTCHER KNIFE "COLPO" ANATOMIC



This perfectly balanced chef's knife can be used for chopping and cutting meat, fish, fruit and vegetables - in short, the all-rounder. Made of AISI 420 stainless steel with a hardness of 52HRC. It has an ergonomic and sturdy handle for easy cutting. 1 year warranty.

Sku. 150310003



Blade: 28 cm
Length: 42 cm
Weight: 1 kg



NEW

BONING KNIFE LUX LINE



Frequently used in the butcher's shop, the boning knife allows, with its thin and curved blade, to bone, de-bone and degrease large pieces of butchery, game and poultry. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. Ergonomic, robust and refined handle for easy cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310006



Blade: 13 cm
Length: 26 cm
Weight: 90 g



NEW

BREAKING KNIFE LUX LINE



The breaking knife has a thin, curved blade for easy cutting and boning of meat pieces. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. It has an ergonomic, robust and refined handle for easy cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310007



Blade: 26 cm
Length: 38,5 cm
Weight: 150 g



NEW

STICKING KNIFE LUX LINE



This multi-purpose knife is ideal for everyday use for carving vegetables, making a garnish, chopping herbs...it can also be used for filleting small fish and cutting different pieces of meat. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. It has an ergonomic, robust and refined handle to facilitate cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310008



Blade: 14 cm
Length: 26 cm
Weight: 110 g



NEW

KITCHEN KNIFE FLUTED EDGE LUX LINE



This kitchen knife with fluted edge is versatile for your preparation tasks. The wide 21 cm blade makes it easy to slice through even the toughest foods without effort. The fluted edges help prevent food from sticking to the blade allowing you to complete preparation tasks quickly. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. Ergonomic, robust and refined handle for easy cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310009



Blade: 21 cm
Length: 33 cm
Weight: 160 g



NEW

BUTCHER KNIFE LUX LINE



The French kitchen knife is used for various cutting tasks: meat, fish, fruit and vegetables. Its very resistant blade is very popular with chefs. A precision tool that will serve you for years. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. Ergonomic, robust and refined handle for easy cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310010	Blade: 16 cm Length : 29 cm Weight: 130 g	8 055742 082229	18
Sku. 150310011	Blade: 18 cm Length : 31 cm Weight: 140 g	8 055742 081802	18
Sku. 150310012	Blade: 20 cm Length : 33 cm Weight: 160 g	8 055742 081819	18
Sku. 150310013	Blade: 23 cm Length : 36 cm Weight: 180 g	8 055742 081826	18
Sku. 150310014	Blade: 26 cm Length : 39 cm Weight: 200 g	8 055742 081833	18



NEW

BREAD KNIFE LUX LINE



The bread knife has a large blade with sharp teeth for cutting all types of bread. It can also be used to cut fruits and vegetables with a hard skin. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. It has an ergonomic, robust and refined handle for easy cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310015	8 055742 082281
Blade: 21 cm Length: 33,5 cm Weight: 100 g	18



NEW

FISH KNIFE LUX LINE



The fish knife is recommended for quality cutting of fish. Its solid 18 cm blade will provide precision when cutting. Professional knives made from Bonpertuis X50CrMov15 stainless steel. Polished surface. It has an ergonomic, robust and refined handle to facilitate cutting. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310016	8 055742 081895
Blade: 18 cm Length: 31 cm Weight: 70 g	18



NEW

CHROME PLATED CIRCULAR SHARPENING STEEL



The professional sharpening gun is the ideal tool for sharpening all your knives quickly and easily. It offers a very good resistance to wear. Its handle is comfortable and offers a good support during the sharpening operation. 1 year warranty.

Sku. 150310017	Round blade: 20 cm Length: 32,5 cm Weight: 170 g	8 055742 081314	18
Sku. 150310018	Round blade: 30 cm Length: 44 cm Weight: 390 g	8 055742 081338	18
Sku. 150310019	Oval blade: 30 cm Length: 44 cm Weight: 390 g	8 055742 081345	18



NEW

FORGED COOKS FORK POMHANDLE



The meat fork has long prongs to hold the meat when cutting, it also allows you to turn and move your food when cooking. The length of the tines of 20 cm allows an optimal holding of the food. The handle is ergonomically designed, robust and refined for easy handling of food. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310020



Teeth: 20 cm
Length: 32 cm
Weight: 170 g



NEW

POULTRY SHEARS



These stainless steel poultry scissors are designed for professionals who want to cut up poultry. With its high quality finish, it offers a clean and precise cut. It is robust and allows you to easily cut through the bones and gristle of poultry to prepare the meat. The ergonomic, robust and refined handle makes it easy to work with food. High grip and durability. Sterilisable material. 1 year warranty.

Sku. 150310021



Blade: 11 cm
Length: 25 cm
Weight: 380 g





UKAL

— HYGIENE AND PROTECTION OF THE BREEDER

- 168 Calving gloves
- 169 Disposable
- 170 Hygiene
- 171 Boots
- 172 Detergent

HYGIENE AND PROTECTION OF THE BREEDER | Calving gloves



POLYETHYLENE CALVING GLOVES

These gloves protect against micro-organisms in accordance with directive 89/686/ECC on personal protective equipment. Single use only. For search, calving and autopsy. 90 cm (35.5"). CE standard. Box of 100. The most resistant! 28 microns.

Sku. 101116



Box of 100



CALVING GLOVES

90 cm (35.5"). CE standard. 28 microns.

Sku. 101120



Bag of 50



SEPTICARE CALVING GLOVES



87 cm (34.3"). Thin but strong. These gloves provide protection against micro-organisms in accordance with directive 89/686/EEC on personal protective equipment. Box of 100. 20 microns. Best quality-price ratio.

Sku. 101121



Box of 100



5 FINGER ORANGE CALVING GLOVES

92 cm (35.5"). CE standards: EN 374-1 (1994) and EN 420 (1994). One size.

Sku. 101117100



Box of 100



EXAMINATION GLOVES WITH SHOULDER PROTECTION



Single-use examination glove. Covers the shoulder and armpit for a better fit. Does not slip down the arm. 100 % polyethylene, very resistant. Comes in a handy dispenser box. CE standard. 100 cm.

Sku. 101119001



Box of 50



BLUE HAIRNET

Blue mob cap in polypropylene. Latex free elastic. Diameter 48 cm. **For single use only.**

Sku. 101115800



By 100



NEW

VISITOR'S KIT

Practical, complete and compact.
The visitor kit includes:

- a gown,
- overboots,
- mask and a hairnet.

Ideal for all livestock farms visits.

For single use only.

Sku. 101115900	Sold singly	3 338020 054930	54
Sku. 101115910	Visitor kit without mask	3 700393 916830	20
	NEW		
Sku. 129117	Surgical masks by 50	3 701217 300118	40
	NEW		



DISPOSABLE OVERBOOTS

Polyethylene overboots with elastic for a better hold. Supplied in a bag of 25 pairs.

For single use only.

Sku. 1011140	5 703188 220103	10
By 25		



BLUE DISPOSABLE OVERALLS

Zip fastening. With hood but without overshoes. Blue. **For single use only.**

Sku. 101115915	3 700393 961960	50
XL		



DISPOSABLE OVERALLS

Zip fastening. With hood but without overshoes. **For single use only.**

Sku. 101115912V	L	5 703188 220103	50
Sku. 101115913V	XL	3 221170 003579	50
Sku. 101115914V	XXL	3 338020 077830	50



HYGIENE AND PROTECTION OF THE BREEDER | Hygiene



CALVING GOWN UKAL

Cotton coated with PU. Resistant to common cleaning agent. Available in navy blue. Used in the food processing industry. Back fixation with a stainless steel hook and elastic. Diameter: 13 mm. Thickness: 500 microns.

Sku. 101121010 3 494410 007532

M 20

Sku. 101121011 3 494410 007556

L 20



DAIRY APRON UKAL

Polyurethane. Adjustable neck strap. Back closing by stainless steel hook and elastic. Can be used with liquid up to 60°C. Thickness 500 microns. 380 gr/m². Dimensions: 90 x 115 cm.

Sku. 124080010 3 494410 007549

Blue 10



DAIRY APRON UKAL

Very appreciated by the breeder! Resistant ! With neck strap, closing stainless steel hook in the back with elastic. Can be used with liquid up to 50°C. Thickness : 350 microns. 475 gr/m². Dimensions 90 x 115 cm.

Sku. 124080001 3 494410 007792

White 40



DAIRY SLEEVES

Blue polyurethane dairy sleeves with wrist and forearm tightening. Neoprene at the wrists and elastic at the biceps. Resistant to common cleaning products.

Sku. 124086002 3 494410 014233

By 2 / 40 cm 30



NEOPRENE PROTECTION SLEEVES



Waterproof protective dairy sleeves. They keep your forearms warm, dry and also protected. They are made from quality 3 mm neoprene. Simply pull them on over your wrist and take them off when you want! Can be used in farms, dairy farming and also gardening. In pairs.

Sku. 124087100 3 700393 914980

M 30

Sku. 124087200 3 700393 914997

L 30


Sku. 124087300 3 700393 915024

XL 30

Sku. 124087400 3 700393 915017

XXL 30

Hygiene



SEPTICARE HOOFMAT



Small and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 21 liters.

Sku. 113100002 3 338020 063000

Dimensions : 90 x 60 x 4 cm



BOOT CLEANER KAMER

In order to ensure hygienic working conditions, you must start with caring for your boots. Cleans effortlessly. Stainless steel. Automatic. The brush is triggered as soon as the boot is put on. Delivered assembled.

Sku. 132910005 3 338020 064649

5 brushes 2

04 LEISURE POLYURETHANE BOOTS



04

These polyurethane boots are twice as durable as rubber. They offer a high level of comfort thanks to their ergonomic sole and upper. A support provides ankle protection. Easy to clean and disinfect. A cutting line is drawn to allow them to be shortened cleanly.

Sku. 131610036 

Size: 36/37 

Sku. 131610038 

Size: 38/39 

Sku. 131610040 

Size: 40/41 

Sku. 131610042 

Size: 42 

Sku. 131610043 

Size: 43 

Sku. 131610044 

Size: 44 

Sku. 131610045 

Size: 45 

Sku. 131610046 

Size: 46 

Sku. 131610047 

Size: 47/48 

Sku. 131610049 

Size: 49/50 

S5 SAFETY POLYURETHANE BOOTS




S5

S5 safety boots equipped with a **steel toe cap** (high resistance 200 J) and an **antipenetration sole** (resistance to 1100 N). These polyurethane boots are twice as durable as rubber. They offer a high level of comfort thanks to their ergonomic sole and upper. A support provides ankle protection. Easy to clean and disinfect. A cutting line is drawn to allow them to be shortened cleanly. Recommended for agriculture, forestry, animal husbandry, mining, construction work.



DISCOVER OUR VIDEO



S4 SAFETY POLYURETHANE BOOTS



S4

S4 safety boots equipped with a **steel toe cap** (high resistance 200 J). These polyurethane boots are twice as durable as rubber. They offer a high level of comfort thanks to their ergonomic sole and upper. A support provides ankle protection. Easy to clean and disinfect. A cutting line is drawn to allow them to be shortened cleanly. Recommended for agriculture, forestry, animal husbandry, mining, construction work.

Sku. 131710036 

Size: 36/37 

Sku. 131710038 

Size: 38/39 

Sku. 131710040 

Size: 40/41 

Sku. 131710042 

Size: 42 

Sku. 131710043 

Size: 43 

Sku. 131710044 

Size: 44 

Sku. 131710045 

Size: 45 

Sku. 131710046 

Size: 46 

Sku. 131710047 

Size: 47/48 

Sku. 131710049 

Size: 49/50 

Sku. 131510037 

Size: 36/37 

Sku. 131510039 

Size: 38/39 

Sku. 131510041 

Size: 40/41 

Sku. 131510042 

Size: 42 

Sku. 131510043 

Size: 43 

Sku. 131510044 

Size: 44 

Sku. 131510045 

Size: 45 

Sku. 131510046 

Size: 46 

Sku. 131510048 

Size: 47/48 

Sku. 131510050 

Size: 49/50 

BOOTS REMOVER

Plastic boot remover with anti-slip ridge for extra grip. One size fits all.

Sku. 130E910698 

Black 





DISCOVER OUR VIDEO

Detergent

NEW

ECOLOGICAL PROFESSIONAL DETERGENT



99,5 % of natural ingredients. Detergent containing traditional Marseilles soap. Sulphatefree detergent made with Marseilles soap flakes and 100 % plant oils. Highly concentrated, it is suitable for all kinds of fabrics for machine and hand washing at 30°C. Hypoallergenic, formulated without fragrance to protect sensitive skin. For professional use. Organic product certified by ECOCERT.

Sku. 850005	5 L		
Sku. 850010	10 L		



EKO' PIN

CLEANING PRODUCTS THAT COMBINE *efficiency and ecology*



NEW



INDOOR AND
OUTDOOR RANGE



ECO-FRIENDLY
PACKAGING



French market only, ask us if you need information.



ukalel@ukal.com

UKAL AGRI 173



— BEAUMONT FENCING

- 179 **CLASSIC Range**
- 181 **Paddock Range**
- 183 **Permanent fencing**
- 184 **Connections**
- 184 **Strainers**
- 185 **Connections cables**
- 185 **Insulators**
- 188 **Handle**
- 189 **Fence posts**
- 190 **Accessories**
- 192 **Reels**
- 193 **Battery & testers**
- 194 **Nets**
- 198 **Practical guide**

CHOOSING THE RIGHT FENCING

Why use an electric fence?

- To keep your animals safe and protect them from intruders and threats from wild animals.
- To keep your animals in an enclosed space.
- To protect plots of land that you do not want your animals to stray onto.
- To set up mobile fencing to enable your animals to graze on fresh grass.

How does electric fencing for strip grazing work?

An ready-to-use electric fence for strip grazing is an open electrical circuit. The fence energizer generates a very shortlived electric pulse. This pulse lasts a matter of milliseconds. The electric fence for grazing is therefore not dangerous for humans in normal usage conditions. The fence wire and the earth are the electrical conductors.

During operation, no electric current passes through the electric fence.

The electric current only passes when the electrical circuit is closed.

This happens when an animal touches the fence wire. The electrical circuit is closed when the electric pulse passes through the animal and returns to the energizer via the earth. This generates a shock, which guarantees that the fence acts as a deterrent.

When is the electrical circuit not closed?

- When the wire is broken.
- When the electrical conductivity of the fence materials is poor and the current cannot pass.
- When the animal's fur is too thick.
- When the fence is covered with too much vegetation. The current flows into the earth.
- Due to incorrect and insufficient earthing of the fence energizer.
- Due to excessively dry conditions, or when the soil is covered by ice which acts as an insulator.

The importance of earthing


This is the most important aspect, and yet it is the one that is most often neglected when setting up an electric fence. Do not forget that an electric fence will not function if it is not properly earthed. It is important to make sure the earth rod is properly buried in the soil in a place with plenty of moisture. The earth rod cable must be correctly screwed into the energizer terminal.

NOTE: You must not use the earth of the building's mains power supply.

The earth of the mains power supply and the earth of the fence must be at least 10 m apart.

For difficult installations (long fences, very dry soil), maximise efficiency by having multiple earths. If the voltage measured is greater than 300 V (0.3 kV), then the earthing is insufficient and must be improved using additional earth rods.

FENCE HEIGHT



ENERGIZER COMPARISON

Product reference	Product name	Power supply	Stored energy	Output energy	Distance in the laboratory CEE	Number of nets							
-------------------	--------------	--------------	---------------	---------------	--------------------------------	----------------	--	---	---	---	---	---	---

CLASSIC


125920050	P180		0,18 J	0,12 J	4 km	NA							
125921020 125921020SP	RB880		1,25 J / 12 V 0,7 J / 9 V	0,98 J / 12 V 0,5 J / 9 V	20 km	5 x 50 m							
125923005	RB85		0,85 J	0,45 J	8 km	2 x 50 m							
125923023	S170		1,7 J	1,4 J	55 km	8 x 50 m							
125923024	S440		4,4 J	3,0 J	115 km	10 x 50 m							
125923025	S510		5,1 J	3,8 J	130 km	12 x 50 m							

PADDOCK

125940050	P180		0,18 J	0,12 J	4 km	NA							
125943980	RB880		1,25 J / 12 V 0,7 J / 9 V	0,98 J / 12 V 0,5 J / 9 V	20 km	5 x 50 m							
125943045	S510		5,1 J	3,8 J	130 km	12 x 50 m							
125943005	RB85		0,85 J	0,45 J	8 km	2 x 50 m							

BEAUMONT QUALITY

Beaumont is a brand with expertise built through years of hands-on experience.



NON-DEFORMABLE



SOLID



WELDED MESH

The quality of Beaumont nets is tried and tested.
The performance of the products in the field speaks for itself.

Contact us for further information on +33 (0)3 88 07 40 15



CONDUCTOR COMPARISON

Product reference	Tape/Wire/Rope	Length	Diameter or width	Number of conductors	Conductor type	Resistance	Breaking load							
-------------------	----------------	--------	-------------------	----------------------	----------------	------------	---------------	---	---	---	---	---	---	---

CLASSIC

125165312	Tape	200 m	12 mm	4 x 0,20 mm / 1 x 0,15 mm	-	5,8 ohms/m	115 kg							
125165320	Tape	200 m	20 mm	6 x 0,20 mm / 1 x 0,15 mm	-	3,9 ohms/m	90 kg							
125165340	Tape	200 m	40 mm	8 x 0,20 mm / 1 x 0,15 mm	-	2,90 ohms/m	280 kg							
125165112	Wire	200 m	-	6 x 0,15 mm	Stainless steel	7,20 ohms/m	45 kg							
125165114	Wire	400 m	-	6 x 0,15 mm	Stainless steel	7,20 ohms/m	45 kg							
125165216	Rope	200 m	Ø 6 mm	8 x 0,20 mm	Stainless steel	2,9 ohms/m	450 kg							
125165186	Wire	200 m	-	Conductor stainless steel 3 x 0,15 mm + 1 x 0,20 mm	-	0,53 ohms/m	48 kg							
125165188	Wire	400 m	-	cuiivre	-	0,53 ohms/m	48 kg							
125176215	Braided rope	200 m	Ø 5 mm	Conductor stainless steel 4 x 0,15 mm + 1 x 0,20 mm copper	-	0,18 ohms/m	400 kg							

PADDOCK

125167120	Tape	200 m	20 mm	6 x 0,15 mm	Stainless steel	7,2 ohms/m	90 kg							
125167140	Tape	200 m	40 mm	10 x 0,15 mm	Stainless steel	4,32 ohms/m	180 kg							
125167005	Rope	200 m	Ø 5 mm	6 x 0,15 mm	Stainless steel	7,20 ohms/m	120 kg							
125167312	Tape	200 m	12 mm	4 x 0,20 mm + 1 x 0,15 mm	Stainless steel	5,8 ohms/m	115 kg							
125167320	Tape	200 m	20 mm	6 x 0,20 mm + 1 x 0,15 mm	Stainless steel	3,9 ohms/m	140 kg							
125167340	Tape	200 m	40 mm	8 x 0,20 mm + 1 x 0,15 mm	Stainless steel	2,9 ohms/m	280 kg							
125167216	Tape	200 m	Ø 6 mm	8 x 0,20 mm	Stainless steel	2,9 ohms/m	140 kg							

The energizers and conductors for different animal species are given as a guide only.



CLASSIC P180 BATTERY- POWERED ENERGIZER



Practical, easy-to-use battery-powered energizer. Easily transportable, with a long battery life due to its low energy consumption. For fences up to 4 km long without vegetation. Indicator light. 2.5 W solar charger included to increase running time.

Sku. 125920050



9V - 12V - Solar panel 2,5 W



CLASSIC RB880 3-IN-1 ENERGIZER



Ideal for long fences. Multifunction energizer. Works on a battery, 9 V batteries, or the mains power supply. 10 W solar panel included. To plug the energizer into the mains, you will need to add a transformer (not included). Handle for easy transport. Battery level indicator. 3 display levels. Multi-purpose, convenient and easy to use. Our recommendation if you are looking for an energizer suitable for all terrains!

Sku. 125921020



9V - 12V - 230 V - Solar panel 10 W



Sku. 125921020SP



9V - 12V - 230 V - Energizer only



CLASSIC RB85 MAINS ENERGIZER



This compact, modern energizer is ideal for pet owners. Suitable for medium-length fences: permanent fencing for cattle/sheep/ goats / dog fencing / protective fencing for crops, ponds and gardens.

Sku. 125923005



230 V



CLASSIC S170 MAINS ENERGIZER



Shock-resistant ABS housing. Indicator lights. Designed for medium-sized fences. Ideal for medium-sized fences for sensitive species (dogs, horses, etc.).

Sku. 125923023



230 V



CLASSIC S440 MAINS ENERGIZER



Shock-resistant ABS housing. Energizer equipped with an operation indicator light and 2 power outputs. Suitable for all animal species. For large and mid-sized fences.

Sku. 125923024



230 V



CLASSIC S510 MAINS ENERGIZER



2 power outputs (one high and one low) to adapt the power level to your needs or electrify two separate fences. Powerful energizer for fences up to 35 km long without vegetation and 6 km with very dense vegetation. 6-step LED voltage indicator. 2 power outputs (one high and one low). Can be used to electrify up to 12 nets. Easy to use. Energizer recommended for long and very long fences in difficult conditions (dense vegetation, animals that are difficult to contain).

Sku. 125923025



230 V



FENCING BEAUMONT | CLASSIC Range

All our energizers come with a 2-year warranty and a warning sign.

Technical characteristics	Sku. 125920050	Sku. 125921020	Sku. 125923005	Sku. 125923023	Sku. 125923024	Sku. 125923025
Power supply	9 V / 12 V	9 V / 12 V / 230 V	230 V	230 V	230 V	230 V
Stored energy	0,18 J	1,25 J / 12 V - 0,7 J / 9 V	0,85 J	1,7 J	4,4 J	5,1 J
Output energy	0,12 J	0,98 J / 12 V - 0,5 J / 9 V	0,45 J	1,4 J	3,0 J	3,8 J
Voltage	8 500 V	10 800 V / 12 V - 7 000 V / 9 V	7 800 V	9 500 V	10 500 V	10 000 V
Voltage at 500 Ohms	1 500 V	3 800 V	3 800 V	5 000 V	5 700 V	5 600 V
Power consumption	2,5 W	10 W	1 W	3 W	5 W	8 W
Indicator light	Yes	3- steps	No	Yes	2 power outputs	6-step LED voltage indicator, 2 power outputs (one high and one low)
Distance in the laboratory CEE	4 km	20 km	8 km	55 km	115 km	130 km
Distance with little or no vegetation	0,9 km	1,1 km	3,5 km	15 km	20 km	35 km
Distance with moderate vegetation	2 km	2 km	2 km	4,5 km	7 km	13 km
Distance with dense vegetation	0,8 km	1,7 km	0,8 km	1,7 km	2 km	6 km
Number of nets	2 x 50 m	8 x 50 m	2 x 50 m	8 x 50 m	10 x 50 m	12 x 50 m



GREEN AND WHITE TAPES



Sku. 125165312



12 mm / 200 m



Sku. 125165320



20 mm / 200 m



Sku. 125165340



40 mm / 200 m



GREEN AND WHITE ROPE



Sku. 125165216



Ø 6 mm / 200 m



TWISTED GREEN AND WHITE WIRES



Sku. 125165112



200 m



Sku. 125165114



400 m



BRAIDED WIRES AND ROPES



The monofilaments that make up the wire and the rope are braided in a 3 mm sheath. The monofilaments have more elasticity than ordinary materials. A copper conductor provides the best resistance for fence longer than 1 000 m.

Sku. 125165186



Braided wires 200 m

Limited stock



Sku. 125165188



Braided wires 400 m

Limited stock



Sku. 125176215



Braided ropes 5 mm / 200 m

Limited stock



Technical characteristics	Sku. 125165312	Sku. 125165320	Sku. 125165340	Sku. 125165216	Sku. 125165112	Sku. 125165114	Sku. 125165186	Sku. 125165188	Sku. 125176215
Width x length	12 mm x 200 m	20 mm x 200 m	40 mm x 200 m	Ø 6 mm x 200 m	200 m	400 m	200 m	400 m	200 m
Number	4 x 0.20 mm / 1 x 0.15 mm	6 x 0.20 mm / 1 x 0.15 mm	8 x 0.20 mm / 1 x 0.15 mm	Stainless steel conductor 8 x 0.20 mm	Stainless steel conductor 6 x 0.15 mm	Stainless steel conductor 6 x 0.15 mm	Stainless steel conductor 3 x 0.15 mm / 0.20 mm copper	Stainless steel conductor 3 x 0.15 mm / 0.20 mm copper	Stainless steel conductor 4 x 0.15 mm / 0.20 mm copper
Resistance	5.8 ohms/m	3.9 ohms/m	2.9 ohms/m	2.9 ohms/m	7.20 ohms/m	7.20 ohms/m	0.53 ohms/m	0.53 ohms/m	0.18 ohms/m
Breaking load	115 kg	90 kg	280 kg	450 kg	45 kg	45 kg	48 kg	48 kg	400 kg

PADDOCK P180

BATTERY-POWERED ENERGIZER

Practical, easy-to-use battery-powered energizer. For fences up to 4 km long without vegetation. Indicator light. 2.5 W solar charger included to increase running time. 2 years warranty.

Sku. 125940050



9V - 12V - Solar panel 2,5 W



PADDOCK

RB880 3-IN-1 ENERGIZER

Ideal for long fences. Multifunction energizer. Works on a battery, batteries, or the mains power supply. 10 W solar panel included. To plug the energizer into the mains, you will need to add a transformer (not included). Handle for easy transport. Battery level indicator. 3 display levels. Multi-purpose, convenient and easy to use. 2 years warranty.

Sku. 125943980



9V - 12V - 230 V - Solar panel 10 W



PADDOCK S510 MAINS ENERGIZER

Energizer equipped with 2 outputs (maximum and reduced) to adapt the power level to your needs or to electrify two independent fences. Powerful energizer for fences up to 30 km long without vegetation and 6 km with very dense vegetation. 6-step LED voltage indicator. 2 power outputs (one high and one low). Easy to use. Energizer recommended for long and very long fences in difficult conditions (dense vegetation, animals that are difficult to contain). 2 years warranty.

Sku. 125943045



230 V



PADDOCK RB85 MAINS ENERGIZER

This compact, modern energizer is ideal for horse owners. Suitable for medium-length fences. 2 years warranty.

Sku. 125943005



230 V



Technical characteristics	Sku. 125940050	Sku. 125943980	Sku. 125943045	Sku. 125943005
Power supply	9 V / 12 V	9 V / 12 V / 230 V	230 V	230 V
Stored energy	0.18 J	1,25 J / 12 V - 0,7 J / 9 V	5.1 J	0,85 J
Stored energy	0.12 J	0,98 J / 12 V - 0,5 J / 9 V	3.8 J	0,45 J
Voltage	8 500 V	10 800 V / 12 V - 7 000 V / 9 V	10 000 V	7 800 V
Voltage at 500 Ohms	1 500 V	4 500 V / 12 V - 3 000 V / 9 V	5 600 V	3 800 V
Power consumption	15 mA / 12 V - 22 mA / 9 V	90 mA / 12 V - 70 mA / 9 V	8 W	1 W
Indicator light	Yes	3 display levels	6-step LED voltage indicator. 2 power outputs (one high and one low)	No
Distance in the laboratory CEE	4 km	20 km	130 km	8 km
Distance with little or no vegetation	2.8 km	9.5 km	35 km	3,5 km
Distance with moderate vegetation	0.9 km	3.3 km	13 km	2 km
Distance with dense vegetation	0.2 km	1.1 km	6 km	0,8 km
Number of nets	NA	5 x 50 m	12 x 50 m	2 x 50 m

FENCING BEAUMONT | Paddock Range



BROWN TAPES



These tapes have an anti-UV treatment.

Sku. 125167120



20 mm / 200 m



Sku. 125167140



40 mm / 200 m



GREEN AND WHITE TAPES



These tapes have an anti-UV treatment.

Sku. 125167312



12 mm / 200 m



Sku. 125167320



20 mm / 200 m



Sku. 125167340



40 mm / 200 m



BROWN ROPE



These rope have an anti-UV treatment.

Sku. 125167005



Ø 5 mm / 200 m



GREEN AND WHITE ROPE



These rope have an anti-UV treatment.

Sku. 125167216



Ø 6 mm / 200 m



Technical characteristics	Sku. 125167120	Sku. 125167140	Sku. 125167005	Sku. 125167312	Sku. 125167320	Sku. 125167340	Sku. 125167216
Length	20 mm x 200 m	40 mm x 200 m	Ø 5 mm x 200 m	12 mm x 200 m	20 mm x 200 m	40 mm x 200 m	Ø 6 mm x 200 m
Number of stainless steel conductors	6 x 0.15 mm	10 x 0.15 mm	6 x 0.15 mm	4 x 0.20 mm + 1 x 0.15 mm	6 x 0.20 mm + 1 x 0.15 mm	8 x 0.20 mm + 1 x 0.15 mm	8 x 0.20 mm
Resistance	7.2 ohms/m	4.32 ohms/m	7.20 ohms/m	5.8 ohms/m	3.9 ohms/m	2.9 ohms/m	2.9 ohms/m
Breaking load	90 kg	180 kg	120 kg	115 kg	140 kg	280 kg	140 kg

NEED TO CLOSE A POULTRY HOUSE?

Discover the HOBBY range from Beaumont, ideal for guarding and securing your backyard.



→ Discover HOBBY range in our UKAL GREEN catalog page 15



GALVANISED STEEL CABLE



Breaking load 200 kg. Good conductivity.

Sku. 125140001



250 m



Sku. 125140002



500 m



ZINC-COATED STEEL CABLE



Zinc-coated steel cable with aluminium powder. Excellent conductor. Breaking load 200 kg. Resistance: 0.12 ohms/m.

Sku. 125141



500 m



ALUMINIUM CABLE



Breaking load 200 kg. Good conductivity.

Sku. 125145020



Ø 2 mm / 400 m



Lead-out cable

SOFT LEAD-OUT CABLE



Soft lead-out cable.

Sku. 125450030



30 m



Sku. 125450



50 m



PERMANENT FENCING
Choose the best solution
for your pasture fence!



→ Discover our range
in the dedicated
brochure



Connections



CONNECTION FOR ROPES



Connection for wire and rope. Guarantees high-quality connections.

Sku. 125139015



Stainless steel - By 5



Sku. 125139016



Aluminium - By 5



WIRE CONNECTOR SCREWS



Screw for connecting several cables.

Sku. 125139014



By 10

Limited stock



CONNECTION FOR TAPE



Sku. 125139006



20 mm - Aluminium - By 5



Sku. 125139046



40 mm - Aluminium - By 5



Sku. 125139120



20 mm - Steel - By 5



Sku. 125139140



40 mm - Steel - By 5



CONNECTION FOR TAPE



Easy to use. Suitable for all standard electric fence tapes. Galvanised metal support. Robust tape connector through the metal support of a part, supported by unbreakable plastic.

Sku. 125139220



20 mm - By 10

Limited stock



Sku. 125139240



40 mm - By 5

Limited stock



Strainers



WIRE STRAINER WITH SPRING



Made of stainless steel.

Sku. 125139020



By unit



STRAINER FOR WIRE AND ROPE



For straining wire and rope. Includes locking system.

Sku. 125139013



By 2

Limited stock



TAPE STRAINER



Made of aluminium.

Sku. 125139010



By unit



Connections cables

TAPE/WIRE CONNECTION CABLE

Sku. 125191


By 2



84



TAPE-ROPE CONNECTION CABLE

Professional cable for connecting a tape (40 mm max.) and a rope (6 mm max). Stainless steel contact plate. Cable length: 60 cm.

Sku. 125192002

By unit
Limited stock


80



CONNECTION CABLE FOR ROPES UP TO 6 MM

Professional connection cable for ropes up to 6 mm max. Cable length: 60 cm.

Sku. 125192003

By unit
Limited stock


100



Insulators

RING INSULATOR

Duplicate-moulded. Designed for wire, cable and tape conductors, up to 12 mm. Robust body with screw, perfect for screwing into wooden posts.

Sku. 125201


Black - By 25



22

Sku. 125201090


Black - By 90

Sku. 125201250


Black - By 250



PREMIUM 3-IN-1 INSULATOR

These uniquely shaped insulators are easy to hold in your hand and to screw in even without a tool. The special feature is the construction of the insulator head. The fence material is inserted easily from above, so the fence material will not fall out at a later date. Special insulator for ropes. Recommended for long fences. Short support. Anti-water-droplet system. Self-tapping screw.

Sku. 125226

Black - By 20
Limited stock


15



COMBINED WOOD AND STEEL RB INSULATOR

Universal, with captive pin. Fastens to a diameter 10-12mm steel post at the required height, to a round or flat wooden post with wire, two screws or two nails.

Sku. 125200050


Black - By 50



18



RBL CAPTIVE- PIN INSULATOR

Fastens to a post with only one wire. For wires or cable conductors. Withstands 15 000 V.

Sku. 125266


Red - by 50



40

Sku. 125266100


Red - by 100



20



FENCING BEAUMONT | Insulators



RBCH INSULATOR

Large model for tapes up to 40 mm, cables and ropes. The screws make it possible to strain the tape properly and install it easily.

Sku. 125223



Black - By 25



INSULATOR FOR WIRE & TAPE, 40 MM

Screw-in insulator for wooden posts. Short support. Self-tapping screw. For tapes up to 40 mm wide. For wires and ropes up to 8 mm in diameter. Extremely long, distinct and tapered screw thread. Self-tapping screw for easy tightening. No need for prior drilling or countersinking in the wood. The insulator screw is made of tempered steel.

Sku. 125225



Black - By 30



INSULATOR FOR TAPE 12 TO 40 MM AND ROPE

12 to 40 mm tape insulator and for rope up to 8 mm.

Sku. 125207




Black - By 25



Sku. 125207090



Black - By 90



INSULATOR FOR TAPE (20 MM MAX.) AND ROPE (8 MM MAX.)

Insulator for tape up to 20mm and rope up to 8mm. With a snap fastener.

Sku. 125209



Black - By 25



DELUXE RING INSULATOR, LARGE MODEL

This insulator has a UV treatment.

Sku. 125230101



Black - By 25

Limited stock



BLACK UNIVERSAL INSULATOR

Nail-on insulator for wire and tape, for round posts diameter 10/12 mm.

Sku. 125200



Black - By 25

Limited stock



NAIL-ON INSULATOR FOR TAPE AND ROPE

Nail-on insulator for tape : 40mm max. and rope: 6mm max.

Sku. 125220001



Black - By 25



IGPB KIT WITH 2 FASTENING PLATES AND 2 RBCH INSULATORS

Kit includes: 2 RBCH insulators, 2 aluminium fastening plates for 40 mm tape.

Sku. 125408003



Black - By unit



DOUBLE ANCHORING INSULATOR

Essential for installing gates.

Sku. 125281



Black - By 2



64



CORNER INSULATOR PULLEY-TYPE

Very good resistance.

Sku. 125211



Black - By 2



60



BLACK PLASTIC ROLLER INSULATOR

For screwing on wooden posts.

Sku. 125210



Black - By 25



22



EGG INSULATOR

Standard quality. Ideal for corners. To be used with wire.

Sku. 125231



Black - By 4



65



STANDOFF RING INSULATOR

Black plastic. Allows to create a distance between the animal and the fence.

Sku. 125230



Black - By 10



16



STANDOFF INSULATOR

Duplicate-moulded over 6mm diameter.


Sku. 125230001



Black - By 10



16



STRAIGHT STANDOFF RING INSULATOR

Black plastic straight insulator. Allows to create a distance between the animal and the fence.

Sku. 125230002



Black - By 10



24



PIGTAIL INSULATORS

Insulator for metal or fibreglass fence posts.

Sku. 125250



White - Ø 10 mm - By 50



20

Sku. 125251



White - Ø 12 mm - By 50



20

Sku. 125253



White - Ø 50 mm - By 25



30



METAL CORKSCREW INSULATOR

For oval posts.

Sku. 125276



Yellow - Par 25



18



FENCING BEAUMONT | Insulators and handles



ANTENNA INSULATOR



For top of steel post Ø 12 mm. For wires or cable conductors. Withstands 20 000 V.

Sku. 125280



Black - By 10



ISOLATEUR RB



Universal insulator for wires and tape. Fastens to diameter 6 - 13 mm posts via a nut system.

Sku. 125200400



Black - Par 25



Handles



SPRING TYPE INSULATING GATE HANDLE



Gate handle with extension internal spring.

Sku. 125405010



Black - By 10



LARGE BLACK SPRING-TYPE, INSULATING HANDLE



With spring.

Sku. 125404002/2



Black - By 2



EXTRA-LARGE BLACK GATE HANDLE WITH HOOK



Can also be used as a spool for spooling wire and tape up to 20 mm max.

Sku. 125404004



Black - By unit
Limited stock



SPRING-TYPE INSULATING GATE HANDLE



With internal extension spring.

Sku. 125401



Yellow - By 2



Sku. 125403



Red - By 2



Sku. 125405



Black - By 2



INSULATING GATE HANDLE WITH EXTENSIBLE ELECTRIFIED CORD



Elastic kit with insulating gate handle, recommended for horse enclosures. Can be used to create gateways for farm equipment (opening of up to 8 m).



Sku. 125407



Black - By unit



GATE HANDLE WITH 5 M SPRING



Insulating handle with integrated 5 m spring. Easy to set up for temporary fences. Diameter: 2 cm.



Sku. 125406002



Black - By unit



GATE HANDLE KIT WITH 5 M SPRING



Gate handle : 26cm. 5 m of spring.



Sku. 125406



Handle + spring kit
Black - By unit



Sku. 125406001



Spring only - Black
By unit



INSULATING SPRING-TYPE HANDLE WITH INSULATOR



Double anchoring insulator Sku. 125281.



Sku. 125402



Black - By unit
Limited stock



INSULATING HANDLE KIT WITH TAPE FASTENING PLATE



Gate handle with plate by piece. Gate handle: 26cm. Plate: 15cm.




Sku. 125408002



Black - By unit



FENCING BEAUMONT | Fence posts



Sku.	125305025	125312050	125331030	125331600	125335020	125340107010
Material	Metal	Fiberglass	Plastic	Plastic <i>Limited stock</i>	Plastic	Plastic
Height*	1,10 m	1,10 m	1,05 m	1,05 m	1,50 m	1,05 m
Number of insulators	1	0	7	7	8	7
Sold in multiples of	25	50	30	600	20	10
Pallet	1 250	1 000	700	600	700	600
Animals						
Gencode						

*Measurement includes full shaft.

UNIVERSAL FENCE PLIERS



Multipurpose tool. Insulated handle.

Sku. 125296



By unit



32

WARNING SIGNS FOR ELECTRIC FENCING



Must be placed every 50 m on electric fences alongside public roads.

Sku. 125590004



By 4



32



SET OF CROCODILE CLIPS



For connecting to an energizer or battery.

Sku. 125865



By unit



38

EARTH ROD WITH WIRE



Earth rod with connecting wire and earth line. Sku. 125891.

Sku. 125891



30 cm - By unit

100



EARTH ROD



Essential. Essential in order to return the current when an animal comes into contact with the wire.

Sku. 125890



1 m -By unit

10



LIGHTNING INSULATOR WITH SPRING



Lightning insulator. When the fence is struck by lightning, it directs the voltage surge generated to the earth and keeps the energizer safe. Your energizer warranty will not be applicable if the energizer has been struck by lightning. Lightning conductors are indispensable to protect your fences.

Sku. 125291



By unit

35



LARGE FENCE SWITCH



Isolator switch with insulated polypropylene body and stainless-steel connection. Can be used to switch off one section of the fence for maintenance while keeping the rest powered up.

Sku. 125293



By unit

Limited stock

90



FENCING BEAUMONT | Reels

SELF-INSULATING REEL



With brake and handle. Mounting holes for attaching to a 30 x 30 mm post (large model) or a 20 x 20 mm post (medium model). Attachment hook.

Sku. 125350



Medium model /
1 000 m of wire



Sku. 125352



Replacement spool
medium model
Limited stock



BEAUMONT EURO REEL



Plastic reel, spool attached with a pin. Reel can be locked with a hinged locking arm. Metal attachment hook.

Sku. 125343001



500 m of wire



BEAUMONT STANDARD REELS



Sku. 125361001



Large model
800 m of wire
or 300 to 500 m of tape



Sku. 125361002



Medium model
500 m of wire
or 200 to 300 m of tape



REEL



Reel system with 300 m of wire on the spool.

Sku. 125355017



Ø 17 mm - 300 m

Limited stock

Sku. 125355024



Ø 24 mm - 300 m

Limited stock

Sku. 125355026



Ø 26 mm - 300 m

Limited stock

LARGE REEL WITH SLING



Pass the sling over your head and the reel will rest on the operator's stomach.

Sku. 125360



Large model / 1 000 m
of wire
Limited stock



Battery



BP60 - 12 A BATTERY

12 V, 60 A. Battery with indicator.
Rechargeable using a charger. Ideal for use
with the solar charger kit.

Sku. 125090



By unit



Explore our range of Horizont
TURBOMAX batteries (Sku.
125H12012, 125H14896,
125H14500...).

Testers

BEAUMONT 12 KV FENCE TESTER

Indicates the status of your fence via six
voltage levels ranging from 2 000 to
12 000 V. Very easy to use.

Sku. 125012



By unit



BEAUMONT DIGITAL FENCE TESTER

This digital voltmeter is the classic
measuring instrument. Easy to handle.
Rapid testing.


Sku. 125427001



By unit



FENCING BEAUMONT | Nets



NON-ELECTRIFIED POULTRY NET

Non-electrified poultry net, height 1,12 m.

Sku. 125584225




25 m



Sku. 125584250



50 m



POULTRY NET, HEIGHT 1.12 M

Poultry net, height 1.12 m.

Sku. 125584



50 m



FENCE POST FOR POULTRY NET


Post for poultry net. Height: 1.12m.

Sku. 125585002



COPPER FERRULE

Sku. 125602



- 1 11 wires: Supporting wire: 3 x 5 monofilament, Ø 0.40 mm; conductor: 3 x 1 stainless steel, Ø 0.20 mm
- 2 1 wire: Supporting wire: 4 x 8 monofilament, Ø 0.40 mm

Technical characteristics	Sku. 125584225	Sku. 125584250	Sku. 125584
Length	25 m	50 m	50 m
Height	1.12 m	1.12 m	1,12 m
Electrified	Non	Non	Oui
Number of posts	9	15	15
Colour	Vert	Vert	Yellow
Quantity per pallet	66	45	40



CLASSIC SHEEP NET, HEIGHT 0.90 M


- Height: 0.90 m
- Length: 50 m
- Colour: Yellow
- Number of posts: 14
- **Electrified earth wire**

Electrified horizontal wires, non-electrified vertical wires. Each wire intersection is welded and is thus non-deformable and stronger.

Sku. 125582



50 m



- 1 wire:** Supporting wire: 3 x 8 monofilament Ø 0.40 mm; conductor: 3 x 2 stainless steel Ø 0.20 mm.
- 6 wires:** porteur: 3 x 5 monofilament Ø 0.40 mm; conductor: 3 x 1 stainless steel Ø 0.20 mm.
- 1 wire:** porteur: 4 x 8 monofilament Ø 0.40 mm.

KOMBI SHEEP NET, HEIGHT 0.90 M


- Height: 0.90 m
- Length: 50 m
- Colour: orange and green
- Number of posts: 14

With struts. The struts keep the netting in place when the ground is uneven.

Sku. 125582001



50 m



- 1 wire:** Supporting wire: 3 x 8 monofilament Ø 0.40 mm; conductor: 3 x 2 stainless steel Ø 0.20 mm.
- 6 wires:** Supporting wire: 3 x 5 monofilament Ø 0.40 mm; conductor: 3 x 1 stainless steel Ø 0.20 mm.
- 1 wire:** Supporting wire: 4 x 8 monofilament Ø 0.40 mm.



BORDER NET REINFORCED SHEEP NET, HEIGHT 0.90 M

- Height: 0.90 m
 - Length: 50 m
 - Number of posts: 14
 - Colour: red
- Red with white intermediate posts. **20% more conductive than other sheep nets.** Nets created for heavy users of nets (migratory farmers, mountain farmers).

Sku. 125582003



50 m



- 1 wire:** Supporting wire: 3 x 8 monofilament Ø 0.40 mm; conductor: 3 x 2 stainless steel Ø 0.25 mm.
- 6 wires:** Supporting wire: 3 x 5 monofilament Ø 0.40 mm; conductor: 3 x 1 stainless steel Ø 0.25 mm.
- 1 wire:** Supporting wire: 4 x 8 monofilament Ø 0.40 mm.

Technical characteristics	Sku. 125582	Sku. 125582001	Sku. 125586002	Sku. 125582003
Length	50 m	50 m	50 m	50 m
Height	0.90 m	0.90 m	0.90 m	0.90 m
Spikes	Single	Single	Double	Single
Struts	No	Yes	Yes	No
Colour	Yellow and White	Orange and green	Orange and green	Red and White
Quantity per pallet	77	66	66	77



BEAUMONT DOUBLE-SPIKE SHEEP NET

- Height: 0.90 m
- Length: 50 m
- Number of posts: 14
- With struts

The double spike ensures good stability in wet soil.

Sku. 125586002



50 m



FENCE POST FOR SHEEP NET

Sku. 125585



GOAT NET, HEIGHT 1.06 M


- Height: 1.06 m
- Length: 50 m
- Colour: Yellow
- Number of posts: 14
- **Electrified earth wire**

Electrified horizontal wires, non-electrified vertical wires. Each wire intersection is welded and is thus non-deformable and stronger.


Sku. 125583



50 m



- 1 wire:** Supporting wire: 3 x 8 monofilament, Ø 0.40 mm; conductor: 3 x 2 stainless steel, Ø 0.20 mm.
- 6 wires:** Supporting wire: 3 x 5 monofilament, Ø 0.40 mm; conductor: 3 x 1 stainless steel, Ø 0.20 mm.
- 1 wire:** Supporting wire: 4 x 8 monofilament, Ø 0.40 mm.



KOMBI GOAT NET WITH STRUTS, HEIGHT 1.06 M

- Height: 1.06 m
- Length: 50 m
- Colour: orange and green
- Number of posts: 15

Sku. 125583001



50 m



- 1 wire:** Supporting wire: 3 x 8 monofilament, Ø 0.40 mm; conductor: 3 x 2 stainless steel, Ø 0.20 mm.
- 6 wires:** Supporting wire: 3 x 5 monofilament, Ø 0.40 mm; conductor: 3 x 1 stainless steel, Ø 0.20 mm.
- 1 wire:** Supporting wire: 4 x 8 monofilament, Ø 0.40 mm.



FENCE POST FOR NET

Sku. 125585001



Goats



Sku. 125585003



Rabbits





RABBIT NET, HEIGHT 0.65 M

- Height: 0.65 m
- Length: 50 m
- Colour: Yellow
- Number of posts: 15

Sku. 125584001



50 m



- 9 wires:** Supporting wire: 3 x 5 monofilament, Ø 0.40 mm; conductor: 3 x 1 stainless steel, Ø 0.20 mm.
- 1 wire:** Supporting wire: 4 x 8 monofilament, Ø 0.40 mm.



WOLF NET, HEIGHT 1.20 M

- Height: 0.90 m
- Length: 50 m
- Colour: Yellow
- 13 white fibreglass fence posts, integrated and very sturdy. Single spike: 6 x 90 cm-high posts and 7 x 120 cm-high posts with an insulator enabling a tape to be added.
- 8 electrified horizontal wires:
 - Upper wire: 24 monofilaments including a 6 x 20 mm stainless steel conductor
 - 6 rows of 15 monofilaments, including a 3 x 20 mm stainless steel conductor
 - Lower wire: 32 monofilaments including 4 x 20 mm stainless steel conductor.


Thanks to its extremely robust fence posts, the wolf net is easy to use and offers maximum protection for your flock or herd. Thanks to its extremely robust fence posts, the wolf net is easy to use and offers maximum protection for your flock or herd. The plastic braids are protected against UV. Each wire intersection is welded, ensuring high deformation resistance and optimum conductivity.

Sku. 125581100


50 m
Limited stock



We encourage you to find out about the measures currently in force concerning the protection of livestock from wolves in your region. You may be able to obtain subsidies to fund your equipment.



FENCING BEAUMONT | Practical guide




**DIAGRAM OF
MOBILE FENCING
FOR COWS**

1. Dual energizer
2. Earthing wire
3. Earth rod
4. Wooden post
5. Connector
6. Fence connecting wire

7. Corner insulator for wire
8. Wire-to-wire connector
9. Fence wire
10. Anchor insulator for wire
11. Gate kit with spring
12. Direct-burial high-voltage cable

13. Warning sign
14. Reel
15. Plastic fence posts
16. Wire strainer
17. Connection for wire
18. Digital fence tester



**DIAGRAM OF
MOBILE FENCING
FOR HORSES**

1. Mains energizer
2. Earthing wire
3. Earth rod
4. Lightning conductor
5. Direct-burial high-voltage cable
6. Wooden post
7. Connector

8. Fence connecting wire
9. Corner insulator
10. Tape-to-tape connector
11. Fence tape
12. Anchor insulator
13. Gate kit with elastic cord
14. Warning sign

15. Reel
16. Plastic fence posts
17. Tape strainer
18. Connection for tape
19. Digital fence tester




DIAGRAM OF MOBILE FENCING FOR SHEEP

1. Solar energizer
2. Earthing wire
3. Earth rod
4. Sheep net

5. Connector
6. Fence connecting wire
7. Warning sign
8. Digital fence tester

9. Corner post
10. Farmer rope





DIAGRAM OF GATE KIT

1. Wooden post
2. Fence tape
3. Anchor insulator
4. Direct-burial high-voltage cable

5. Gate kit with elastic cord



CONNECTION DIAGRAM FOR FENCE ENERGIZER

1. Mains energizer
2. Earthing wire
3. Earth rod
4. Lightning conductor
5. Direct-burial high-voltage cable

6. Wooden post
7. Connector
8. Fence connecting wire
9. Corner insulator
10. Fence tape



OUR ADVICE



TIP REGARDING THE BATTERY:

Take off the scotch tape to air the battery. Ideally, we recommend waiting a few minutes for the chemical reaction to take effect before activating the battery.

Place the battery in the energizer, making sure it is the right way round (red/red - black/black). Place some scotch tape back on the battery when storing it to extend its lifespan.

"PLAN YOUR OWN MADE-TO-MEASURE ELECTRIC FENCING PROJECT!"



EASY



QUICK



EFFICIENT


MORE THAN
2000
COMBINATIONS!



OUR BRANDS:



DISCOVER OUR VIDEO!



www.ukal-elevage.com/en/fencecalculator

UKAL





— **UKAL TECH SELECTION**

202 **Moocall**
203 **Luda Farm**
206 **Hotline**
207 **Lorentz**

UKALTECH

UKAL TECH is the new branch of UKAL dedicated to technical and innovative products requiring support and advice from our experts. This division adapts to the specificities and constraints of breeders, their animals and their farms. Our aim is to meet their new expectations by offering expert and tailor-made solutions to improve production, the quality of life production, the quality of life of farmers and animal welfare. We focus on innovation and digitalization of farms. Do not hesitate to contact the dedicated team by phone or via their website www.ukal-tech.fr. Find here a selection of UKAL TECH articles.



MOOCALL HEAT

Moocall HEAT significantly reduce the time spent detecting and tracking heat cycles in your herd.

WORKS OF MOOCALL HEAT::

- Moocall HEAT is a collar that is worn by a stock or a teaser / vasectomised bull. Moocall eartags are attached to all cows and heifers. Delivered with 50 RFID eartags. The collar then uses cow/bull proximity, mounting behaviour and bull activity levels to determine to an extremely high level of accuracy when a cow or a heifer is in heat.
- Moocall HEAT sensors measure the bull's activity around the cows to determine which cows are in estrus and when. They will then send you an SMS message, an app notification and an email to let you know that they have detected mounting activity. You can then use the AM/PM rule if you are using a teaser bull to AI at the optimum time.

On average, you will need about 1 device per 50 head. Each collar comes with 50 tags. You can put up

Sku. **M0034724**

MOOCALL Heat



MOOCALL HEAT EARTAGS

For Moocall heat collars.

Sku. **M00347241**

By 25



FARM CAM MOBILITY 4G**LUDA FARM**

Through its 3G/4G connection and rechargeable battery you can place FarmCam Mobility wherever there is mobile network coverage. Works Anywhere – Anytime. FarmCam Mobility is the perfect surveillance solution in places where you don't have power or Wi-Fi connection. Thanks to the rechargeable battery and SIM-card, you can monitor your property, machines, animals, etc. in remote areas. **As long as you have mobile network coverage, you can setup the camera wherever you need it.** Used together with the SolarCharger FCM you will not even have to think about recharging the battery. In other words, a truly mobile surveillance camera. The Smart Motion Sensor will register and record activities that appears in front of the camera. When the camera registers an activity, you will be informed through a notification in your smartphone or by e-mail. By distinguishing warm objects from tree branches that move in the wind, rain, flies, etc. the Smart Motion Sensor eliminates false alarms and ensures you are alerted to genuine situations. Other useful features that come with the camera are Zoom, Night Vision, Alarm and Two-Way Audio (mic/speaker). If the camera detects trespassers, you can act by talking to them directly or scare them off by triggering the Alarm function of the camera.

Features:

- Use it wherever you have 3G/4G network coverage..
- Rechargeable battery, lasting up to 2 months depending on usage.
- SIM-card that automatically chooses the strongest network included. No settings needed: just Plug-n-Play.
- Rain/sun, day/night - place the camera wherever you want without worrying about the weather.
- Smart heat and movement sensor ensures you are alerted to genuine situations and eliminates false alarms.
- SD-card included for recording of motion events which you access through the FarmCam 2.0 App in your smartphone.

Sku. LUD1086	Farm Cam Mobility 4G		
Sku. LUD1091	Luda SolarCharger FCM		



Solar panel for LUDA FARMCAM MOBILITY 4G and 360S

**NEW****CAMERA FARMCAM 360S****LUDA FARM**

Motorized Wi-Fi surveillance camera with a 360° overview. FarmCam 360S is a mobile surveillance camera for both indoor and outdoor use that can cover 360 degrees. The camera has a 16x digital zoom and a 2560×1440 video resolution, which gives you razor-sharp images in Full QHD quality (almost two times sharper than Full HD). FarmCam 360S can be powered by 230V or a Luda.Farm solar panel during warmer months and sunshine, plus temporary with its built-in rechargeable battery when needed. The camera needs Wi-Fi/Internet access for set-up and to be able to view live video in the FarmCam 2.0 App on your smartphone and tablet. The App is free of charge. It has dual-band functionality, which allow users to operate on both the 2.4GHz and 5GHz frequency band for maximum speed and efficiency. FarmCam 360S has motion detection alarm and can record on the 32GB memory card (included) upon motion detection and sends you a notification in the App on your phone or tablet. You can pan, tilt and zoom the camera in the App. FarmCam 360S has night vision, alarm plus microphone and a speaker with talk-back function built-in the camera. In the FarmCam 2.0 app you can talk with the person in front of the camera or use a recording of your voice to scare off an intruder.

- 2560×1440 QHD video resolution
- Dual-band 2.4GHz and 5GHz functionality
- **Lens with a 122-degree field of view**
- Use your phone to easily rotate your camera

Sku. LUD1116	FarmCam 360S		
---------------------	--------------	---	--



* with subscription on LUDA website.



Additional camera



POWERBANK LUDA GM battery

MACHINE CAM MOBILITY HD

LUDA FARM

NEW HD VERSION

The Machine Cam Mobility HD camera accompanies you throughout your working day with its new larger and better quality screen! Machine Cam Mobility HD is a truly portable technology: it can be carried like your smartphone. You now have a single video surveillance system per operator, instead of several cameras on different machines. The camera and battery are attached to the machine with powerful magnets. You don't have to worry, the whole thing won't fall down or move around. Moving it from one machine to another takes only a few seconds.

The Machine Cam Mobility HD comes in a sturdy case that's easy to carry, you'll find:

- The camera monitor with its HD screen + a monitor standOne USB power cable + one 12V IGC adapterCamera power cablePowerBank 8700 + one chargerThe Powerbank allows the camera to operate for 15 hours with a charging time of 4 hours. At the end of the day, plug in and charge the PowerBank battery directly from the case.
 - The Machine Cam Mobility HD transmits video without interference via Wi-Fi.
 - The camera and battery are waterproof, IP69K rated.
- 3-year warranty* (*Subject to product registration on LudaFarm website).
Translated with www.DeepL.com/Translator (free version). Need help choosing your camera? Let us help you by consulting https://ludafarm.typeform.com.

Sku. LUD1096

Machine Cam
Mobility HD
Limited stock



Sku. LUD1064

POWERBANK
LUDA GM battery
Limited stock



FARM CAM IP2

LUDA FARM

FarmCam IP2 is a smart camera specially developed for farming FarmCam IP2 is the first smart camera, designed to work with the platform.

Delivering stunning HD video wirelessly to your phone, tablet, or computer, FarmCam IP2 packs an impressive range of features. Rugged, water-resistant design, motion detection and night vision, FarmCam IP2 is made for life on a farm. FarmCamIP2 can send alarms and notifications to the farmer, co-workers, and neighbours when it spots suspicious movement outside of normal working hours.

Key benefits:

- FullHD 1920 pixels.
- Watch live video in the My.Luda.Farm app on your phone, tablet, or computer.
- Connects through WiFi and installation takes just 10 minutes.
- Motion detection alarms sent to farmer, co-workers, or neighbours.
- Rugged, water-resistant design (IP66).
- The safety of knowing that your cameras watch your farm 24/7.

Sku. LUD1075

FarmCam IP2



LUDA FENCE ALARM**LUDA FARM**

Luda.Fence is a fence guard that displays the voltage level of your electric fence right on your phone and warns you if the voltage suddenly drops. Luda.Fence can be used in any location with GSM coverage. Using your phone, you can now monitor your fence 24/7 year round. With the Alarm+ option, you will receive an alarm immediately in case the voltage drops in addition to a convenient voltage graph to help you determine whether the voltage drop is due to animals or shrubs/rain. These features are grouped in the same app as your other Smart Farming products to provide an instant overview of key areas on the farm right on your mobile phone. When combined with Luda.SmartPlug*, you can also switch the power to your fence on and off without having to go to the power supply when it is time for maintenance. (*SmartPlug requires an IP 20 protected environment.) Included in package: Luda.Fence fence guard, 220 V outdoor charger, Ground pin, 12 V outdoor charger, Fence clamp, Earth clamp, 3-year warranty.

Sku. LUD1072

Luda Fence Alarm



7 350030 453790

**LUDA FARM SOLAR CHARGER****LUDA FARM**

Luda.SolarCharger 3W - The solar panel that charges the battery for you! With the solar panel SolarCharger 3W connected to your FenceAlarm your battery will always be fully charged. This means that you no longer have to mount down and bring home your FenceAlarm unit for charging. Why not save time and energy using the sun rays? Natural energy at its best!

Sku. LUD1085

Luda Farm Solar Charger



7 350030 454551

20

**SMART PLUG****LUDA FARM**

The Luda.SmartPlug connects your electric equipment to the My.Luda.Farm app and turns ordinary machines into smart farm equipment. The Luda.SmartPlug connects through the normal phone network for complete coverage, free of charge, and comes equipped with a temperature sensor for an expanded range of functionality. Turn equipment on/ off from your phone or tablet, monitor temperature and power consumption in simple graphs. With the extended Control+ package the Luda.SmartPlug packs a range of advanced timer and climate control functionality. With the extended Alarm+ package you receive alarms when power fails, or when power or temperature moves outside your set alarm range. Save time and money by being able to fix problems when and where they happen. SmartPlug connects any electrical equipment to the My.Luda.Farm app. Turn your important electric equipment on/off using your phone, tablet or computer, wherever you are. Monitor temperature and power consumption in simple graphs directly on your phone. Receive alarms in your phone or by email when there is a power failure. Receive alarms when temperatures fall outside your set range or when they change very fast. Receive alarms when power consumption falls outside of your set range, combine monitoring functions with advanced timers, turn power on/off at sunset and sunrise, or in response to the room temperature. Please check the need of adaptors for your country Front Type F (Schuko) Backside Male Type E (French). **Subscription not included.**

Sku. LUD1071

Smart Plug



7 350030 453783

28





MEADOW PUMP KIT WITH SOLAR PANEL 60 W

Hotline
Electric Fencing

The complete meadow pump kit allows you to supply water to your pasture tank, avoiding water contamination by animal excrements but also stopping erosion of river and stream banks by cattle. An easy, reliable and autonomous way to provide water to livestock when watercourses are fenced off. This maintains water quality at a high level and preserves the healthy growth of local flora and fauna.

The complete prairie pump kit includes:

- 1 control box with compartment for 12V battery. **BATTERY NOT INCLUDED**
- 1 30 m hose with submersible pump
- 1 float switch
- 1 solar panel 60W **INCLUDED**



Its solar panel provides constant autonomy for this meadow pump kit. The polypropylene battery compartment is very weather resistant and can hold a 12V/85 Ah battery (not included). For optimal operation of your meadow pump, we recommend the use of an 85 Ah battery. Farmers increasingly need to keep their livestock away from waterways. The European Water Framework Directive (WFD) establishes a framework for the protection of inland waters, transitional waters (estuaries), coastal waters and groundwater. River fencing provides protection against bank erosion. Solar battery-powered meadow pump kits can be integrated into all common drinking troughs. The solar pump provides the animals with their water needs without having to change or recharge the battery (depending on storage density, weather conditions, etc.). These kits are simple 12 V pumping systems based on water pump technology to allow the transfer of large quantities of water. The kit is equipped with a float that activates the submersible pump when the water level drops. The pump is connected to a 30 m long hose that leads directly from the water source to the tank. The set is powered by a 12 V battery (not included in the kit) located in a weatherproof housing. We recommend an 85 Ah battery. The water requirements of the animals are very different and are influenced by temperature, humidity and type of feed, among other things. The majority of grazing animals are herd animals and want to drink together, so the size of the drinking trough should allow for this. By increasing the height, the pumping capacity is reduced. At a height of 10 m the pump is running at about 65% of its maximum performance. The charging times of the solar energy vary according to the weather conditions. Keep in mind that in summer the water needs of the animals increase. The water requirements are indicative. Make sure to follow the instructions for use.

Sku. 119150

Meadow pump kit
with solar panel



**FIND OUR
VIDEO ON
YOUTUBE**



MEADOW PUMP KIT WITH HOSE AND FLOAT

Hotline
Electric Fencing

The complete Meadow pump kit includes: 1 control box with compartment for 12 V battery (battery not included), 1 30 m hose with submersible pump, 1 float switch.

Sku. 119150001 Meadow pump kit with hose and float 5 021385 008400



SOLAR PANEL 60 W WITH SUPPORT

Hotline
Electric Fencing

This 60W solar panel with support is suitable for the meadow pump kit. This element allows to gain autonomy and to ensure a permanent water supply in the pasture tank. A real economic gain!

- Highly efficient crystalline solar module
- Adjustable aluminium support
- Developed for connection to the meadow pump kit - without charge controller
- Dimensions: 685 x 670 x 35 mm

Sku. 119150002 Solar panel 60 W 5 021385 009971



BATTERY FOR MEADOW PUMP

Hotline
Electric Fencing

Battery ideal for meadow pump. Ready to use.

Sku. 119150004 85Ah (C100)
70Ah (C20) 4 250227 511414



SOLAR PUMPING KIT

LORENTZ

Discover our tailored solutions for pumping water in the field. This pumping kit is ready to use and easy to install. This basic kit is ideal for pumping water to a depth of up to 10 m **using only solar power**. It can be used in a borehole, a well, a tank or even a body of water (river, lake, etc.) The pump is powered by the sun, without batteries or any other energy source.

Kit contains:

- HR-07 high performance pump
- 2 100-W solar PV panels
- 1 controller
- 1 low water probe
- MPPT pump controller
- 2 plastic cable ties

Sku. 119150200 0-10m
Daily flow rate: 7000 L 3 700393 924484

Sku. 119150201 10-25m
Daily flow rate: 6000 L 3 700393 924743

Sku. 119150202 25-40m
Daily flow rate: 3 000 L 3 700393 924491



NOTES

[illegible]

INDEX

A

Adhesive hoof tape 45
Adhesive tape for films 144
Aluminium cable 183
Ankle straps 97
Antifouling disc 79
Anti-kick bar 27
Applicator for calf weaners 25
Applicator for eartags 96
Applicator for pig rings 64
Applicator for rubber rings 55
Apron 170
Artery forceps 9

B

Baling twine 130
Battery 193
Battery for meadow pump 207
Bells 47, 48, 58, 59
Blades 106
Blanket for calves 7
Block for harness 100
Blocks for demotec easybloc 34
Bloodless castrator 24, 54
Bolus gun 20
Boot cleaner 170
Boots 171
Boots remover 171
Bottle holder drinking trough 86
Bracket for bucket 10
Braided wires and ropes 180
Brooms 132, 133
Brush for colostrum bags 15
Brushes 44, 45, 46
Buckets 12, 43, 75, 127, 128
Bull rings 26
Butcher knife 165
Butter churn 155

C

Cables for fencing 183
Cages 150, 151, 152
Calf and sheep feeder 129
Calf buckets 10, 12, 16, 17
Calving gloves 168
Calving gown 170
Calving jack 6
Calving ropes 6, 7
Cameras 203, 204
Cane 27
Cannula for syringes 121
Cannulas for hoofglue 35
Carder 46
Carder 46
Catch hook 55, 56
Catheter 39
Chain for dummies 12
Clamp for wings 85
Cleavers 163
Clippers 104, 105, 112, 113
Cohesive flexible bandage for compression 36
Collars 31, 47, 59, 97, 98
Colostrum bags 15, 52
Colostrum feeder for lamb 52
Colostrum scale 13
Combs 108, 109, 110, 111, 112
Connection cables for fencing 184, 185
Connection for ropes and tapes 184
Control cover 42

Cool spray for comb 115
Coop 71
Cow brush 46
Cow lift 7, 8
Cream separator 154
CRESYL® 138
Curry comb 45

D

Dairy 78
Dairy brush 44
Dehorner 21, 22, 23, 54
Dehorning paste 23
Dehorning pen 23
Demotec 90, 95 34
Detergent 172
Disk filters 41
Disposable overalls 169
Disposable overboots 169
Dosing cup 39
Double tissues 38
Drenching gun 120, 123
Drenching syringe 121
Drinker for chicken 77
Drinking bowl 126
Drinking trough 73, 75, 77, 78, 81, 86
Dummies 11, 12
Dutch bowl 17

E

Ear notcher 100
Eartags 94, 95, 86
Earth rod 191
Egg candler 68
Eggs (ceramic, wood...) 71
Electric clippers 104, 105
Emasculator 54
Energizers 179, 181
Ewespoon 50

F

Feeder for calf 10, 13, 14
Feeder for lamb 51
Feeder for poultry 72, 74, 75, 76, 79, 80, 82, 87
Feeding cup 136
Fence tester 193
Fish oil 62
Flashlight 144
Flexi-tubs 129
Fly bucket 146
Fly tapes and strings 146, 147
Foam dip cup 38
Food slicer 159
Food thermometer 161
Forks 166

G

Gas cannon bird scarer 150
Gas cartridge for dehorner 21
Gate handle 188
Gloves 168
Glue 250 ml SEPTICARE II 35
BOND EXPRESS XL 82
Grain mill 162
Grills for meat mincer 131
Grip folding stool 64
Guide paddle 64

H

Hairnet 168
Halters 30, 31
Hand sheep clippers 53

Handles 44, 132, 133
Handles for fencing 189
Handles for saw wire 23
Harness for rams 100
Hay rack 130, 134
Hay rake 134
Head gate for sheep 56
Head lift 24
Heating plate for chicks 68
HEINIGER clippers 106, 113
Hobble 27
Hoof checker 34
Hoof cutter 32
Hoof discs 32, 33
Hoof glue 35
Hoof knife 33, 57
Hoof mat 17, 36, 37
Hoof rasp straight with handle 32
Hoof scraper 32
Hoof shears 57
Hoof tape 36
Hoof tar 37, 147
Hutch 85

I

Identification strap digits 98
Incubators 66, 67
Infrared protector 90
Insect killers 144, 145
Insulators 185, 186, 187, 188, 191
Intravenous set 121
Introducer for magnets 20
IR protector 90

J

Jump cups holder 131

K

Kit for colostrum 15
Knives 162, 164, 165

L

Lamb feeder 50, 52
Lamb feeder bottle 52
Leads 28, 29
Leg splint for calves 36
Lid for bucket 10
Light bulbs 91
Lubricating gel 8
LUDA farm solar charger 205
LUDA fence alarm 205

M

Magnet 20
Magpie trap 150
Manger 128, 129
Marker 96
Marking fluid 101
Marking numbers 0-9 101
Marking spray 99
Marking stick 100
Mastitis detection kit 39
Meadow pump kit 206, 207
with solar panel 60 w 157
Meat mincer 24, 54
Metal knee pad 43
Milk cans 43
Milk funnel & aluminium grills 43
Milk sampler dipper 43
Milk tank brush 44
Milk thermometer 18
Milk warmers 18, 19
Milk whisks 19

NOTES

[illegible]



UKAL

THE WORLD OF LIVESTOCK

UKAL ELEVAGE

Parc économique de la Sauer
2 rue de l'Étang
CS 50244 Eschbach
67892 Niederbronn-les-Bains
France
Tél.: +33 3 88 07 40 15
ukalel@ukal.com
www.ukal.com

POLOGNE ROLOS

Ul. Henryka Sienkiewicza 2
Wyszków
PL 07-200
Polska
rolos@horizont.com.pl
Tél.: +48 29 742 33 39
www.horizont.com.pl

AFTER SALES SERVICES

sav@ukal.com
Tél.: 03 88 90 73 93

UKAL INTERNATIONAL

Tél.: +33 3 88 07 40 16
Fax: +33 3 88 07 40 14
export@ukal.com

SLOVÉNIE HORIZONT CLAIR D.O.O. TRGOVSKO PODJETJE D.O.O.

Zbilje 4 H
1215 SL - Medvode
Slovenien
Tél.: +386 (0) 1 3617 606
Fax: +386 (0) 1 3617 607
info@clair.si
www.agro-clair.si

ALLEMAGNE HORIZONT ANIMAL CARE

Homberger Weg 4-6
34497 Korbach
Germany
Tél.: +49 (0) 5631/565-100
agrar@horizont.com
www.horizont.com

ROYAUME-UNI HOTLINE ELECTRIC FENCING

Wharf Road
Newton Abbot
Devon TQ12 2DA
United Kingdom
Tél.: +44 (0) 1626 33 11 88
Fax: +44 (0) 1626 33 18 10
sales@hotline-fencing.co.uk
hotline.horizont.com

UKAL CANADA INC.

7525 rue Pion
J2R 1R8
St Hyacinthe
Québec / Canada
Tél.: (450) 796-1414
Fax: (450) 796-1415
Sans frais: 1 800 665 8389
info@ukal.ca



UKAL.com

UKALAGRI

