




METIS



THE HOE CUSTOM MADE All cultures online

STRONG EASY VERSATILITY
OPTIMIZED PROFITABILITY




WWW.AGRIVAUX.BE



POINTS OF EXCELLENCE


Load shift



A load transfer jack in each parallelogram

- The weight of the hoe is distributed over all the elements
- Equal ground pressure for each element
- Load distribution between stabilizer discs and gauge wheels

Lifting element




Orders

- switches
- RTK

peculiarities


- Gauge wheels remain on the ground = stable chassis
- Lifting at 45° to facilitate unblocking
- Easier online access

Mounting fork




Folding

The folding depends on the hoeing width



V


- Working width: 6 m maximum
- Road dimensions: 3 m maximum




U

- Working width: 9 m maximum
- Road dimensions: 3,5 m maximum

GUIDAGES



Camera



Tractor tracker RTK



Joystick



Feelers




Standalone RTK




Ultrasound

ISOBUS FONCTIONS


Translation




Lifting the baskets



Sprayer




Load transfer



ISOBUS SCREEN


Depth of work



Fertilizer application




SIDE SHIFT



V



SS300
SS300 U




UG




SS500
SS500 U

BOOM



Aligned booms = different spaces between rows of crops

ELEMENT




Wheels pulled


- Easier traction
- No influence on the trajectory

The arrangement of the tools optimizes the weeding while maintaining a level surface


ACCESSORIES




Central A-shape tine




Share reliever




finger weeder




weederrake




Cutting discs




Leaf protection discs




Last pass kit




Automatic tool depth



Localized spraying



Localized fertilizer



10 15 20 25 36 45 50 75 90

EQUIPMENT



Standard Equipment

Side shift : 300 or 500 mm translation
Standard stabilizer discs with cap
Long baskets
A-shape tine
Share reliever
Pre-equipment for lifting baskets
Streetlights

Options

Hydraulic stabilizer discs
discs shoulder
Load transfer
Hydraulic Folding
Medium or short baskets
Share slash
Finger weeder
Weederrake
Cutting discs
Hydraulic lifting of the baskets
Localized spraying
Distribution of fertilizers or seeds
Automatic tool depth
Weight transfer onto the elements

Guidance

- Joystick
- Simple camera
- Dual camera
- Simple camera + standalone RTK
- standalone RTK
- RTK linked to the tractor Tracker)
- Ultrasonic Feelers

Seat for manual guidance
Storage stand

info@agrivaux.be

0032 (0)71 51 67 83

Pol Braine

0032 (0)474 97 40 54

Distributor: