



Vertical splitter 13/17/22/27 tons - V13/17/22/27 series

SPLITTER RANGE

PROFESSIONAL LOG SPLITTERS ! Vertical 13 - 17 - 22 - 27 tons

More power - More safety - More ergonomy

PATENTED



Safety trophy
Forexpo 2016



Innovation trophy
Space 2016



Safety certification



VIDEO ON
WWW.A-M-R.FR



Design thermoformed
cover




Adjustable claw to
block logs during
sawing (*from 8 cm*)

Larger and
sharper knife

Larger log support arm
with adjustable claw for
wood, and sappe support

Cutting length
115 cm

Non-skid plate in full steel with angled
edges to facilitate timber handling



Cylinder stroke 105 cm.
Retractable without tools

Robust switch



Standard mechanical
log-lift device

3-points
Cat. I + II

Cast iron pump,
silent and robust. Bigger tank.
(*Except 13 tons -
VHY model*)

Massive beam





Vertical splitter 22/27 tons - V22/27 series

SPLITTER RANGE



■ V22/27 series

This line of splitters is designed to meet the needs of the most demanding professionals.

- 2-hand control
- Retractable cylinder for storage
- Two splitting speeds
- Non-skid plate in full steel with angled edges
- Maximal safety for work
- Brass slides with grease fittings
- Standard mechanical log-lift device
- Cast iron pump (PTO)

VPE22
with hydraulic log-lift

VPF27



VERSIONS	VEL22 VEL220100	VHY22 VHY220100	VPF22 VPF220100	VHE22 VHE220100	VPE22 VPE220100
Splitting force (to)	22	22	22	22	22
Splitting length (cm)	115	115	115	115	115
Pump	Double	-	Single	Double	Single/Double
Power supply	400 V / 6,6 kW	Hydraulic tractor	PTO tractor	Hydraulic + Elec. 400 V	PTO tractor + Elec. 400 V
Speed 1 (cm/s)	8		11,4	*/8	11,4/8
Speed 2 (cm/s)	24,8	*	23,3	*/24,8	23,3/24,8
Return speed (cm/s)	15,4		17,1	*/15,4	17,1/15,4
Oil tank capacity (L)	62	*	62	62	62
Pump output (L/min)	58	*	69	*/58	69/58
Dimension (HxLxW cm)	264 (Working position) / 202 (Transport position) x 155 x 150				
Weight (kg)	569	440	542	574	599
ACCESSORY	Holder for chainsaw				SUP000300
	PTO shaft type 3				CAR00001A
See all options & accessories page 28 / 29					

* Depending from tractor output

Hydraulic log winch for splitters mechanical or remote controlled

SPLITTER RANGE

Hydraulic log winch with
mechanical control.
Logs up to 600kg.
(More information: p. 21)



Log winch with automatic
limit stop of the rope winding

Hydraulic log winch with
radio remote control until 600 kg
(More information : p 21)



VIDEO ON
WWW.A-M-R.FR



Accessories

Hook for log winch



Plier for log winch (Opening 55/70 cm)



Log Winch and accessories

Mechanical controlled log winch V13/17	TTB100001
Mechanical controlled log winch V22/27	TTB200001
Remote controlled log winch V13/17	TTB100002
Remote controlled log winch V22/27	TTB200002
Plier for log winch 2 T opening 70 cm	PIN000300
Plier for log winch 1.5 T opening 55 cm	PIN000200
Hook for log winch	CRO000100