



# ***FIMAKS***

**50<sup>th</sup> YEAR**



PRODUCT  
CATALOG 

**From Turkey to 120 countries!**

|                                    |               |
|------------------------------------|---------------|
| MAIZE CHOPPERS                     | 1             |
| FORAGE HARVESTERS                  | 2             |
| VERTICAL MIXER FEEDERS             | 3 - 4 - 5 - 6 |
| LOW CHASSIS VERTICAL MIXER FEEDERS | 7             |
| HORIZONTAL MIXER FEEDERS           | 8 - 9         |
| SELF PROPELLED MIXER FEEDERS       | 10            |
| STATIONARY MIXER FEEDERS           | 11 - 12       |
| FEED DISTRIBUTION WAGONS           | 12            |
| MANURE SPREADERS                   | 13            |
| SLURRY TANKERS                     | 14 - 15       |
| DISC MOWERS                        | 16            |
| ROTARY RAKES                       | 17            |
| SMALL SQUARE BALERS                | 18            |
| ROUND BALER                        | 19            |
| BALE WRAPPER                       | 19            |
| LOADERS                            | 20            |
| LOADER ATTACHMENTS                 | 21            |



## OUR HISTORY

**1975**

Fimaks established

**1988**

First maize  
chopper produced



**1998**

First vertical  
mixer feeder  
produced



**2001**

First row  
independent 2 rows  
maize chopper produced



**2010**

First row  
independent 3 rows  
maize chopper  
produced



**2012**

First self propelled  
mixer feeder  
produced



**2014**

First wheeled  
loader produced



**2018**

First square  
baler produced



**2019**

First round  
baler produced




**2022**

From Turkey to 120 countries!

**2024**

The first feed center  
automation system  
has been established





**SINGLE ROW BELT DRIVEN MC10X**

HEIGHT (mm): 3000  
 LENGTH (mm): 2100  
 WIDTH (mm): 2300  
 WEIGHT (kg): 600  
 POWER REQUIREMENT (hp): 45

**SINGLE ROW GEARBOX D. MS12SL**

HEIGHT (mm): 3400  
 LENGTH (mm): 2300  
 WIDTH (mm): 2400  
 WEIGHT (kg): 540  
 POWER REQUIREMENT (hp): 45

**2 ROWS BIGDRUM 1250**

HEIGHT (mm): 3550  
 LENGTH (mm): 3800  
 WIDTH (mm): 1950  
 WEIGHT (kg): 1400  
 POWER REQUIREMENT (hp): 90

**OPTIONAL FEATURES**

1000 RPM GEARBOX

**3 ROWS BIGDRUM 2200**

HEIGHT (mm): 4275  
 LENGTH (mm): 2900  
 WIDTH (mm): 2450  
 WEIGHT (kg): 2050  
 POWER REQUIREMENT (hp): 150

**OPTIONAL FEATURES**

FORAGE PICK-UP ATTACHMENT

**4 ROWS BIGDRUM 3000**

HEIGHT (mm): 4800  
 LENGTH (mm): 2960  
 WIDTH (mm): 3100  
 WEIGHT (kg): 2350  
 POWER REQUIREMENT (hp): 200

**OPTIONAL FEATURES**

FORAGE PICK-UP ATTACHMENT







## 1.5 METER RF 152

HEIGHT (mm): 3600  
LENGTH (mm): 4500  
WIDTH (mm): 3380  
WEIGHT (kg): 640  
POWER REQUIREMENT (hp): 65

### OPTIONAL FEATURES

TRAILED TYPE



## 1.5 METER DOUBLE CHOP 1500

HEIGHT (mm): 3650  
LENGTH (mm): 2540  
WIDTH (mm): 2320  
WEIGHT (kg): 970  
POWER REQUIREMENT (hp): 60







PTO DRIVEN

**SIDE DISCHARGE 1.5 m<sup>3</sup> FMV 1.5S**

HEIGHT (mm): 1850  
 LENGTH (mm): 1300  
 WIDTH (mm): 1750 E: 1950  
 WEIGHT (kg): 485  
 POWER REQUIREMENT (hp): 10  
 BOTTOM/BODY/AUGER (mm): 10/4/8  
 NUMBER OF KNIVES (big / small / fixed): 5/0/2  
 MAX CAPACITY(kg): 600

**OPTIONAL FEATURES**

LOADING BUCKET / HYDRAULIC DOOR  
 NOTE: OPTIONS FOR ONLY PTO DRIVEN TYPE  
 NOTE: ELECTRIC MOTOR POWER IS 7.5 kW



ELECTRIC POWERED

**SIDE DISCHARGE 2.5 m<sup>3</sup> FMV 2.5S**

HEIGHT (mm): 2130  
 LENGTH (mm): 4050  
 WIDTH (mm): 1700  
 WEIGHT (kg): 875  
 POWER REQUIREMENT (hp): 25  
 BOTTOM/BODY/AUGER (mm): 10/5/8  
 NUMBER OF KNIVES (big / small / fixed): 8/0/2  
 MAX CAPACITY(kg): 1000

**OPTIONAL FEATURES**

LOADING BUCKET / WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL /  
 SELF HYDRAULIC SYSTEM / ELECTRIC MOTOR / WIDER TIRE

**SIDE DISCHARGE 3 m<sup>3</sup> FMV 3S**

HEIGHT (mm): 2135  
 LENGTH (mm): 3850  
 WIDTH (mm): 1600  
 WEIGHT (kg): 1700  
 POWER REQUIREMENT (hp): 30  
 BOTTOM/BODY/AUGER (mm): 12/4/12  
 NUMBER OF KNIVES (big / small / fixed): 5/0/2  
 MAX CAPACITY(kg): 1200

**OPTIONAL FEATURES**

LOADING BUCKET / LATERAL CONVEYOR / WEIGHING SYSTEM / ELEKTRIC MOTOR  
 ELECTROHYDRAULIC CONTROL / SELF HYDRAULIC SYSTEM / 1m<sup>3</sup> ADDITIONAL VOLUME / MAGNET

**SIDE DISCHARGE 5 m<sup>3</sup> FMV 5S**

HEIGHT (mm): 2460  
 LENGTH (mm): 3700  
 WIDTH (mm): 2300  
 WEIGHT (kg): 2150  
 POWER REQUIREMENT (hp): 40  
 BOTTOM/BODY/AUGER (mm): 14/15/12  
 NUMBER OF KNIVES (big / small / fixed): 5/0/2  
 MAX CAPACITY(kg): 2000

**OPTIONAL FEATURES**

LOADING BUCKET / LATERAL CONVEYOR / WEIGHING SYSTEM / ELEKTRIC MOTOR  
 ELECTROHYDRAULIC CONTROL / SELF HYDRAULIC SYSTEM / 1m<sup>3</sup> ADDITIONAL VOLUME / MAGNET







## SIDE DISCHARGE 8 m³ FIMAKS 8S

HEIGHT (mm): 2815  
 LENGTH (mm): 4215  
 WIDTH (mm): 2140  
 WEIGHT (kg): 3400  
 POWER REQUIREMENT (hp): 65  
 BOTTOM/BODY/AUGER (mm): 20/6/12  
 NUMBER OF KNIVES (big / small / fixed): 6/0/12  
 MAX CAPACITY(kg): 3200

### OPTIONAL FEATURES

LOADING BUCKET / LATERAL CONVEYOR / WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL / MAGNET  
 SELF HYDRAULIC SYSTEM / ELECTRIC MOTOR / WIDE ANGLE SHAFT / REDUCTION GEARBOX WITH 2 SPEED



## FRONT CONVEYOR 8 m³ FIMAKS 8F

HEIGHT (mm): 2750  
 LENGTH (mm): 5200  
 WIDTH (mm): 2300  
 WEIGHT (kg): 3600  
 POWER REQUIREMENT (hp): 65  
 BOTTOM/BODY/AUGER (mm): 20/6/12  
 NUMBER OF KNIVES (big / small / fixed): 6/0/2  
 MAX CAPACITY(kg): 3200

### OPTIONAL FEATURES

LOADING BUCKET / LATERAL CONVEYOR / WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL / MAGNET  
 SELF HYDRAULIC SYSTEM / ELECTRIC MOTOR / WIDE ANGLE SHAFT / REDUCTION GEARBOX WITH 2 SPEED



## SIDE DISCHARGE 12 m³ FIMAKS 12S

HEIGHT (mm): 2890  
 LENGTH (mm): 4750  
 WIDTH (mm): 2400  
 WEIGHT (kg): 4050  
 POWER REQUIREMENT (hp): 80  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 5/10/2  
 MAX CAPACITY(kg): 4800

### OPTIONAL FEATURES

LOADING BUCKET / LATERAL CONVEYOR / WEIGHING SYSTEM / SELF HYDRAULIC SYSTEM / MAGNET  
 ELECTROHYDRAULIC CONTROL / ELECTRIC MOTOR / WIDE ANGLE SHAFT / REDUCTION GEARBOX WITH 2 SPEED





**FRONT CONVEYOR 12 m<sup>3</sup> FMV 12F**

HEIGHT (mm): 2885  
 LENGTH (mm): 5270  
 WIDTH (mm): 2300  
 WEIGHT (kg): 4000  
 POWER REQUIREMENT (hp): 80  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 5/10/2  
 MAX CAPACITY(kg): 4800

**OPTIONAL FEATURES**

LOADING BUCKET / LATERAL CONVEYOR / WEIGHING SYSTEM / SELF HYDRAULIC SYSTEM / MAGNET  
 ELECTROHYDRAULIC CONTROL / ELECTRIC MOTOR / WIDE ANGLE SHAFT / REDUCTION GEARBOX WITH 2 SPEED

**DOUBLE AUGERS****FRONT CONVEYOR 14 m<sup>3</sup> FMV 14F**

HEIGHT (mm): 2800  
 LENGTH (mm): 7141  
 WIDTH (mm): 2300  
 WEIGHT (kg): 5580  
 POWER REQUIREMENT (hp): 100  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 10/18/2  
 MAX CAPACITY(kg): 5600

**OPTIONAL FEATURES**

LATERAL CONVEYOR / WEIGHING SYSTEM / SELF HYDRAULIC SYSTEM / ELECTRIC MOTOR  
 MAGNET / WIDE ANGLE SHAFT / REDUCTION GEARBOX WITH 2 SPEED







## DOUBLE AUGERS 16 m<sup>3</sup> FMV 16F

HEIGHT (mm): 2815  
 LENGTH (mm): 6865  
 WIDTH (mm): 2300  
 WEIGHT (kg): 6100  
 POWER REQUIREMENT (hp): 100  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 10/18/2  
 MAX CAPACITY(kg): 6400

## OPTIONAL FEATURES

LATERAL CONVEYOR  
 WEIGHING SYSTEM  
 SELF HYDRAULIC SYSTEM  
 ELECTRIC MOTOR  
 MAGNET  
 WIDE ANGLE SHAFT  
 REDUCTION GEARBOX WITH 2 SPEED



## DOUBLE AUGERS 18 m<sup>3</sup> FMV 18F

HEIGHT (mm): 3000  
 LENGTH (mm): 6900  
 WIDTH (mm): 2300  
 WEIGHT (kg): 6200  
 POWER REQUIREMENT (hp): 100  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 10/18/2  
 MAX CAPACITY(kg): 7200

## OPTIONAL FEATURES

LATERAL CONVEYOR  
 WEIGHING SYSTEM  
 SELF HYDRAULIC SYSTEM  
 ELECTRIC MOTOR  
 MAGNET  
 WIDE ANGLE SHAFT  
 REDUCTION GEARBOX WITH 2 SPEED



## DOUBLE AUGERS 20 m<sup>3</sup> FMV 20F

HEIGHT (mm): 3130  
 LENGTH (mm): 7680  
 WIDTH (mm): 2300  
 WEIGHT (kg): 7250  
 POWER REQUIREMENT (hp): 130  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 10/20/2  
 MAX CAPACITY(kg): 8000

## OPTIONAL FEATURES

LATERAL CONVEYOR  
 WEIGHING SYSTEM  
 SELF HYDRAULIC SYSTEM  
 ELECTRIC MOTOR  
 MAGNET  
 WIDE ANGLE SHAFT  
 REDUCTION GEARBOX WITH 2 SPEED  
 REDUCTION GEARBOX WITH 2 SPEED FOR 1000 rpm



## DOUBLE AUGERS 24 m<sup>3</sup> FMV 24F

HEIGHT (mm): 3400  
 LENGTH (mm): 7680  
 WIDTH (mm): 2300  
 WEIGHT (kg): 7300  
 POWER REQUIREMENT (hp): 130  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 14/28/2  
 MAX CAPACITY(kg): 9600

## OPTIONAL FEATURES

LATERAL CONVEYOR  
 WEIGHING SYSTEM  
 SELF HYDRAULIC SYSTEM  
 ELECTRIC MOTOR  
 MAGNET  
 WIDE ANGLE SHAFT  
 REDUCTION GEARBOX WITH 2 SPEED  
 REDUCTION GEARBOX WITH 2 SPEED FOR 1000 rpm



## DOUBLE AUGERS 30 m<sup>3</sup> FMV 30F

HEIGHT (mm): 3835  
 LENGTH (mm): 7600  
 WIDTH (mm): 2265  
 WEIGHT (kg): 9500  
 POWER REQUIREMENT (hp): 170  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 14/28/2  
 MAX CAPACITY(kg): 12000

## OPTIONAL FEATURES

LATERAL CONVEYOR  
 WEIGHING SYSTEM  
 SELF HYDRAULIC SYSTEM  
 MAGNET  
 WIDE ANGLE SHAFT  
 REDUCTION GEARBOX WITH 2 SPEED  
 REDUCTION GEARBOX WITH 2 SPEED FOR 1000 rpm



## TRIPLE AUGERS 36 m<sup>3</sup> FMV 36F

HEIGHT (mm): 3635  
 LENGTH (mm): 9655  
 WIDTH (mm): 2415  
 WEIGHT (kg): 10900  
 POWER REQUIREMENT (hp): 170  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 21/42/2  
 MAX CAPACITY(kg): 14400

## OPTIONAL FEATURES

LATERAL CONVEYOR  
 WEIGHING SYSTEM  
 SELF HYDRAULIC SYSTEM  
 MAGNET  
 WIDE ANGLE SHAFT  
 REDUCTION GEARBOX WITH 2 SPEED  
 REDUCTION GEARBOX WITH 2 SPEED FOR 1000 rpm





**LOW CHASSIS 8 m<sup>3</sup> FMV 8L**

HEIGHT (mm): 2350  
 LENGTH (mm): 4540  
 WIDTH (mm): 2405  
 WEIGHT (kg): 3560  
 POWER REQUIREMENT (hp): 80  
 BOTTOM/BODY/AUGER (mm): 20/6/12  
 NUMBER OF KNIVES (big / small / fixed): 2x(6/4/2)  
 MAX CAPACITY(kg): 3200

**OPTIONAL FEATURES**

LATERAL CONVEYOR / WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL /  
 MAGNET / WIDE ANGLE SHAFT

**REAR AND SIDE DISCHARGE****LOW CHASSIS 12 m<sup>3</sup> FMV 12L**

HEIGHT (mm): 2350  
 LENGTH (mm): 4950  
 WIDTH (mm): 2250  
 WEIGHT (kg): 4020  
 POWER REQUIREMENT (hp): 100  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 2x(6/4/2)  
 MAX CAPACITY(kg): 4800

**OPTIONAL FEATURES**

LATERAL CONVEYOR / WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL /  
 MAGNET / WIDE ANGLE SHAFT

**REAR AND SIDE DISCHARGE****LOW CHASSIS 14 m<sup>3</sup> FMV 14L**

HEIGHT (mm): 2400  
 LENGTH (mm): 6780  
 WIDTH (mm): 2430  
 WEIGHT (kg): 5890  
 POWER REQUIREMENT (hp): 100  
 BOTTOM/BODY/AUGER (mm): 20/6/12  
 NUMBER OF KNIVES (big / small / fixed): 2x(6/4/2)  
 MAX CAPACITY(kg): 5600

**OPTIONAL FEATURES**

LATERAL CONVEYOR/WEIGHING SYSTEM/ ELECTROHYDRAULIC CONTROL /  
 MAGNET / WIDE ANGLE SHAFT

**LOW CHASSIS 16 m<sup>3</sup> FMV 16L**

HEIGHT (mm): 2550  
 LENGTH (mm): 6780  
 WIDTH (mm): 2430  
 WEIGHT (kg): 6020  
 POWER REQUIREMENT (hp): 100  
 BOTTOM/BODY/AUGER (mm): 20/6/12  
 NUMBER OF KNIVES (big / small / fixed): 2x(6/4/2)  
 MAX CAPACITY(kg): 6400

**OPTIONAL FEATURES**

LATERAL CONVEYOR/WEIGHING SYSTEM/ ELECTROHYDRAULIC CONTROL /  
 MAGNET / WIDE ANGLE SHAFT





**1+2 SINGLE AUGERS 4 m<sup>3</sup> FMHI 4**

HEIGHT (mm): 2000  
 LENGTH (mm): 4300  
 WIDTH (mm): 1730  
 WEIGHT (kg): 1680  
 POWER REQUIREMENT (hp): 30  
 BOTTOM/BODY/FRONT (mm): 6/4/8  
 NUMBER OF KNIVES (pcs): 42+14  
 MAX CAPACITY(kg): 1600

**OPTIONAL FEATURES**

WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL / ELECTRIC MOTOR / MAGNET

**1+2 SINGLE AUGERS 6 m<sup>3</sup> FMHI 6**

HEIGHT (mm): 2200  
 LENGTH (mm): 4700  
 WIDTH (mm): 1900  
 WEIGHT (kg): 1820  
 POWER REQUIREMENT (hp): 40  
 BOTTOM/BODY/FRONT (mm): 6/4/8  
 NUMBER OF KNIVES (pcs): 51+17  
 MAX CAPACITY(kg): 2400

**OPTIONAL FEATURES**

WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL / ELECTRIC MOTOR / MAGNET

**1+2 SINGLE AUGERS 9 m<sup>3</sup> FMHI 9**

HEIGHT (mm): 2700  
 LENGTH (mm): 5800  
 WIDTH (mm): 2320  
 WEIGHT (kg): 4700  
 POWER REQUIREMENT (hp): 54  
 BOTTOM/BODY/FRONT (mm): 10/6/8  
 NUMBER OF KNIVES (pcs): 57+15  
 MAX CAPACITY(kg): 3600

**OPTIONAL FEATURES**

WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL / MAGNET

**1+2 SINGLE AUGERS 12 m<sup>3</sup> FMHI 12**

HEIGHT (mm): 2820  
 LENGTH (mm): 6400  
 WIDTH (mm): 2370  
 WEIGHT (kg): 5900  
 POWER REQUIREMENT (hp): 61  
 BOTTOM/BODY/FRONT (mm): 10/6/8  
 NUMBER OF KNIVES (pcs): 65+17  
 MAX CAPACITY(kg): 4800

**OPTIONAL FEATURES**

WEIGHING SYSTEM / ELECTROHYDRAULIC CONTROL / MAGNET





**DOUBLE AUGERS 6 m<sup>3</sup> FMHII 6**

HEIGHT (mm): 2300  
 LENGTH (mm): 4900  
 WIDTH (mm): 2000  
 WEIGHT (kg): 3000  
 POWER REQUIREMENT (hp): 40  
 BOTTOM/BODY/FRONT (mm): 10/5/10  
 NUMBER OF KNIVES (pcs): 32+64  
 MAX CAPACITY(kg): 2400

**OPTIONAL FEATURES**

SECOND HYDRAULIC DOOR / SECOND LATERAL CONVEYOR / MAGNET  
 ELECTROHYDRAULIC CONTROL / WEIGHING SYSTEM

**DOUBLE AUGERS 8 m<sup>3</sup> FMHII 8**

HEIGHT (mm): 2500  
 LENGTH (mm): 4950  
 WIDTH (mm): 2200  
 WEIGHT (kg): 3950  
 POWER REQUIREMENT (hp): 50  
 BOTTOM/BODY/FRONT (mm): 10/5/10  
 NUMBER OF KNIVES (pcs): 32+64  
 MAX CAPACITY(kg): 3200

**OPTIONAL FEATURES**

SECOND HYDRAULIC DOOR / SECOND LATERAL CONVEYOR / MAGNET  
 ELECTROHYDRAULIC CONTROL / WEIGHING SYSTEM

**DOUBLE AUGERS 10 m<sup>3</sup> FMHII 10**

HEIGHT (mm): 2500  
 LENGTH (mm): 5480  
 WIDTH (mm): 2200  
 WEIGHT (kg): 4300  
 POWER REQUIREMENT (hp): 60  
 BOTTOM/BODY/FRONT (mm): 10/5/10  
 NUMBER OF KNIVES (pcs): 40+76  
 MAX CAPACITY(kg): 4000

**OPTIONAL FEATURES**

SECOND HYDRAULIC DOOR / SECOND LATERAL CONVEYOR  
 ELECTROHYDRAULIC CONTROL / WEIGHING SYSTEM / MAGNET

**DOUBLE AUGERS 12 m<sup>3</sup> FMHII 12**

HEIGHT (mm): 2600  
 LENGTH (mm): 5980  
 WIDTH (mm): 2800  
 WEIGHT (kg): 4740  
 POWER REQUIREMENT (hp): 80  
 BOTTOM/BODY/FRONT (mm): 10/5/10  
 NUMBER OF KNIVES (pcs): 44+88  
 MAX CAPACITY(kg): 4800

**OPTIONAL FEATURES**

SECOND HYDRAULIC DOOR / SECOND LATERAL CONVEYOR  
 ELECTROHYDRAULIC CONTROL / WEIGHING SYSTEM / MAGNET







## 12 CUBIC METER MASTERMIX 12

HEIGHT (mm):3150  
LENGTH (mm):7300  
WIDTH (mm):2380  
WEIGHT (kg):9500  
ENGINE POWER (hp):175  
BOTTOM/BODY/AUGER (mm):20/8/12  
NUMBER OF KNIVES (big / small / fixed):9/17/2  
MAX CAPACITY(kg):4800

### OPTIONAL FEATURES

WEIGHING SYTEM WITH \*SOFTWARE  
\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION



## 14 CUBIC METER MASTERMIX 14

HEIGHT (mm):3200  
LENGTH (mm):7800  
WIDTH (mm):2380  
WEIGHT (kg):10.000  
ENGINE POWER (hp):175  
BOTTOM/BODY/AUGER (mm):20/8/12  
NUMBER OF KNIVES (big / small / fixed):9/17/2  
MAX CAPACITY(kg):5600

### OPTIONAL FEATURES

WEIGHING SYTEM WITH \*SOFTWARE  
\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION



## 16 CUBIC METER MASTERMIX 16

HEIGHT (mm):3300  
LENGTH (mm):8000  
WIDTH (mm):2380  
WEIGHT (kg):10.500  
ENGINE POWER (hp):175  
BOTTOM/BODY/AUGER (mm):20/8/15  
NUMBER OF KNIVES (big / small / fixed):9/17/2  
MAX CAPACITY(kg):6400

### OPTIONAL FEATURES

WEIGHING SYTEM WITH SOFTWARE  
\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

[export@fimaks.com](mailto:export@fimaks.com) | [fimaks.com](http://fimaks.com) | [fimaksloader.com](http://fimaksloader.com) | +90 444 26 94

Technical details of the machines can be revised by the producer. Pictures can contain optional features. Please verify informations with your local dealer.



**SINGLE AUGER 12 m³ FMVS 12**

HEIGHT (mm): 3100  
 LENGTH (mm): 4400  
 WIDTH (mm): 3000  
 WEIGHT (kg): 3050  
 ELECTRIC MOTOR (kW): 1x45  
 BOTTOM/BODY/AUGER (mm): 20/6/15  
 NUMBER OF KNIVES (big / small / fixed): 5/10/2  
 MAX CAPACITY(kg): 4800

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /




\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**DOUBLE AUGERS 16 m³ FMVS 16**

HEIGHT (mm): 2541  
 LENGTH (mm): 5037  
 WIDTH (mm): 2275  
 WEIGHT (kg): 4030  
 ELECTRIC MOTOR (kW): 2x45  
 BOTTOM/BODY/AUGER (mm): 20/8/15  
 NUMBER OF KNIVES (big / small / fixed): 10/18/2  
 MAX CAPACITY(kg): 18400

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**DOUBLE AUGERS 20 m³ FMVS 20**

HEIGHT (mm): 2824  
 LENGTH (mm): 5865  
 WIDTH (mm): 2312  
 WEIGHT (kg): 4900  
 ELECTRIC MOTOR (kW): 2x45  
 BOTTOM/BODY/AUGER (mm): 20/8/15  
 NUMBER OF KNIVES (big / small / fixed): 10/20/2  
 MAX CAPACITY(kg): 8000

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**DOUBLE AUGERS 24 m³ FMVS 24**

HEIGHT (mm): 3100  
 LENGTH (mm): 5685  
 WIDTH (mm): 2312  
 WEIGHT (kg): 4900  
 ELECTRIC MOTOR (kW): 2x45  
 BOTTOM/BODY/AUGER (mm): 20/8/15  
 NUMBER OF KNIVES (big / small / fixed): 14/28/2  
 MAX CAPACITY(kg): 9600

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**DOUBLE AUGERS 30 m³ FMVS 30**

HEIGHT (mm): 3515  
 LENGTH (mm): 5850  
 WIDTH (mm): 2272  
 WEIGHT (kg): 7000  
 ELECTRIC MOTOR (kW): 2x55  
 BOTTOM/BODY/AUGER (mm): 20/8/15  
 NUMBER OF KNIVES (big / small / fixed): 14/28/2  
 MAX CAPACITY(kg): 12000

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION





**TRIPLE AUGERS 40 m³ FMVS 40**

HEIGHT (mm): 3214  
 LENGTH (mm): 8365  
 WIDTH (mm): 2370  
 WEIGHT (kg): 10700  
 ELECTRIC MOTOR (kW): 3x45  
 BOTTOM/BODY/AUGER (mm): 20/8/15  
 NUMBER OF KNIVES (big / small / fixed): 14/28/2  
 MAX CAPACITY(kg): 16000

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**TRIPLE AUGERS 50 m³ FMVS 50**

HEIGHT (mm): 3480  
 LENGTH (mm): 8365  
 WIDTH (mm): 2370  
 WEIGHT (kg): 11740  
 ELECTRIC MOTOR (kW): 3x55  
 BOTTOM/BODY/AUGER (mm): 20/8/15  
 NUMBER OF KNIVES (big / small / fixed): 21/42/2  
 MAX CAPACITY(kg): 20000

**OPTIONAL FEATURES**

HARDOX BODY / HARDOX SCRATCH PLATE (50-100CM) / XL DISPLAY / WEIGHING SYSTEM WITH \*SOFTWARE  
 WIRELESS DATA TRANSFER / WIRELESS MONITOR / MAGNET / **Z-CONVEYOR** /



\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**DISTRIBUTOR 20 m³ FMDV 20**

HEIGHT (mm): 3200  
 LENGTH (mm): 8000  
 WIDTH (mm): 2600  
 WEIGHT (kg): 4000  
 MOTOR POWER (kW): 135

**OPTIONAL FEATURES**

WEIGHING SYTEM WITH \*SOFTWARE / MAGNET

\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION

**DISTRIBUTOR 22 m³ FMDV 22**

HEIGHT (mm): 3420  
 LENGTH (mm): 9740  
 WIDTH (mm): 3000  
 WEIGHT (kg): 6000  
 MOTOR POWER (kW): 135

**OPTIONAL FEATURES**

WEIGHING SYTEM WITH \*SOFTWARE / MAGNET

\*WEIGHING SYSTEM WITH SOFTWARE 1 YEAR SUBSCRIPTION





**5 TONS FMGR 5**

HEIGHT (mm): 2400  
 LENGTH (mm): 5600  
 WIDTH (mm): 2100  
 WEIGHT (kg): 2500  
 POWER REQUIREMENT (hp): 60

**OPTIONAL FEATURES**

GALVANISED BODY / HYDRAULIC BRAKE / PNEUMATIC BRAKE / TRAFFIC LIGHTS

**10 TONS FMGR 10**

HEIGHT (mm): 3100  
 LENGTH (mm): 7500  
 WIDTH (mm): 3000  
 WEIGHT (kg): 4150  
 POWER REQUIREMENT (hp): 90

**OPTIONAL FEATURES**

GALVANISED BODY / HYDRAULIC BRAKE / PNEUMATIC BRAKE / TRAFFIC LIGHTS

**18 TONS FMGR 18**

HEIGHT (mm): 3460  
 LENGTH (mm): 8000  
 WIDTH (mm): 2810  
 WEIGHT (kg): 8000  
 POWER REQUIREMENT (hp): 135

**OPTIONAL FEATURES**

PNEUMATIC BRAKE / TRAFFIC LIGHTS

**25 TONS FMGR 25**

HEIGHT (mm): 3560  
 LENGTH (mm): 8000  
 WIDTH (mm): 2910  
 WEIGHT (kg): 10000  
 POWER REQUIREMENT (hp): 150

**OPTIONAL FEATURES**

PNEUMATIC BRAKE / TRAFFIC LIGHTS







## 3000 LT FST 3000

HEIGHT (mm): 2090  
LENGTH (mm): 5000  
WIDTH (mm): 2085  
WEIGHT (kg): 1040  
POWER REQUIREMENT (hp): 50

### OPTIONAL FEATURES

GALVANISED BODY / HYDRAULIC BRAKE / PNEUMATIC BRAKE / TRAFFIC LIGHTS



## 6000 LT FST 6000

HEIGHT (mm): 2475  
LENGTH (mm): 5280  
WIDTH (mm): 1885  
WEIGHT (kg): 2000  
POWER REQUIREMENT (hp): 50

### OPTIONAL FEATURES

GALVANISED BODY / HYDRAULIC BRAKE / PNEUMATIC BRAKE / TRAFFIC LIGHTS / HOMOLOGATION KIT



## 8000 LT FST 8000

HEIGHT (mm): 2650  
LENGTH (mm): 6400  
WIDTH (mm): 2600  
WEIGHT (kg): 3100  
POWER REQUIREMENT (hp): 80

### OPTIONAL FEATURES

HYDRAULIC SUCTION SYSTEM / SPREADING GUN / UNDERGROUND INJECTOR / UNDERGROUND WINGS  
UPPERGROUND WINGS / GALVANISED BODY / HYDRAULIC BRAKE / PNEUMATIC BRAKE / TRAFFIC LIGHTS / HOMOLOGATION KIT



## 10.000 LT FST 10000

HEIGHT (mm): 2650  
LENGTH (mm): 7600  
WIDTH (mm): 2600  
WEIGHT (kg): 3100  
POWER REQUIREMENT (hp): 80

### OPTIONAL FEATURES

HYDRAULIC SUCTION SYSTEM / SPREADING GUN / UNDERGROUND INJECTOR / UNDERGROUND WINGS  
UPPERGROUND WINGS / GALVANISED BODY / HYDRAULIC BRAKE / PNEUMATIC BRAKE / TRAFFIC LIGHTS / HOMOLOGATION KIT





**12.000 LT FST 12000**

HEIGHT (mm): 3100  
 LENGTH (mm): 7000  
 WIDTH (mm): 2850  
 WEIGHT (kg): 5410

POWER REQUIREMENT (hp): 80

**OPTIONAL FEATURES**

HYDRAULIC SUCTION SYSTEM / SPREADING GUN / GALVANISED BODY / DOUBLE AXLE / HYDRAULIC BRAKE  
 PNEUMATIC BRAKE / TRAFFIC LIGHTS / HOMOLOGATION KIT

**15.000 LT FST 15000**

HEIGHT (mm): 3100  
 LENGTH (mm): 8250  
 WIDTH (mm): 2850  
 WEIGHT (kg): 6180

POWER REQUIREMENT (hp): 80

**OPTIONAL FEATURES**

HYDRAULIC SUCTION / SPREADING GUN / GALVANISED BODY / PNEUMATIC BRAKE / TRAFFIC LIGHTS  
 HOMOLOGATION KIT

**20.000 LT FST 20000**

HEIGHT (mm): 3500  
 LENGTH (mm): 7900  
 WIDTH (mm): 3000  
 WEIGHT (kg): 6000

POWER REQUIREMENT (hp): 120

**OPTIONAL FEATURES**

HYDRAULIC SUCTION / SPREADING GUN / PNEUMATIC BRAKE / TRAFFIC LIGHTS / HOMOLOGATION KIT







## FMDM 210

WORKING WIDTH (mm): 2100  
WIDTH (mm): 3900  
HEIGHT (mm): 850  
LENGTH (mm): 1200  
POWER REQUIREMENT (hp): 40



## FMDM 245

WORKING WIDTH (mm): 2450  
WIDTH (mm): 4250  
HEIGHT (mm): 850  
LENGTH (mm): 1200  
POWER REQUIREMENT (hp): 45



## FMDM 210C CONDITIONER

WORKING WIDTH (mm): 2100  
WIDTH (mm): 3900  
HEIGHT (mm): 950  
LENGTH (mm): 1200  
POWER REQUIREMENT (hp): 60



## FMDM 245C CONDITIONER

WORKING WIDTH (mm): 2450  
WIDTH (mm): 4300  
HEIGHT (mm): 950  
LENGTH (mm): 1300  
POWER REQUIREMENT (hp): 70



## FMDM 280C TRAILED CONDITIONER

WORKING WIDTH (mm): 2800  
WIDTH (mm): 3150  
HEIGHT (mm): 1300  
LENGTH (mm): 5500  
POWER REQUIREMENT (hp): 90



## FMDM 320C TRAILED CONDITIONER

WORKING WIDTH (mm): 3200  
WIDTH (mm): 3550  
HEIGHT (mm): 1300  
LENGTH (mm): 5700  
POWER REQUIREMENT (hp): 100





**9 ARMS FMR 330**

WORKING WIDTH (mm): 3300  
 HEIGHT (mm): 1000  
 LENGTH (mm): 3550  
 WEIGHT (kg): 330  
 POWER REQUIREMENT (hp): 20

**OPTIONAL FEATURES**

TANDEM AXLE

**11 ARMS FMR 440**

WORKING WIDTH (mm): 4000  
 HEIGHT (mm): 1200  
 LENGTH (mm): 3850  
 WEIGHT (kg): 500  
 POWER REQUIREMENT (hp): 45

**22 ARMS DOUBLE FMR 745 A**

WORKING WIDTH (mm): 6850 - 7450  
 HEIGHT (mm): 3720  
 LENGTH (mm): 5600  
 WEIGHT (kg): 1600  
 POWER REQUIREMENT (hp): 50







## 2 KNOTTERS BALER 1600

HEIGHT (mm): 1600  
LENGTH (mm): 4140  
WIDTH (mm): 1870  
WEIGHT (kg): 1160  
PICKING WIDTH (mm): 1300  
POWER REQUIREMENT (hp): 25



## 2 KNOTTERS BALER 2690

HEIGHT (mm): 1720  
LENGTH (mm): 4140  
WIDTH (mm): 2400  
WEIGHT (kg): 1240  
PICKING WIDTH (mm): 1550  
POWER REQUIREMENT (hp): 35



## 2 KNOTTERS BALER 3690

HEIGHT (mm): 1720  
LENGTH (mm): 4140  
WIDTH (mm): 2400  
WEIGHT (kg): 1380  
PICKING WIDTH (mm): 1700  
POWER REQUIREMENT (hp): 40



## 3 KNOTTERS BALER 5190

HEIGHT (mm): 1760  
LENGTH (mm): 4970  
WIDTH (mm): 2500  
WEIGHT (kg): 2180  
PICKING WIDTH (mm): 1560  
POWER REQUIREMENT (hp): 60



## 2/3 KNOTTERS BALER 5690

HEIGHT (mm): 1820  
LENGTH (mm): 5110  
WIDTH (mm): 2550  
WEIGHT (kg): 1850  
PICKING WIDTH (mm): 1800  
POWER REQUIREMENT (hp): 60



## 2/3 KNOTTERS BALER 6000

HEIGHT (mm): 1820  
LENGTH (mm): 5110  
WIDTH (mm): 2650  
WEIGHT (kg): 2000  
PICKING WIDTH (mm): 1950  
POWER REQUIREMENT (hp): 60





**ROUND BALER FMRB 170**

LENGTH (mm): 4400  
 WIDTH (mm): 2250  
 HEIGHT (mm): 2750  
 NET WEIGHT: 2960  
 BALE DIA. (mm) (min/max): 900/1700  
 BALE WIDTH (mm): 1230  
 WORKING WIDTH (mm): 2200  
 POWER REQUIREMENT (hp): 80

**OPTIONAL FEATURES**

HYDRAULIC BRAKE / PNEUMATIC BRAKE

**BALE WRAPPER FMBS 160**

LENGTH (mm): 2480  
 WIDTH (mm): 1580  
 HEIGHT (mm): 2380  
 NET WEIGHT: 840  
 BALE DIA. (mm) (min/max): 1200/1600  
 POWER REQUIREMENT (hp): 70





**33 HP STANDARD LS33**

ENGINE: 3 CYL.  
 HEIGHT WITHOUT CABIN (mm): 2300  
 HEIGHT WITH CABIN (mm): -  
 LENGTH (mm): 2700  
 WIDTH (mm): 1050  
 WEIGHT (kg): 1630  
 LIFTING HEIGHT (mm): 2700  
 LIFTING CAPACITY (kg): 850  
 CAPACITY AT MAX.HEIGHT (kg): 750  
 SPEED (km/h): 0-15

**OPTIONAL FEATURES**

EURO 5 ENGINE / CABIN WITH HEATER / CABIN WITH AC  
 DOORS FOR LOADER WITHOUT CABIN / SECOND HYDRAULIC JACK AT FRONT

**50 HP STANDARD LS50**

ENGINE: 4 CYL.  
 HEIGHT WITHOUT CABIN (mm): 2350  
 HEIGHT WITH CABIN (mm): 2560  
 LENGTH (mm): 4000  
 WIDTH (mm): 1570  
 WEIGHT (kg): 3450  
 LIFTING HEIGHT (mm): 2800  
 LIFTING CAPACITY (kg): 1400  
 CAPACITY AT MAX.HEIGHT (kg): 1300  
 SPEED (km/h): 0-20

**OPTIONAL FEATURES**

EURO 5 ENGINE / CABIN WITH HEATER / CABIN WITH AC  
 DOORS FOR LOADER WITHOUT CABIN / SECOND HYDRAULIC JACK AT FRONT

**60 HP STANDARD LS60**

**TURBO** ENGINE: 4 CYL.  
 HEIGHT WITHOUT CABIN (mm): 2350  
 HEIGHT WITH CABIN (mm): 2560  
 LENGTH (mm): 4000  
 WIDTH (mm): 1570  
 WEIGHT (kg): 3600  
 LIFTING HEIGHT (mm): 2800  
 LIFTING CAPACITY (kg): 1500  
 CAPACITY AT MAX.HEIGHT (kg): 1400  
 SPEED (km/h): 0-20

**OPTIONAL FEATURES**

EURO 5 ENGINE / CABIN WITH HEATER / CABIN WITH AC  
 DOORS FOR LOADER WITHOUT CABIN / SECOND HYDRAULIC JACK AT FRONT

**50 HP TELESCOPIC LT50**

ENGINE: 4 CYL.  
 HEIGHT WITHOUT CABIN (mm): 2350  
 HEIGHT WITH CABIN (mm): 2560  
 LENGTH (mm): 4000  
 WIDTH (mm): 1570  
 WEIGHT (kg): 3600  
 LIFTING HEIGHT (mm): 3600  
 LIFTING CAPACITY (kg): 1300  
 CAPACITY AT MAX.HEIGHT (kg): 1000  
 SPEED (km/h): 0-20

**OPTIONAL FEATURES**

EURO 5 ENGINE / CABIN WITH HEATER / CABIN WITH AC  
 DOORS FOR LOADER WITHOUT CABIN / SECOND HYDRAULIC JACK AT FRONT

**60 HP TELESCOPIC LT60**

**TURBO** ENGINE: 4 CYL.  
 HEIGHT WITHOUT CABIN (mm): 2350  
 HEIGHT WITH CABIN (mm): 2560  
 LENGTH (mm): 4000  
 WIDTH (mm): 1570  
 WEIGHT (kg): 3750  
 LIFTING HEIGHT (mm): 3600  
 LIFTING CAPACITY (kg): 1400  
 CAPACITY AT MAX.HEIGHT (kg): 1150  
 SPEED (km/h): 0-20

**OPTIONAL FEATURES**

EURO 5 ENGINE / CABIN WITH HEATER / CABIN WITH AC  
 DOORS FOR LOADER WITHOUT CABIN / SECOND HYDRAULIC JACK AT FRONT







BUCKET



FORKLIFT



HYDRAULIC SCRAPER



BALE FORK



SILAGE AND MANURE GRAPPLE



SNOW AND SOIL PLOW



BALE GRAPPLE



SILAGE TILLER



4 IN 1 BUCKET



EXTENDED BALE FORK



SILAGE CUTTER



FEED REFRESHER



BRUSH



BACKHOE



AUGER



DISCHARGE BUCKET



WOOD GRAPPLE



RUBBER SCRAPER



SNOW BLOWER



SALT SPREADER



SWEEPER



[illegible]



NOTES.....



[illegible]





## NOTES



fimaks.com

fimaksloader.com



export@fimaks.com



+90 444 26 94

Organize Sanayi Bölgesi 5 No'lu Cad. No: 2  
M.K.Paşa / BURSA / TÜRKİYE

## DEALER INFORMATION



From Turkey to 120 countries!